# MEDLINE- lidocaine patch Medline Industries, LP

-----

#### 973 Medline 4% Lidocain Pain Relief Patch

#### Active ingredient

Lidocaine 4%

### Purpose

Topical analgesic

#### Use

for the temporary relief of minor aches and pains of muscles and joints

#### Warnings

#### For external use only

### Ask doctor before use if you have:

sensitive skin

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

### When using this product

- use only as directed
- avoid contact with eyes, mucous membranes or rashes
- do not bandage tightly

### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- conditions worsen
- symptoms persists more than 7 days
- symptoms clear up and occur again within a few days

### If pregnant of breast-feeding,

ask a health professional before use

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

#### Adult and children 2 years of age and older:

- clean and dry affected area
- remove film from patch and apply to the skin
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove patch from the skin after at most 8-hour application

#### Children under 2 years of age: do not use, consult a doctor

#### Other information

- avoid storing product in direct sunlight
- protect product from excessive moisture

#### Inactive ingredients

dihydroxyaluminum aminoacetate anhydrous, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, polyvinylpyrrolidone, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water

#### **Manufacturer information**

© 2025 CURAD and Medline are registered trademarks of Medline Industries, LP. Manufactured for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. Made in China.

REF CUR997305 V1 RB25CFJ

### Package Label



CURAD

5.51 x 3.94 in (14 x 10 cm)



025 CURAD and POZS CURAD and ediline are registered ademarks of Medline dustries, LP anufactured for ediline Industries, LP, tree Lakes Drive, orthfield, IL DO93 USA, ade in China.

ww.curad.com call:1-800-633-5463

Single Use Only. This product is not made with Natural Rubber Latex.

LIDOCAINE 4% PAIN RELIEF Temporary relief of pain in back, neck, shoulders, knees and elbows for up to 8 hours Topical analgesic

**5** PATCHES 5.51 x 3.94 in (14 x 10 cm)

Individually packaged

**REF CUR997305** 



DIRECTIONS









Drug Facts

Active ingredient

Purpose

Use for the temporary relief of minor aches and pains of muscles and joints

For external use only

Ask a doctor before use if you have: sensitive skin

Do not use ## nove than 1 patch at a time ## or wounds or damaged skin ## with a heating pad

## you are allergic to any typedients of this product

When using his product ## use only as directed ## avoid cortact with eyes, mucous membranes or rainbes ## of not bandage tightly

Stop use and ask a doctor if ## Discolized skin reactions occur, such as rash, itching, redness, irritation, pain, aveiling and bitistering ## conditions worsen ### ormptome persists more than 7 days

### symptom claim up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If awa fowed, get medical help or contact a Poison Control Center right away.

Directions

A dult and children 2 years of age and older: It clean and dry affected area It remove film from patch and apply to the skim It apply 1 patch at a time to affected area, not more than 3 to 4 times daily It remove patch from the skim after a most E-hour application Children under 2 years of age: do not use, consult a doctor

Other information
■ avoid storing product in direct sunlight ■ protect product from exce

Inactive ingredients

dhydroxyaluminum aminoacetta anhydrous, edetate disodium, glycerin, kaoin, methylparaben obyacrylic acid, polyosobate 80, polyvinylpyrroldone, propylene glycol, propylparaben, sodium obyacrylate, tartaric acid, titanium dixxide, water

LOT EXP:





## LIDOCAINE 4% PAIN RELIEF PATCH

Temporary relief of pain in back, neck, shoulders, knees and elbows for up to 8 hours

Single Use Only. This product is not made with Natural Rubber Latex.





**PATCH** 5.51 x 3.94 in (14 x 10 cm)

©2025 CURAD and Medline are registered trademarks of Medline Industries, LP.
Manufactured for: Medline Industries, LP, Three Lakes Drive,
Northfield, II, 60093 USA. Made in China. VI RB25CFJ
Visit us at www.curad.com or call: 1-800-633-5463

#### DIRECTIONS





Partially peel back protective film





#### Drug Facts

Active ingredient

Purpose

Use for the temporary relief of minor aches and pains of muscles and joints

#### Warnings

For external use only

Ask a doctor before use If you have: sensitive skin

Do not use ■ more than 1 patch at a time ■ on wounds or damaged skin ■ with a heating pad ■ if you are allergic to any ingredients of this product

■ If you are auergic to any ingreenens or tims product

When using this product ■ use only as directed ■ avoid contact with eyes, mucous membranes or rashes ■ do not bandage slightly.

Stop use and ask a doctor If ■ localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering ■ conditions worsen ■ symptoms pensists more than 7 days ■ symptoms clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Adult and children 2 years of age and older: 
clean and dry affected area. 
remove film from patch and apply to the skin 
apply and patch and control at a time to affected area, not more than 3 to 4 times daily 
remove patch from the skin after at most 8-hour application
Children under 2 years of age: do not use, consult a doctor

#### Other information

oring product in direct sunlight protect product from excessive moisture

#### Inactive ingredients

ditydroxyaluminum aminoacetate anhydrous, edetate disodium, glycerin, kaolin, methylparaben, polyacrylira acid, polysorbate 80, polyvinylpyrrolidone, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water

### **MEDLINE**

lidocaine patch

<b>Product</b>	Inform	ation
Product		ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53329-973

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

EDETATE DISODIUM (UNII: 7FLD91C86K)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

PROPYLPARABEN (UNII: Z8IX2SC10H)

Ingredient Name	<b>Basis of Strength</b>	Strength

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 4 mg in 100 mg

## **Inactive Ingredients**

Ingredient Name	Strength
METHYLPARABEN (UNII: A218C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
TARTARIC ACID (UNII: W4888I119H)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05 15 N 2 )	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-973- 05	5 in 1 BOX	02/01/2025	
1		1 in 1 POUCH		
1		400 mg in 1 PATCH; Type 0: Not a Combination		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	505G(a)(3)	02/01/2025				

## Labeler - Medline Industries, LP (025460908)

## Registrant - Medline Industries, LP (025460908)

Revised: 6/2025 Medline Industries, LP