

QUALITY CHOICE MUSCLE AND JOINT- menthol gel
Chain Drug Marketing Association

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Menthol 2.5%

Uses

- For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis and sprains

Warnings

For external use only.

- **DO NOT USE WITH A HEATING PAD**
- **DO NOT BANDAGE TIGHTLY**
- **DO NOT SWALLOW**
- If swallowed, induce vomiting and call a physician. Keep away from eyes, mucous membranes, broken or irritated skin. If redness or irritation develops, pain lasts more than 10 days or with arthritis-like conditions in children under 12, do not use and call a physician.

KEEP AWAY FROM CHILDREN TO AVOID ACCIDENTAL POISONING.

Enter section text here

Directions

- Apply generously and gently massage until gel disappears
- Repeat 3 to 4 times daily
- Relief lasts for hours

For best results, squeeze tube from the bottom and flatten as you use product

Other information

- store between 15° - 30°C (59° to 86°F)

Inactive ingredients

camphor, carbomer 940, potassium sorbate, isopropyl alcohol, methylparaben, polysorbate 60, purified water, and trolamine

Package label

QC Muscle and Joint Vanishing Scent Gel

Drug Facts	
Active Ingredient Menthol 2.5%	Purpose External Analgesic
Uses ■ For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis and sprains	
Warnings For external use only. ■ DO NOT USE WITH A HEATING PAD ■ KEEP AWAY FROM CHILDREN TO AVOID ACCIDENTAL POISONING. ■ DO NOT BANDAGE TIGHTLY ■ DO NOT SWALLOW ■ If swallowed, induce vomiting and call a physician. Keep away from eyes, mucous membranes, broken or irritated skin. If redness or irritation develops, pain lasts more than 10 days or with arthritis-like conditions in children under 12, do not use and call a physician.	
Directions ■ Apply generously and gently massage until gel disappears. ■ Repeat 3 to 4 times daily ■ Relief lasts for hours. For best results, squeeze tube from the bottom and flatten as you use product.	
Other information ■ Store between 15-30 C (59-86 F)	
Inactive ingredients Carbopol 940, Potassium sorbate, Polysorbate 60, Triethylamine, isopropyl alcohol, Gampicor, Methylparaben, Water	

*This product is not manufactured or distributed by Pfizer Consumer Health Care, owner of the registered trademark Bengay®

Muscle and Joint
Vanishing Scent Gel



DISTRIBUTED BY QUALITY CHOICE
NOV. MI 48376-0885
MADE IN KOREA
DC 85265
www.qualitychoice.com



NET WT 2 OZ (57g)

Muscle and Joint
Vanishing Scent Gel

Muscle and Joint
Fast Penetrating
Vanishing Scent Gel



Muscle and Joint
Vanishing Scent Gel



**Greaseless, Long Lasting,
Stainless, Non-Scented**
Hours of Arthritis, Backache,
Muscle & Joint Pain relief



Compare to the active
ingredient in Vanishing
Scent Bengay™

Purpose

External analgesic

QUALITY CHOICE MUSCLE AND JOINT

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Menthol (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)	Menthol	2.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CARBOMER HOMO POLYMER TYPE C (UNII: 4Q93RCW27E)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
isopropyl alcohol (UNII: ND2M416302)	
methylparaben (UNII: A2I8C7HI9T)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
trolamine (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-013-02	1 in 1 BOX		
1		57 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/16/2011	

Labeler - Chain Drug Marketing Association (011920774)