

MUCINEX INSTASOOTHE COUGH- dextromethorphan hydrobromide lozenge
RB Health (US) LLC

MUCINEX® InstaSoothe™

Drug Facts

Active Ingredient (in each Lozenge)	Purpose
Dextromethorphan HBr 5 mg	Cough suppressant

Dextromethorphan HBr 5 mg: Cough suppressant

Uses

Temporarily:

- relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- helps reduce the intensity of coughing

Warnings

Do Not Use

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

dose as follows or as directed by a doctor or dentist

adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 12 lozenges in any 24-hour period
children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 6 lozenges in any 24-hour period
children under 6 years of age	do not use

Other Information

- store at 20-25°C (68-77°F)
- protect contents from humidity
- keep lozenge in outer pack until use. Reseal outer pack after use.

Inactives

FD&C blue no. 1, FD&C red no. 40, flavors, hydrogenated starch hydrolysate, isomalt, propylene glycol, purified water, sucralose

Questions

1-866-MUCINEX (1-866-682-4639)

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224
Made in India
2024 RB Health

Patents: www/reckitt.com/patents
www.mucinex.com

NDC 72854-267-20

Mucinex®

INSTA>>SOOTHE® COUGH + SUGAR FREE

Dextromethorphan HBr 5 mg >> Cough Suppressant

Up to 4HR Relief

- ✓ Quiets Cough
- ✓ Powerful Relief
- ✓ Long Lasting*"

20 MEDICATED DROPS - MIXED BERRY FLAVOR

NDC 72854-267-20

Mucinex[®]

INSTA»SOOTHE[®]

COUGH + SUGAR FREE

Dextromethorphan HBr 5 mg »
Cough Suppressant



Up To
4HR
Relief



**Quiets Cough
Powerful Relief
Long Lasting***



20 MEDICATED
DROPS

**MIXED
BERRY
FLAVOR**

Mucinex[®]

INSTA-SOOTHE[®]

Choose from our range of Mucinex[®] INSTASOOTHE[®] products for powerful symptom relief!



Drug Facts

Active ingredient (in each lozenge) Purpose
Dextromethorphan HBr 5 mg.....Cough suppressant

Uses temporarily:

- relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- helps reduce the intensity of coughing

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*Based on lozenges with an active ingredient of dextromethorphan vs. menthol

Drug Facts (continued)

Directions

adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 12 lozenges in any 24-hour period
children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 6 lozenges in any 24-hour period
children under 6 years of age	do not use

Other information

- store at 20-25°C (68-77°F)
- protect contents from humidity
- keep lozenge in outer pack until use. Reseal outer pack after use.

Inactive ingredients

FD&C blue no. 1, FD&C red no. 40, flavors, hydrogenated starch hydrolysate, isomalt, propylene glycol, purified water, sucralose

Questions? 1-866-MUCINEX (1-866-682-4639)



Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in India
©2025 RB Health
Patents: www.reckitt.com/patents
www.mucinex.com
021725

Keep outer pack for full information



ACTUAL SIZE

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org



50063839

MUCINEX INSTASOOTHE COUGH

dextromethorphan hydrobromide lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-267
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ISOMALT (UNII: S870P55O2W)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	

Product Characteristics

Color	purple	Score	no score
Shape	ROUND	Size	18mm
Flavor	BERRY	Imprint Code	S
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-267-20	20 in 1 BAG	04/01/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:72854-267-40	40 in 1 BAG	04/01/2024	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2024	

Labeler - RB Health (US) LLC (081049410)

Revised: 10/2024

RB Health (US) LLC