

**MEDLINE- miconazole nitrate cream**  
**Medline Industries, LP**

-----  
**147 Remedy Clinical Antifungal Cream**

***Active ingredient***

Miconazole nitrate 2.0% w/w

***Purpose***

Antifungal

***Uses***

- for the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris) or ringworm (tinea corporis)
- relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch

***Warnings***

**For external use only**

**Do not use**

- on children under 2 years of age unless directed by doctor

**When using this product**

- avoid contact with the eyes

**Stop use and ask a doctor**

- if irritation occurs
- there is no improvement within 4 weeks for athlete's foot and ringworm
- there is no improvement within 2 weeks for jock itch

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- clean the affected area and dry thoroughly
- apply a thin layer over affected area twice daily or as directed by a physician
- supervise use by children
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for four weeks; for jock itch, use daily for

two weeks

- if condition persists longer, consult a doctor
- this product is not effective on scalp or nails

### ***Other information***

- protect from freezing
- avoid excessive heat

### ***Inactive ingredients***

acrylamide/ammonium acrylate copolymer, aloe barbadensis leaf juice, apricot kernel oil, PEG-6 esters, ascorbic acid, ascorbyl palmitate, cetyl dimethicone, cholecalciferol, citric acid, citrus aurantium dulcis (orange) peel oil, citrus grandis (grapefruit) peel oil, citrus tangerina (tangerine) peel oil, diazolidinyl urea, ethyl vanillin, glycine, glycine soja (soybean) oil, glycol stearate, hydroxytyrosol, l-proline, l-aurine, methylparaben, methylsulfonylmethane, n-acetyl-l-cysteine, niacinamide, olea europaea (olive) fruit oil, olea europaea (olive) leaf extract, PEG-6 stearate, PEG-8, PEG-32 stearate, polyisobutene, polysorbate 20, propanediol, propylene glycol, propylparaben, pyridoxine HCL, retinyl palmitate, silica, tocopherol, triethanolamine, vanillin, water, zea mays oil

### **Manufacturing Information**

[www.medline.com](http://www.medline.com)

©2022 Medline and Medline Remedy

are registered trademarks of

Medline Industries, LP.

Made in USA of foreign and domestic materials

Manufactured for Medline Industries, LP,

Three Lakes Drive, Northfield, IL 60093 USA

1-800-MEDLINE

REF: MSC092604

### **Package Label**



**Drug Facts**

**Active ingredient** Miconazole nitrate 2.0% w/w ..... **Purpose** Antifungal

**Uses** ■ for the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris) or ringworm (tinea corporis) ■ relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch

**Warnings**

For external use only

**Do not use** ■ on children under 2 years of age unless directed by doctor

**When using this product** ■ avoid contact with the eyes

**Stop use and ask a doctor** ■ if irritation occurs ■ there is no improvement within 4 weeks for athlete's foot and ringworm ■ there is no improvement within 2 weeks for jock itch

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean the affected area and dry thoroughly ■ apply a thin layer over affected area twice daily or as directed by a physician ■ supervise use by children ■ for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily ■ for athlete's foot and ringworm, use daily for four weeks; for jock itch, use daily for two weeks ■ if condition persists longer, consult a doctor ■ this product is not effective on scalp or nails

**Other information** ■ protect from freezing ■ avoid excessive heat

**Inactive ingredients** acrylamide/ammonium acrylate copolymer, aloe barbadensis leaf juice, apricot kernel oil PEG-6 esters, ascorbic acid, ascorbyl palmitate, cetyl dimethicone, cholecalciferol, citric acid, citrus aurantium dulcis (orange) peel oil, citrus grandis (grapefruit) peel oil, citrus tangerina (tangerine) peel oil, diazolidinyl urea, ethyl vanillin, glycine, glycine soja (soybean) oil, glycol stearate, hydroxytyrosol, l-proline, l-haurine, methylparaben, methylsulfonylmethane, n-acetyl-cysteine, niacinamide, olea europaea (olive) fruit oil, olea europaea (olive) leaf extract, PEG-6 stearate, PEG-8, PEG-32 stearate, polyisobutene, polysorbate 20, propanediol, propylene glycol, propylparaben, pyridoxine HCL, retinyl palmitate, silica, tocopherol, triethanolamine, vanillin, water, zea mays oil

CLINICAL

**TREAT**

**Antifungal Cream**  
**2% Miconazole Nitrate**

For skin with a  
fungal infection



**CHG Compatible**  
**Hypoallergenic**

**Scented**



REF MSC092604

www.medline.com ©2022 Medline and Medline Remedy are registered trademarks of Medline Industries, LP. Made in USA of foreign and domestic materials. Manufactured for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. 1-800-MEDLINE V1 RL22WAS

4 FL OZ (118 mL)

**MEDLINE**

miconazole nitrate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-147
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MICONAZOLE NITRATE</b> (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV)	
<b>GLYCOL STEARATE</b> (UNII: 0324G66D0E)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>CITRUS MAXIMA FRUIT RIND OIL</b> (UNII: 8U3877WD44)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>APRICOT KERNEL OIL PEG-6 ESTERS</b> (UNII: DRG3KJZ1TJ)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>POLYISOBUTYLENE (1000 MW)</b> (UNII: 5XB3A63Y52)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ACETYLCYSTEINE</b> (UNII: WYQ7N0BPHYC)	
<b>PEG-32 STEARATE</b> (UNII: 33GX5WQC0M)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>ETHYL VANILLIN</b> (UNII: YC9ST449YJ)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PEG-6 STEARATE</b> (UNII: 8LQC57C6B0)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>TAURINE</b> (UNII: 1EQV5MLY3D)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>MANDARIN OIL</b> (UNII: NJO720F72R)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>HYDROXYTYROSOL</b> (UNII: QEU0NE4O90)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-147-44	118 mL in 1 TUBE; Type 0: Not a Combination Product	08/01/2023	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/01/2023	

**Labeler** - Medline Industries, LP (025460908)**Registrant** - Medline Industries, LP (025460908)

Revised: 10/2025

Medline Industries, LP