

**HYDROGEN PEROXIDE 3%- hydrogen peroxide 3% solution**  
**Epic Medical Supply Corp.**

-----  
**Hydrogen Peroxide 3%, USP**

**Drug Facts**

**Active Ingredient**

Hydrogen Peroxide (stabilized) 3%

**Purpose**

First Aid Antiseptic/Oral Debriding Agent

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

**Warnings**

**For external use only**

***Do not use***

- in the eyes or apply over large areas of the body
- longer than 1 week

***Ask a doctor before use if you have*** deep puncture wounds, animal bites or serious burns.

***Stop use and ask a doctor if***

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

***Keep out of reach of children.*** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

---

**First Aid Antiseptic**

**Oral Debriding Agent (oral  
rinse):**

Adults and children 2 years of  
age & over:

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>• clean the affected area</li><li>• apply a small amount of product on the area 1 to 3 times a day</li><li>• may be covered with a sterile bandage</li><li>• if bandaged, let dry first</li></ul> | <ul style="list-style-type: none"><li>• mix with an equal amount of water</li><li>• swish around in the mouth over the affected area for at least 1 minute and then spit out</li><li>• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor</li></ul> |
|---|---|

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

### **Other Information**

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

### **Inactive Ingredient**

Purified Water

### **Principal Display Panel One Gallon**

NDC 82749-001-99

REF: 613-1172

epic medical supply

Solution of

Hydrogen Peroxide

3% USP 10 Volume

First Aid Antiseptic

Tamper evident cap for your protection. If ring band is detatche or missing do not use.

One Gallon (3.8L)

Made in USA

Manufactured for:

Epic Medical Supply Corp

Lakewood, NJ 08701

[www.epicmedsupply.com](http://www.epicmedsupply.com)



NDC 82749-001-99  
REF: 613-1172

SOLUTION OF  
HYDROGEN PEROXIDE  
3% USP 10 VOLUME

**3%**



TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

FIRST AID ANTISEPTIC



Made in USA

Net Content ONE GALLON (3.8L)

Manufactured for:  
Epic Medical Supply Corp  
Lakewood, NJ 08701  
www.epicmedsupply.com

## Drug Facts

### Active ingredient

Hydrogen Peroxide (stabilized) 3%..... First aid antiseptic /Oral debriding agent

### Purpose

**Uses** • first aid to help prevent the risk of infection in minor cuts, scrapes and burns  
• aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

### Warnings For external use only

**Do not use** • in the eyes or apply over large areas of the body • longer than 1 week

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if** • the condition persists or gets worse  
• sore mouth symptoms do not improve in 7 days  
• irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

### Directions

#### First Aid Antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

- Oral debriding agent (oral rinse):  
adults and children 2 years of age and over,
- mix with an equal amount of water
  - swish around in the mouth over the affected area for at least 1 minute and then spit out
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age : consult a dentist or doctor

**Other Information** Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

**Inactive Ingredient** purified water

1-07-A0013N05E

## HYDROGEN PEROXIDE 3%

hydrogen peroxide 3% solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82749-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:82749-001-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/24/2022	
2	NDC:82749-001-99	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/24/2022	
3	NDC:82749-001-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/24/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/24/2022	

**Labeler** - Epic Medical Supply Corp. (101423894)

Revised: 1/2026

Epic Medical Supply Corp.