

OHM HEPATIC TERRAIN- berberis vulgaris, carduus marianus, chelidonium majus, china officinalis, cynara scolymus, taraxacum officinale, veratrum album liquid
OHM PHARMA INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

OHM HEPATIC TERRAIN

ACTIVE INGREDIENTS (HPUS*): Equal amounts of: Berberis Vulgaris 12X, Carduus Marianus 6X, Chelidonium Majus 12X, China Officinalis 7X, Cynara Scolymus 9X, Taraxacum Officinale 7X, Veratrum Album 12X.

*The letters "HPUS" indicate the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

USES: Temporarily relieves primary and secondary functional hepatic disorders.**

**This statement has not been evaluated by the FDA.

It is based on documented Homeopathic Materia Medica.

WARNINGS:

IF PREGNANT OR BREAST-FEEDING, ask a health professional before use. If symptoms worsen or persist for more than 5 days, discontinue use and contact a health care professional.

KEEP OUT OF THE REACH OF CHILDREN.

DIRECTIONS: To open ampoule snap top up and away from you. Using pipette place entire content under the tongue, hold it for 30 seconds and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional.

Children under 12 years use 1/2 the adult dose.

Discard unused solution. Solution does not contain any preservatives.

Not for injection.

OTHER INFORMATION: Store at controlled room temperature. Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

Made in USA

www.ohmpharma.com

Primary and secondary functional hepatic disorders relief

NDC: 66096-176-06

OHM HEPATIC TERRAIN

HOMEOPATHIC MEDICINE

Pharmaceutical Grade. Professional use only.
 CONTENTS: 12 oral ampoules of 2.2 ml each.

NDC: 66096-176-06

OHM HEPATIC TERRAIN

HOMEOPATHIC MEDICINE

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each.

DRUG FACTS

ACTIVE INGREDIENTS (HPUS*): Equal amounts of:
 Berberis Vulgaris 12X, Carduus Marianus 6X, Chelidonium
 Majus 12X, China Officinalis 7X, Cynara Scolymus 9X,
 Taraxacum Officinale 7X, Veratrum Album 12X.

USES: Temporarily relieves primary and secondary functional
 hepatic disorders.**

WARNINGS:

IF PREGNANT OR BREAST- FEEDING, ask a health professional
 before use. KEEP OUT OF THE REACH OF CHILDREN.
 If symptoms worsen or persist for more than 5 days, discontinue
 use and contact a health care professional.

DRUG FACTS (continued)

DIRECTIONS: To open ampoule snap top up and away from you.
 Using pipette place entire content under the tongue, hold it for 30 seconds
 and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions:
 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four
 times per week, or as directed by a health professional.
 Children under 12 years: use 1/2 the adult dose.
 Discard unused solution. Solution does not contain any preservatives.
 Not for injection.

*The letters "HPUS" indicate the components in this product are officially
 monographed in the Homeopathic Pharmacopeia of the United States.

OTHER INFORMATION: Store at controlled room temperature.
 Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

** This statement has not been evaluated by the FDA.
 It is based on documented Homeopathic Materia Medica.



Lot:
Exp:

Made in USA

www.ohmpharma.com



NDC: 66096-176-06

OHM-HEP

MEDICAMENTO HOMEOPATICO

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each. PARA USO ORAL.

DRUG FACTS

ACTIVE INGREDIENTS :
 100 ml contains: Berberis Vulgaris 12X, Carduus Marianus 6X,
 Chelidonium Majus 12X, China Officinalis 7X, Cynara
 Scolymus 9X, Taraxacum Officinale 7X, Veratrum Album 12X;
 0.143 ml each.

INDICACIONES: Venta bajo prescripción medica.

WARNINGS:

IF PREGNANT OR BREAST- FEEDING, ask a health professional
 before use. KEEP OUT OF THE REACH OF CHILDREN.
 If symptoms worsen or persist for more than 5 days, discontinue
 use and contact a health care professional.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

DRUG FACTS (continued)

DIRECTIONS: To open ampoule snap top up and away from you.
 Using pipette place entire content under the tongue, hold it for 30 seconds
 and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions:
 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four
 times per week, or as directed by a health professional.
 Children under 12 years: use 1/2 the adult dose.
 Discard unused solution. Solution does not contain any preservatives.

CONDICIONES Y ADVERTENCIAS: Conservar el medicamento protegido
 del calor, luz y humedad. Almacenar a no mas de 30°C. Mantengase fuera
 del alcance de los niños. Hipersensibilidad a alguno de sus componentes.

R.S. INVIMA No: MH2011-0001768

Importado y Distribuido para Colombia por OHM PHARMA COLOMBIA Ltda
 Calle 37 Sur # 28 C 57, Medellin, Antioquia. Tel: (57) 4-379 5995

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067



Lot:
Exp:

Made in USA

www.ohmpharma.com





ohm
PHARMA

Exp:

OHM-HEP

OHM Hepatic Terrain

2.2 ml Drinkable Ampoule

Lot:

OHM PHARMA INC., USA

INV. Ref: MH2011-0001768

Para Uso Oral



Your Partner in Homeopathy

Description:

Homeopathic medication. Please see box label.

Instructions for opening:

Please make sure that all content of the ampoule is below the narrow neck. Ampoules are pre-scored. It is not necessary to use an ampoule opener. If you are using one, push the narrow flanged end of the ampoule opener over the top of the ampoule until the flange snaps in place on the neck of the vial. Snap the ampoule top slightly upward and away from you. To withdraw the content, tilt the open ampoule, squeeze the bulb of the pipette and insert the tip into the ampoule. Slowly release the pressure on the bulb until content is withdrawn from ampoule. Content of ampoules may be placed directly from the pipette under the tongue, or content may be emptied into a glass with some filtered or purified water. The liquid should be retained in the mouth for 30 seconds in order to improve the absorption.

BE CAREFUL OF SHARP EDGES AFTER OPENING AMPOULE.

Dosage form:

Liquid ampoules. For package content please see box label.

Active ingredients:

Please see box label.

Inactive ingredient:

Please see box label.

Pharmacological class:

OTC homeopathic drug.

Indications and usage:

To be used according to standard homeopathic indications. Please see box label.

Contraindications:

Contraindicated in patients with a known hypersensitivity to any of its ingredients.

Adverse reactions:

In rare cases, patients with a hypersensitivity to any of the ingredients may experience an allergic reaction after administration.

Precautions:

No harmful or potentially hazardous side effects are known. Homeopathic drugs can be safely administered to children.

Interactions with other medicines:

None known.

Drug abuse and dependence:

Not applicable for homeopathic drugs.

Warning:

Keep out of the reach of children. As with any drug if you are pregnant or nursing a baby, seek the advice of a health professional before using this homeopathic drug. If symptoms persist or worsen, discontinue use and contact a health professional.

Dosage:

Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional. *Children under 12 years:* use half the adult dose.

Administration:

According to health care practitioner.

Overdosage:

Overdosage is extremely rare due to the nature of homeopathic drugs but care must be taken not to exceed the recommended dosage.

Storage conditions:

Store at controlled room temperature, between 59°F and 86°F (15°C and 30°C). Protect from direct light. Store the ampoule in the box until time of use. Avoid freezing and excessive heat. Discard any unused solution after the ampoule has been opened. Do not store opened ampoules.

SOLUTION DOES NOT CONTAIN ANY PRESERVATIVES.

Last document revision:

January 2015

Manufacturer:

OHM PHARMA INC.
USA
www.ohmpharma.com





ohm
PHARMA

Su Socio en Homeopatía

Descripción:

Medicamento Homeopático. Por favor vea la etiqueta en la caja.

Instrucciones para abrir la ampollita:

Por favor asegúrese que el contenido de la ampollita este por debajo del cuello angosto. Las ampollitas vienen con un precorte. No es necesario utilizar el tubillo plástico para abrir la ampollita, si lo desea utilizar, presione la parte que tiene las presillas sobre la parte superior de la ampollita hasta que las presillas lleguen al cuello angosto de la ampollita. Presione el cuello en contra de usted y levemente hacia arriba. Para extraer el contenido ladee la ampollita abierta, presione el bulbo del gotero e inserte la punta en la ampollita. Lentamente libere la presión hasta que el contenido sea extraído. El contenido de la ampollita puede ser colocado directamente debajo de la lengua o en un vaso con poca agua filtrada o destilada. La solución debe ser mantenida en la boca por 30 segundos para aumentar la absorción.

TENGA PRECAUCIÓN CON LOS BORDES AFILADOS DE LA AMPOLLETA UNA VEZ ABIERTA.

Forma Farmacéutica:

Ampollitas líquidas.
Para contenido del empaque ver etiqueta en la caja.

Ingredientes Activos:

Ver etiqueta en la caja.

Ingredientes Inactivos:

Ver etiqueta en la caja.

Clase Farmacológica:

Medicamento Homeopático OTC.

Indicaciones:

Utilizar según indicaciones estándares para medicamentos homeopáticos. Ver etiqueta en la caja.

Contraindicaciones:

Contraindicado en pacientes con conocida hipersensibilidad a alguno de los componentes.

Efectos Adversos:

En casos excepcionales, pacientes con hipersensibilidad a algún componente pueden presentar una reacción alérgica posterior a la administración.

Precauciones:

No se conocen efectos perjudiciales o potencialmente nocivos.
Los medicamentos homeopáticos pueden ser administrados con seguridad en niños.

Interacción medicamentosa:

Ninguna conocida.

Abuso o dependencia:

No es aplicable a los medicamentos homeopáticos.

Advertencia:

Mantenga esta y todas las medicinas fuera del alcance de los niños. Como con cualquier medicina si usted esta embarazada o lactando consulte a su medico. Si los síntomas persisten o empeoran, suspenda el uso y consulte a su medico.

Posología:

Adultos y niños mayores de 12 años: En general, 1 ampollita de 1-3 veces al día o según sea ordenado por el medico.
Niños menores de 12 años: La 1/2 de la dosis del adulto.

Administración:

Según prescripción médica.

Sobredosis:

Sobredosis es extremadamente inusual dada la característica del medicamento homeopático, pero se recomienda no exceder la dosis recomendada.

Condiciones de Almacenamiento:

Almacéne a temperatura entre 15°C and 30°C (59°F and 86°F). Proteger de la luz directa. Conserve la ampollita en la caja hasta antes de administrarse. Evite congelar o exponer al medicamento a temperaturas extremas. Deseche cualquier residuo no administrado después de haber abierto la ampollita. No almacene ampollitas abiertas.

ESTE MEDICAMENTO NO CONTIENE PRESERVATIVOS.

Fecha de Expiración:

Ver fecha de expiración impresa en cada ampollita individual.

Ultima Revisión del Documento:

Enero 2015

Manufacturado por:

OHM PHARMA INC.
USA
www.ohmpharma.com



OHM HEPATIC TERRAIN

berberis vulgaris, carduus marianus, chelidonium majus, china officinalis, cynara scolymus, taraxacum officinale, veratrum album liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66096-176
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	12 [hp_X] in 1 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	6 [hp_X] in 1 mL
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	12 [hp_X] in 1 mL

CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	7 [hp_X] in 1 mL
CYNARA SCOLYMUS LEAF (UNII: B71UA545DE) (CYNARA SCOLYMUS LEAF - UNII:B71UA545DE)	CYNARA SCOLYMUS LEAF	9 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	7 [hp_X] in 1 mL
VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	12 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66096-176-06	12 in 1 BOX	04/23/2015	
1		2.2 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/23/2015	

Labeler - OHM PHARMA INC. (030572478)

Registrant - OHM PHARMA INC. (030572478)

Establishment

Name	Address	ID/FEI	Business Operations
OHM PHARMA INC.		030572478	manufacture(66096-176)

Revised: 1/2021

OHM PHARMA INC.