

**ALERTNESS AID- caffeine tablet**  
**Chain Drug Consortium**

-----  
**Premier Value 44-226**

***Active ingredient (in each tablet)***

Caffeine 200 mg

***Purpose***

Alertness aid

***Use***

helps restore mental alertness or wakefulness when experiencing fatigue or drowsiness

***Warnings***

**For occasional use only**

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

**Do not use**

- for children under 12 years of age
- as a substitute for sleep

**Stop use and ask a doctor if**

fatigue or drowsiness persists or continues to recur.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- adults and children 12 years and over: take 1 tablet not more often than every 3 to 4 hours
- children under 12 years: do not use

### ***Other information***

- **each tablet contains:** calcium 35 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, D&C yellow #10 aluminum lake, dextrates hydrated, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

**Premier  
Value®**

**\*COMPARE TO THE ACTIVE INGREDIENT  
IN VIVARIN®**

### ***Alertness Aid***

Caffeine 200 mg  
**ALERTNESS AID**

Equal to about a cup of coffee

**40** Tablets

actual  
size

**INDEPENDENTLY TESTED  
PV  
SATISFACTION GUARANTEED**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by  
Meda AB, owner of the registered trademark  
Vivarin®. 50844 REV1219A22610

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

**If for any reason you are not satisfied with**

this product, please return it to the store where purchased for a full refund.

**Premier Value**

**Alertness Aid**  
Caffeine 200 mg  
ALERTNESS AID

40 Tablets

**Premier Value**

**Alertness Aid**  
Caffeine 200 mg  
ALERTNESS AID

40 Tablets

Equal to about a cup of coffee

actual size

**COMPARE TO THE ACTIVE INGREDIENT IN VIVARIN®**

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



8 40986 03210 3

**Drug Facts (continued)**

**Questions or comments?**  
1-800-426-9391

**Drug Facts (continued)**  
This product is not manufactured or distributed by Meda AB, owner of the registered trademark Vivarin®, 50844 REV1219A22610  
Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087  
If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

**Drug Facts (continued)**

**Drug Facts (continued)**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients**  
D&C yellow #10 aluminum lake, dextrates hydrated, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

B-1590-226-10  
REV1219A22610

6

**Drug Facts (continued)**

**Do not use**  
for children under 12 years of age  
as a substitute for sleep

**Stop use and ask a doctor** if fatigue or drowsiness persists or continues to recur.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children**. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
adults and children 12 years and over: take 1 tablet not more often than every 3 to 4 hours  
children under 12 years: do not use

**Other information**  
each tablet contains: calcium 35 mg

**Drug Facts**

**Active ingredient (in each tablet)**  
Caffeine 200 mg ..... Alertness aid

**Purpose**  
helps restore mental alertness or wakefulness when experiencing fatigue or drowsiness

**Warnings**  
For occasional use only  
Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart beat.

**Drug Facts (continued)**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients**  
D&C yellow #10 aluminum lake, dextrates hydrated, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

B-1590-226-10  
REV1219A22610

6

# ALERTNESS AID

caffeine tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-680
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	200 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	44;226
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-680-40	5 in 1 CARTON	11/21/1996	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:68016-680-16	2 in 1 CARTON	11/21/1996	05/17/2023
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M011	11/21/1996	

**Labeler** - Chain Drug Consortium (101668460)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(68016-680)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(68016-680) , pack(68016-680)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(68016-680)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(68016-680)

Revised: 3/2023

Chain Drug Consortium