

GOOD NEIGHBOR PHARMACY GENTLE LAXATIVE- bisacodyl suppository
AmerisourceBergen Drug Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient

Bisacodyl USP, 10 mg

Purpose

Stimulant Laxative

Uses

- For relief of occasional constipation and irregularity
- -This product generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only.

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of two weeks

When using this product

May cause abdominal discomfort, faintness, rectal burning, and mild cramps

Stop use and ask a doctor if

- if you have rectal bleeding or fail to have bowel movement after using a laxative. This may indicate a serious condition
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older
Children under 6

Children 6 to under 12 years

One suppository once daily
daily Ask doctor.

1/2 suppository once

-Detach one suppository from the strip and remove from foil - Carefully insert one suppository well into the rectum


-Do not use more than once per day

Other Information

- do not store above 30°C (86°F)

Inactive Ingredients

hydrogenated vegetable oil



Gentle yet effective

8 Suppositories




Drug Facts
Other information
Inactive ingredients

NON-VARNISH AREA
DO NOT PRINT

Active ingredient (in each suppository) Bisacodyl USP 10 mg Stimulant laxative	Use ■ For temporary relief of occasional constipation and irregularity ■ This product generally produces bowel movement in 15 minutes to 1 hour	Warnings For rectal use only Ask a doctor before use if you have ■ stomach pain, nausea or vomiting ■ a sudden change in bowel habits that lasts more than 2 weeks When using laxative products it may cause stomach discomfort, faintness, rectal burning and mild cramps Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using laxative products. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Directions adults and children 1 suppository in a single daily dose. Peel open plastic. Insert suppository well into rectum, pointed end first. Retain about 15 to 20 minutes. children 6 to under 12 years of age 1/2 suppository in a single daily dose children under 6 years of age ask a doctor
---	---	--	---

Distributed by:
Amersip, Inc.
1300 Morris Drive,
Cheslerbrook, PA 19087
Visit www.rvgbp.com
Questions? 800-321-7178
*This product is not manufactured or distributed by Boehringer Ingelheim registered trademark, Dulcolax®.

REV 01/16
RESUBP/EN





GOOD NEIGHBOR PHARMACY GENTLE LAXATIVE

bisacodyl suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-384
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg in 2000 mg

Inactive Ingredients

Ingredient Name	Strength
FAT, HARD (UNII: 8334LX7S21)	

Product Characteristics

Color	white	Score	
Shape	BULLET	Size	34mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-384-51	2 in 1 CARTON	11/16/2015	
1		40 mg in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	02/13/2015	

Labeler - AmerisourceBergen Drug Corp (007914906)

Registrant - Reese Pharmaceutical Co (004172052)

Establishment

Name	Address	ID/FEI	Business Operations
Reese Pharmaceutical Co		004172052	relabel(46122-384) , repack(46122-384)

Establishment

Name	Address	ID/FEI	Business Operations
Torrent Pharma Inc.		116943196	manufacture(46122-384)

Revised: 1/2019

AmerisourceBergen Drug Corp