

AURA CONCENTRATE- lactic acid teat dip solution
AgroChem USA, LLC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Aura Concentrate

AURA CONCENTRATE

TEAT DIP CONCENTRATE

DANGER

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE.

AVOID FREEZING.

KEEP OUT OF DIRECT SUNLIGHT.

CAUSES SKIN IRRITATION.

CAUSES SERIOUS EYE DAMAGE.

FOR FARM AND INDUSTRIAL USE ONLY

PREVENTION: Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling.

FIRST AID / RESPONSE:

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plan

EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061

Toll Free: 1-866-928-0789

ACTIVE INGREDIENTS (when diluted 1:3): Glycerol Monolaurate 0.25%, Lactic Acid 2.5%

EMOLLIENTS (when diluted 1:3): 7.5%

NDC: 17307-3022-3

NET CONTENTS: 55 GALLON (208.2L)

Use Aura Concentrate effectively to reduce the spread of mastitis causing organisms. Aura Concentrate is suitable for use as a pre or post dip.

DIRECTIONS:

IMPORTANT: CONCENTRATE MUST BE DILUTED WITH CLEAN WATER PRIOR TO USE. RECOMMENDED DILUTION IS (1:3). MIX (1) PART AURA TO (3) PARTS OF WATER. MIX WELL PRIOR TO USE.

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By:

AgroChem USA, LLC 26 Freedom Way • Saratoga Springs, NY 12866 • (518)226-4850

AURA CONCENTRATE (1:3)

TEAT DIP
CONCENTRATE

DANGER

NOT FOR HUMAN USE.

AVOID FREEZING.

KEEP OUT OF DIRECT SUNLIGHT.

CAUSES SKIN IRRITATION.

CAUSES SERIOUS EYE DAMAGE.

KEEP OUT OF REACH OF CHILDREN.

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling.

FIRST AID / RESPONSE:

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant.

EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061

Toll Free: 1-866-928-0789

ACTIVE INGREDIENTS (when diluted 1:3): Glycerol Monolaurate 0.25%, Lactic Acid 2.5%

EMOLLIENTS (when diluted 1:3): 7.5%

NDC: 17307-3022-3

NET CONTENTS: 55 GALLONS (208.2L)



LOT:
EXP:



Use Aura Concentrate effectively to reduce the spread of mastitis causing organisms. Aura Concentrate is suitable for use as a pre or post dip.

DIRECTIONS:

IMPORTANT: CONCENTRATE MUST BE DILUTED WITH CLEAN WATER PRIOR TO USE. RECOMMENDED DILUTION IS (1:3). MIX (1) PART AURA TO (3) PARTS OF WATER. MIX WELL PRIOR TO USE.

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

PreDipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By: AgroChem USA, LLC
26 Freedom Way
Saratoga Springs, NY 12866
Phone: 518-226-4850



AURA CONCENTRATE

lactic acid teat dip solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-3022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERYL LAURATE (UNII: Y98611C087) (GLYCERYL LAURATE - UNII:Y98611C087)	GLYCERYL LAURATE	0.01 kg in 1 kg
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	0.12 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
SODIUM XYLENESULFONATE (UNII: G4LZF950UR)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-3022-1	19 kg in 1 CONTAINER		
2	NDC:17307-3022-2	57 kg in 1 DRUM		
3	NDC:17307-3022-3	208 kg in 1 DRUM		
4	NDC:17307-3022-4	1003 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/16/2024	

Labeler - AgroChem USA, LLC. (118336116)

Registrant - AgroChem USA, LLC. (118336116)

Establishment

Name	Address	ID/FEI	Business Operations
AgroChem USA, LLC.		118336116	api manufacture, manufacture, analysis, label, pack

Revised: 7/2024

AgroChem USA, LLC.