

## **CHILDREN PAIN AND FEVER RELIEVER- acetaminophen tablet, chewable**

### **Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Children's Pain Fever Chewables Acetaminophen 24 Melty Tabs**

#### ***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

#### ***Purpose***

Pain reliever/fever reducer

#### ***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

#### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy Alert:** acetaminophen may cause severe skin reaction. Symptoms may include:

- skin reddening
- blister
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days is accompanied or followed by fever headache, rash, nausea or vomiting, consult a doctor promptly.

#### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has**  
liver disease.

**Ask a doctor or pharmacist before use if your child is**  
taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dose (see overdose warning).**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

### ***Directions***

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours or as directed by a doctor

<b>Weight (lbs)</b>	under 24	24-35	36-47	48-59	60-71	72-95
<b>Age (yr)</b>	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
<b>Dose (Tablets)</b>	ask a doctor	1 tablet	1 ½ tablets	2 tablets	2 ½ tablets	3 tablets

### ***Other information***

- store at room temperature. Avoid high humidity. Protect from light
- see end flap for expiration date and lot number

### ***Inactive ingredients***

citric acid, crospovidone, D&C Red no. 30 Lake, dextrose, FD&C Blue No. 1 Lake, flavors, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethyl cellulose, starch, sucralose

**Questions or comments?**

**1-866-467-2748**

***Principal Display Panel***

NDC 11673-241-24

Compare to active ingredient in Children's Tylenol® Chewables\*

children's acetaminophen

chewable tabs, 160 mg

up & up

pain reliever/fever reducer

aspirin free

ibuprofen free

Ages 2-11 YEARS

GRAPE FLAVOR

Naturally and Artificially Flavored

24 CHEWABLE TABLETS 160 mg each

**TAMPER EVIDENT:** DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

<b>IMPORTANT:</b> Keep this carton for future reference on full labeling.
---

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark children's Tylenol® Chewable.

50844 REV0213F44908

094 01 0603 R03 ID225450

Distributed by Target Corporation

Minneapolis, MN 55403

© 2019 Target Brands, Inc.

Shop Target.com

# children's acetaminophen

chewable tabs, 160 mg



Compare to active ingredient in  
Children's Tylenol® Chewables\*

NDC 11673-241-24

# children's acetaminophen

chewable tabs, 160 mg



pain reliever/fever reducer  
aspirin free  
ibuprofen free

AGES

2-11

YEARS



24

CHEWABLE  
TABLETS

24 CHEWABLE TABLETS



1603R24TGTC

COATING  
FREE AREA

Lot:  
Exp:

## Drug Facts (continued)

**Inactive ingredients:** citric acid, croscollon, D&C Red No. 30 Lake, dextrose, FD&C Blue No. 1 Lake, flavor, hydroxypropylcellulose, magnesium stearate, malic acid, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose

**Questions or comments?** 1-800-910-6874

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables, 50944, REV0213/4/908  
Distributed by Target Corporation  
Minneapolis, MN 55403  
©2019 Target Brands, Inc.  
Shop target.com

**IMPORTANT:**

Keep this carton for future  
reference on full labeling.

## Drug Facts

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

### Active ingredient (in each chewable tablet)

### Purpose

Acetaminophen 160 mg.....Pain reliever/fever reducer

### Uses

temporarily relieves minor aches and pains due to:  
■ the common cold ■ flu ■ headache ■ sore throat ■ toothache ■ temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen

**Allergy Alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

## Drug Facts (continued)

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease.

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.

**Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions** ■ this product does not contain directions or complete warnings for adult use.  
■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew completely do not swallow whole

■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets

\*or as directed by a doctor

**Other information** ■ store at room temperature. Avoid high humidity. Protect from light

■ see end flap for expiration date and lot number

COATING  
FREE AREA

COATING  
FREE AREA

COATING  
FREE AREA



## CHILDREN PAIN AND FEVER RELIEVER

acetaminophen tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-241
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

### Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (15 MPAS AT 5%) (UNII: 68401960MK)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

### Product Characteristics

Color	PURPLE	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	RP160
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-241-24	4 in 1 CARTON	11/11/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part343	11/11/2019	
-------------------------	---------	------------	--

**Labeler** - Target Corporation (006961700)

Revised: 1/2020

Target Corporation