#### ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled Premier Value Alliance LLC

-----

# **Drug Facts**

#### Active ingredient (in each capsule)

Loperamide HCI 2 mg

#### Purpose

Anti-diarrheal

# Use

controls symptoms of diarrhea, including Travelers' Diarrhea

#### Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

#### Do not use

- if you have bloody or black stool
- in children under 12 years of age

#### Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

#### Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

#### When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

#### Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea.
- not for use in children under 12 years of age
- adults and children 12 years and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

# Other information

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

# Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

# **Questions or comments?**

call toll free **1-888-235-2466** 

 $^{+}\text{All}$  trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Imodium  $^{\texttt{®}}$  A-D

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY Pharmacy Value Alliance, LLC 407 East Lancaster Avenue Wayne, PA 19087

If for any reason you are not satisfied with this product, please return it to the

store where purchased for a full refund. L0000108 Rev # 03/19

**Principal Display Panel** 

Premier Value ®

**†COMPARE TO THE ACTIVE INGREDIENT IN IMODIUM ® A-D** 

Loperamide HCI Soft Gelatin Capsules, 2 mg

# Anti-Diarrheal

Suitable for adults and children 12 years and over

12 Softgels\*

\*Each Liquid-filled capsule contains 2 mg loperamide HCl



1	ingetive ingredients butylsted hydroxyznisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate,	1
I	Other Information a store at 20°-25°C (68°-77°F). Protect from Light. a store at 20°-25°C (68°-77°F). Protect from Light. a store at 20°-25°C (68°-77°F). a store at 20°-25°C (68°-77°F). a store at 20°-25°C (68°F). a store at 20°-25°C (68°F). b store at 20°C (104°F). b store at 20°C (10°C (10°C). b store at 20°C (10°C (10°C). b store at 20°C (10°C). b st	ſ.
ļ	Directions a wink plenky of elear fluids to help prevent dehydration caused by diarrhea. a not for use in children under 12 years of aga aduits and children 12 years and over. 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours	Ļ
-11	If pregnant or breast-feeding, sak a heatin professional before use. Keep out or reast of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
COATING FREE AREA	Stop use and ask a doctor If symptoms get worse datrines lasts for more than 2 days	COATING THEE AREA
	When using this product dreams, drowsiness, or disziness may occur. Be careful when driving or operating machinery	<b>S</b>
5	Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with cartain prescription drugs.	
	mitht is history of abnormal heart rindim	
6.	Ask a doctor before use if you have m fever m mucus in the stool m a history of liver disease	55
1	Do not use II frou have bloody or black stool II in children under 12 years of age	19
	Marmings Allergy slert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCI Heart alert: Taiding more than directed can cause serious heart problems or death	
	USS controls symptoms of distributed, including Travelers' Diambea	
	<b>Partive ingredient (in each capsule)</b> Loperamide HCl 2 mg Loperamide HCl 2 mg	L
	Drug Facts	
	COATING FREE AREA	4

Ioperamide hydrochloride capsule, liquid filled         Product Information         Product Type       HUMAN OTC DRUG       Item Code (Source)       NDC:68         Route of Administration       ORAL       Active Ingredient/Active Moiety       NDC:68         Active Ingredient/Active Moiety         Ingredient Name       Basis of Strength         LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE -       LOPERAMIDE HYDROCHLORIDE         Ingredient Name       Basis of Strength         BUTYLATED Ingredients       LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE -       LOPERAMIDE HYDROCHLORIDE         Ingredient Name       ButyLated HydRoCHLORIDE (UNII: REK4960K2U)         FD&C BLUE NO. 1 (UNII: H3R47K3TBD)       Statistical Statisti	ARRHEAL	llad			
Product TypeHUMAN OTC DRUGItem Code (Surce)NDC:68Route of AdministrationORALSurce)NDC:69Active Ingredient/Active WoietyBasis of StrugthIngredient NameBasis of StrugthLOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE -LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE -IngredientsIngredient NameBUTYLATED IngredientsIngredient NameBUTYLATED HYDROCYANISOLE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBC)ICIPERAMICE IUNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBC)ICIPERATIE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBC)ICIPERATIE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBC)ICIPERATIE (UNII: REK4960K2U)ICIPERATIE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBC)ICIPERATIE (UNII: REK4960K2U)ICIPERATIE (UNII: TYTC464A)POLYOXYL 40 HYDROGENATE USTOR OIL (UNII: TYC686Q8F)	nydrochioride capsule, liquid fil	lied			
Route of Administration       ORAL         Active Ingredient/Active Moiety       Basis of Strength         LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X90C3H4II)       LOPERAMIDE - HYDROCHLORIDE         Inactive Ingredients       LOPERAMIDE - HYDROCHLORIDE         Inactive Ingredients       Ingredient Name         BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)       FD&C BLUE NO. 1 (UNII: H3R47K3TBD)         GELATIN (UNII: 2G86QN327L)       GELATIN (UNII: PDC6A3C00X)         GLYCERIN (UNII: PDC6A3C00X)       GELATED (UNII: TM2TZ D4G4A)         POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)       GELATED KUNE CASTOR OIL (UNII: TM2TZ D4G4A)	nformation				
Active Ingredient/Active Moiety Ingredient Name Basis of Strength LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II) UNII: 6X9OC3H4II) Inactive Ingredients Ingredient Name BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) GELATIN (UNII: 2G86QN327L) GLYCERIN (UNII: PDC6A3C00X) GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A) POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	rpe HUMAN OTC D	RUG Item Code (	Source)	NDC:68016-(	058
Ingredient NameBasis of StrengthLOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II)LOPERAMIDE HYDROCHLORIDEInactive IngredientsIngredient NameBUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)5FD&C BLUE NO. 1 (UNII: H3R47K3TBD)5GLATIN (UNII: 2G86QN327L)5GLYCERIN (UNII: PDC6A3C0OX)5GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)7POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC6866Q8F)5	dministration ORAL				
Ingredient NameBasis of StrengthLOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II)LOPERAMIDE HYDROCHLORIDEInactive IngredientsIngredient NameBUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBD)GLATIN (UNII: 2G86QN327L)GLYCERIN (UNII: PDC6A3C0OX)GLYCERIN (UNII: PDC6A3C0OX)GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)Sasis of Strength					
Ingredient NameBasis of StrengthLOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II)LOPERAMIDE HYDROCHLORIDEInactive IngredientsIngredient NameBUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)5FD&C BLUE NO. 1 (UNII: H3R47K3TBD)5GLATIN (UNII: 2G86QN327L)5GLYCERIN (UNII: PDC6A3C0OX)5GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)7POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC6866Q8F)5	gredient/Active Moiety				
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II) LOPERAMIDE HYDROCHLORIDE LOPERAMIDE HYDROCHLORIDE Inactive Ingredients Ingredient Name BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) GELATIN (UNII: 2G86QN327L) GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A) POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)			Basis of Stre	ength S	trength
Ingredient NameBUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBD)GELATIN (UNII: 2G86QN327L)GLYCERIN (UNII: PDC6A3C00X)GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - LOPERAMIDE				mg
Ingredient NameBUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)FD&C BLUE NO. 1 (UNII: H3R47K3TBD)GELATIN (UNII: 2G86QN327L)GLYCERIN (UNII: PDC6A3C00X)GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)					
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)FFD&C BLUE NO. 1 (UNII: H3R47K3TBD)GGELATIN (UNII: 2G86QN327L)GGLYCERIN (UNII: PDC6A3C00X)GGLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	ngredients				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)Image: Comparison of the	Ingredie	nt Name		Stre	ength
GELATIN (UNII: 2G86QN327L)GLYCERIN (UNII: PDC6A3C0OX)GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	HYDROXYANISOLE (UNII: REK4960K	2U)			-
GLYCERIN (UNII: PDC6A3C0OX)         GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)         POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	<b>NO. 1</b> (UNII: H3R47K3TBD)				
GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)         POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	III: 2G86QN327L)				
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	JNII: PDC6A3C0OX)				
	APRYLATE (UNII: TM2TZ D4G4A)				
WATER (UNII: 059QF0KO0R)	<b>10 HYDROGENATED CASTOR OIL</b> (L	JNII: 7YC686GQ8F)			
	: 059QF0KO0R)				

Сс	olor		blue	Score		no score	
Shape		CAPSULE	Size		10mm		
Fla	avor			Imprint Code		LP2	
Contains							
_							
Pa	ackaging						
#	ltem Code	em Code Package Descrip		otion	Marketing Start Date	Marketing End Date	
1	NDC:68016- 058-12	1 in 1 CARTON			10/25/2018		
1 12 in 1 BLIST Product		LISTER PACK; Type 0: No	ot a Combination				
		-					
Marketing Information							
	Marketing Category	Ар	plication Number or Citation	<sup>.</sup> Monograph	Marketing Start Date	Marketing End Date	
NC	A	NDA02	21855		10/25/2018		

Labeler - Premier Value Alliance LLC (101668460)

# Registrant - Bionpharma Inc. (079637826)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Patheon Softgels Inc.		002193829	manufacture(68016-058)	

Revised: 12/2022

Premier Value Alliance LLC