

TOPICAL FUNGICIDE- benzalkonium chloride solution

Durvet, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Topical Fungicide

Controls Fungal Problems

For Control of Summer Itch, Foot Rot
Rain Rot, Girth Itch & Ringworm

KEEP OUT OF REACH OF CHILDREN

INDICATIONS:

For use on cattle, sheep, goats, horses, dogs and cats as an aid in the control of summer itch, foot rot, rain rot, ringworm and other fungal problems.

DIRECTIONS FOR USE:

Soak affected area liberally with TOPICAL FUNGICIDE solution. Apply daily until hair begins to grow. Leave treated areas uncovered.
Rinse treated areas with clear water before reapplying. Results should be apparent in a matter of days. If no improvement is noted within seven days, consult your veterinarian.

FOR ANIMAL USE ONLY



ACTIVE INGREDIENT:

Benzalkonium Chloride0.15% (w/w)

INACTIVE INGREDIENTS:

Purified Water, Allantoin, Artificial Color

CAUTION:

In case of contact with eyes or mucous membranes, flush immediately with water. Obtain medical attention for eye inflammation.

WARNING:

For external veterinary use only. Not for human use.

NOTE:

Efficiency is neutralized by soap or detergent residues.

STORAGE:

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

Net Contents:

16 fl oz (473 mL)

32 fl oz (960 mL)

Made in the U.S.A.

Manufactured for:

Durvet, Inc.

100 SE Magellan Drive

Blue Springs, MO 64014

16 fl oz (473 mL)

KEEP OUT OF REACH OF CHILDREN

INDICATIONS: For use on cattle, sheep, goats, horses, dogs and cats as an aid in the control of summer itch, foot rot, rain rot, ringworm and other fungal problems.

DIRECTIONS FOR USE: Soak affected area liberally with TOPICAL FUNGICIDE solution. Apply daily until hair begins to grow. Leave treated areas uncovered. Rinse treated areas with clear water before reapplying. Results should be apparent in a matter of days. If no improvement is noted within seven days, consult your veterinarian.

Lot No. Exp. Date

No Varnish

TAKE TIME  OBSERVE LABEL DIRECTIONS

Manufactured for:
Durvet, Inc.
100 SE Magellan Drive
Blue Springs, MO 64014

NDC 30798-622-31



durvet

Topical Fungicide



Controls Fungal Problems

**For Control of Summer Itch, Foot Rot
Rain Rot, Girth Itch & Ringworm**

NET CONTENTS: 16 fl oz (473 mL)

FOR ANIMAL USE ONLY

ACTIVE INGREDIENT:
Benzalkonium Chloride0.15% (w/w)

INACTIVE INGREDIENTS:
Purified Water, Allantoin, Artificial Color

CAUTION: In case of contact with eyes or mucous membranes, flush immediately with water. Obtain medical attention for eye inflammation.

WARNING: For external veterinary use only. Not for human use.

NOTE: Efficiency is neutralized by soap or detergent residues.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

ISSU18XB07 **Made in the U.S.A.**



7 45801 99201 6

32 fl oz (960 mL)

KEEP OUT OF REACH OF CHILDREN

INDICATIONS: For use on cattle, sheep, goats, horses, dogs and cats as an aid in the control of summer itch, foot rot, rain rot, ringworm and other fungal problems.

DIRECTIONS FOR USE: Soak affected area liberally with TOPICAL FUNGICIDE solution. Apply daily until hair begins to grow. Leave treated areas uncovered. Rinse treated areas with clear water before reapplying. Results should be apparent in a matter of days. If no improvement is noted within seven days, consult your veterinarian.

Lot No. Exp. Date

No Varnish

TAKE TIME



OBSERVE LABEL DIRECTIONS

Manufactured for:
Durvet, Inc.
100 SE Magellan Drive
Blue Springs, MO 64014

NDC 30798-622-34



durvet

Topical Fungicide



Controls Fungal Problems

For Control of Summer Itch, Foot Rot
Rain Rot, Girth Itch & Ringworm

NET CONTENTS: 32 fl oz (960 mL)

FOR ANIMAL USE ONLY

ACTIVE INGREDIENT:

Benzalkonium Chloride0.15% (w/w)

INACTIVE INGREDIENTS:

Purified Water, Allantoin, Artificial Color

CAUTION: In case of contact with eyes or mucous membranes, flush immediately with water. Obtain medical attention for eye inflammation.

WARNING: For external veterinary use only. Not for human use.

NOTE: Efficiency is neutralized by soap or detergent residues.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

ISSU18XB07

Made in the U.S.A.



TOPICAL FUNGICIDE

benzalkonium chloride solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-622
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	3.09 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-622-31	12 in 1 CASE		
1		473 mL in 1 BOTTLE, SPRAY		
2	NDC:30798-622-34	12 in 1 CASE		
2		960 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/12/2013	

Labeler - Durvet, Inc. (056387798)

Establishment

Name	Address	ID/FEI	Business Operations
First Priority, Incorporated		179925722	manufacture, label, api manufacture

Revised: 2/2019

Durvet, Inc.