PREMIER VALUE TUSSIN COUGH LONG ACTING- dextromethorphan hbr liquid Chain Drug Consortium, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premier Value Tussin Cough Log-Acting Drug Facts

Active ingredient (in each 10 mL)

Dextromethorphan HBr, USP 30 mg

Purpose

Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at (1-800-222-1222).

Directions

- shake well before using
- do not take more than 4 doses in a 24-hour period

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

| age | dose |
|---------------------------------------|--------------------|
| adults and children 12 years and over | 10 mL |
| | every 6 to 8 hours |
| children under 12 years | do not use |

Other information

- store between 20-25°C (68-77°F)
- Do not refrigerate
- Alcohol-free

Inactive ingredients

anhydrous citric acid, disodium edetate, FD&C red 40, flavor, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

Premier Value[®]

NDC# 68016-742-04

Compare to active ingredient in Robitussin[®] Long-Acting Cough

Tussin Cough Long-acting

Cough Suppressant

Dextromethorphan HBr

Controls Coughs

8 Hour Relief

Non-Drowsy

For Ages 12 & Over

4 FL OZ (118mL)

*This product is not manufactured or distributed by Wyeth Consumer Healthcare, distributors of Robitussin® Lingering Cold Long-Acting Cough.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON THE BOTTLE IS BROKEN OR MISSING.

PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org

DISTRIBUTED BY

CHAIN DRUG CONSORTIUM 3301 NW BOCA RATON BLVD SUITE 101, BOCA RATON, FL 33431



PREMIER VALUE TUSSIN COUGH LONG ACTING

dextromethorphan hbr liquid

| Product Information | | | | | | |
|---------------------------------|----------------|--------------|--------------|------------|----------|--|
| Product T ype | HUMAN OTC DRUG | Item Code (S | ource) | NDC:68016- | -742 | |
| Route of Administration | ORAL | | | | | |
| | | | | | | |
| | | | | | | |
| Active Ingredient/Active Moiety | | | | | | |
| Ingre | edient Name | | Basis of Str | rength | Strength | |

| Inactive Ingred | ients | | | |
|--|--|----------|-------------------------|-----------------------|
| | Ingredient Name | | | Strength |
| ANHYDRO US CITR | IC ACID (UNII: XF417D3PSL) | | | |
| EDETATE DISODIU | M (UNII: 7FLD91C86K) | | | |
| FD&C RED NO.40 | (UNII: WZB9127XOA) | | | |
| POTASSIUM CITRA | TE (UNII: EE90ONI6FF) | | | |
| PROPYLENE GLYC | OL (UNII: 6DC9Q167V3) | | | |
| WATER (UNII: 059Q | F0KO0R) | | | |
| SODIUM BENZOAT | E (UNII: OJ245FE5EU) | | | |
| SORBITOL (UNII: 5 | 06T60A25R) | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | |
| XANTHAN GUM (UI | | | | |
| | NII: 11V 12P4INEE) | | | |
| Packaging | NII: 11V 12P4INEE) | | | |
| | Package Description | | Marketing Start Date | Marketing End Date |
| Packaging | | | U | • |
| Packaging # Item Code NDC:68016-742- | Package Description | na tio n | Date | • |
| Parkaging # Item Code 1 NDC:680 16-742- 04 | Package Description 1 in 1 BOX 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combi | nation | Date | • |
| Parkaging # Item Code 1 NDC:680 16-742- 04 | Package Description 1 in 1 BOX 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combi | natio n | Date | • |
| Parkaging # Item Code 1 NDC:680 16-742- 04 | Package Description 1 in 1 BOX 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combi Product | nation | Date | • |
| H Item Code 1 NDC:68016-742- 04 1 - | Package Description 1 in 1 BOX 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combin Product formation | | Date | • |

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 6/2019

Chain Drug Consortium, LLC