

**LIGHTNING X TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**Nantong Health & Beyond Hygienic Products Inc.**



**TRIPLE**  
**Antibiotic Ointment**

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



Drug Facts		Drug Facts (continued)	
<b>Active Ingredients</b>	<b>Purpose</b>	<b>Stop use and ask a doctor if</b> the condition persists or gets worse, or if a rash or other allergic reaction develops	
Bacitracin Zinc (400 units per gram) .....	First Aid Antibiotic	<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....	First Aid Antibiotic	<b>Directions:</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.	
Polymyxin B Sulfate (5000 units per gram) .....	First Aid Antibiotic	<b>Other Information</b> ■ Store at room temperature	
<b>Uses:</b> First aid to help prevent infection in minor cuts, scrapes, and burns		<b>Inactive Ingredients:</b> Mineral oil, petrolatum, purified water	
<b>Warnings: For external use only</b>		<b>Questions</b> 704.295.0299	
<b>Do not use</b>			
■ In the eyes or apply over large areas of the body			
■ If you are allergic to any of the ingredients			
■ Longer than 1 week unless directed by a doctor			
<b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns			

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)

3\*7

4mm



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



8 50052 31232 9

2\*7  
3

**Drug Facts**

**Active Ingredients**

Bacitracin Zinc (400 units per gram) .....First Aid Antibiotic  
 Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....First Aid Antibiotic  
 Polymyxin B Sulfate (5000 units per gram) .....First Aid Antibiotic

**Purpose**

**Uses:** First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings: For external use only**

**Do not use**

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns

**Drug Facts (continued)**

**Stop use and ask a doctor if**

the condition persists or gets worse, or if a rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

**Other Information** ■ Store at room temperature

**Inactive Ingredients:** Mineral oil, petrolatum, purified water

**Questions** 704.295.0299

3\*7

4mm

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active Ingredients</b>	<b>Purpose</b>	<b>Stop use and ask a doctor if</b> the condition persists or gets worse, or if a rash or other allergic reaction develops	
Bacitracin Zinc (400 units per gram) .....	First Aid Antibiotic	<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....	First Aid Antibiotic	<b>Directions:</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.	
Polymyxin B Sulfate (5000 units per gram) .....	First Aid Antibiotic	<b>Other Information</b> ■ Store at room temperature	
<b>Uses:</b> First aid to help prevent infection in minor cuts, scrapes, and burns		<b>Inactive Ingredients:</b> Mineral oil, petrolatum, purified water	
<b>Warnings: For external use only</b>		<b>Questions</b> 704.295.0299	
<b>Do not use</b>			
■ In the eyes or apply over large areas of the body			
■ If you are allergic to any of the ingredients			
■ Longer than 1 week unless directed by a doctor			
<b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns ▶			

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)

3\*7

4mm



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



2\*7  
3

**Drug Facts**

**Active Ingredients**

Bacitracin Zinc (400 units per gram) .....First Aid Antibiotic  
 Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....First Aid Antibiotic  
 Polymyxin B Sulfate (5000 units per gram) .....First Aid Antibiotic

**Purpose**

**Uses:** First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings: For external use only**

**Do not use**

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns ▶

**Drug Facts (continued)**

**Stop use and ask a doctor if**

the condition persists or gets worse, or if a rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

**Other Information** ■ Store at room temperature

**Inactive Ingredients:** Mineral oil, petrolatum, purified water

**Questions** 704.295.0299

3\*7

4mm

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active Ingredients</b>	<b>Purpose</b>	<b>Stop use and ask a doctor if</b> the condition persists or gets worse, or if a rash or other allergic reaction develops	
Bacitracin Zinc (400 units per gram) .....	First Aid Antibiotic	<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....	First Aid Antibiotic	<b>Directions:</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.	
Polymyxin B Sulfate (5000 units per gram) .....	First Aid Antibiotic	<b>Other Information</b> ■ Store at room temperature	
<b>Uses:</b> First aid to help prevent infection in minor cuts, scrapes, and burns		<b>Inactive Ingredients:</b> Mineral oil, petrolatum, purified water	
<b>Warnings: For external use only</b>		<b>Questions</b> 704.295.0299	
<b>Do not use</b>			
■ In the eyes or apply over large areas of the body			
■ If you are allergic to any of the ingredients			
■ Longer than 1 week unless directed by a doctor			
<b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns			

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)

3\*7

4mm



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



8 50052 31232 9

2\*7  
3

**Drug Facts**

**Active Ingredients**

Bacitracin Zinc (400 units per gram) .....First Aid Antibiotic  
 Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....First Aid Antibiotic  
 Polymyxin B Sulfate (5000 units per gram) .....First Aid Antibiotic

**Purpose**

**Uses:** First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings: For external use only**

**Do not use**

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns ▶

**Drug Facts (continued)**

**Stop use and ask a doctor if** the condition persists or gets worse, or if a rash or other allergic reaction develops

**Keep out of reach of children.**  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

**Other Information** ■ Store at room temperature

**Inactive Ingredients:** Mineral oil, petrolatum, purified water

**Questions** 704.295.0299

3\*7

4mm

Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China

[www.GearBags.com](http://www.GearBags.com)



# TRIPLE

## Antibiotic Ointment

First Aid Antibiotic

Net Wt. 0.5 oz. (14.2g)

Part#LX-TRIPLE



Drug Facts	Drug Facts (continued)
<b>Active Ingredients</b> Bacitracin Zinc (400 units per gram) .....First Aid Antibiotic Neomycin Sulfate 5mg (equivalent to 3.5mg Neomycin per gram) .....First Aid Antibiotic Polymyxin B Sulfate (5000 units per gram) .....First Aid Antibiotic	<b>Purpose</b> First Aid Antibiotic
<b>Uses:</b> First aid to help prevent infection in minor cuts, scrapes, and burns	<b>Stop use and ask a doctor if</b> the condition persists or gets worse, or if a rash or other allergic reaction develops
<b>Warnings: For external use only</b>	<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.
<b>Do not use</b> ■ In the eyes or apply over large areas of the body ■ If you are allergic to any of the ingredients ■ Longer than 1 week unless directed by a doctor	<b>Directions:</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.
<b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns	<b>Other Information</b> ■ Store at room temperature
Designed in Charlotte, NC by Lightning X Products, Inc. Manufactured In China	<b>Inactive Ingredients:</b> Mineral oil, petrolatum, purified water <b>Questions</b> 704.295.0299 <a href="http://www.GearBags.com">www.GearBags.com</a>

3\*7  
4mm

## LIGHTNING X TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43473-301
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-301-01	14.2 g in 1 TUBE; Type 0: Not a Combination Product	01/08/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/08/2024	

**Labeler** - Nantong Health & Beyond Hygienic Products Inc. (421280161)

**Registrant** - Nantong Health & Beyond Hygienic Products Inc. (421280161)

## Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-301)

Revised: 1/2024

Nantong Health & Beyond Hygienic Products Inc.