

LIGHTNING X BURN- lidocaine spray
Nantong Health & Beyond Hygienic Products Inc.



**BURN RELIEF
 SPRAY**

Lidocaine HCl 2.0%
 Topical Pain Relief
 Relieves pain of
 minor burns

2 FL OZ (59.1 ml)

Drug Facts	
Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic
Uses for the temporary relief of pain associated with minor burns	
Warnings For external use only	
Avoid contact with the eyes	
Do not use in large quantities, particularly over raw surfaces or blistered areas	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ condition worsens ■ symptoms persist more than 7 days ■ condition clears up and occurs again within a few days 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily	
■ children under 2 years: consult a doctor	
Other Information ■ store at room temperature	
Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water	
Questions 704.295.0299	

Part#LX-BURN SPRAY



Designed in Charlotte, NC by Lightning X Products, Inc
 Manufactured In China

www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if
■ condition worsens ■ symptoms persist more than 7 days
■ condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299



Part#LX-BURN SPRAY
Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured in China
www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if
■ condition worsens ■ symptoms persist more than 7 days
■ condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299



Part#LX-BURN SPRAY
Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured in China
www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if
■ condition worsens ■ symptoms persist more than 7 days
■ condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299



Part#LX-BURN SPRAY
Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured in China
www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if
■ condition worsens ■ symptoms persist more than 7 days
■ condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299



Part#LX-BURN SPRAY
Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured in China
www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- condition worsens ■ symptoms persist more than 7 days
- condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299

Part#LX-BURN SPRAY



Designed in Charlotte, NC by Lightning X Products, Inc

Manufactured in China

www.GearBags.com



BURN RELIEF SPRAY

Lidocaine HCl 2.0%
Topical Pain Relief
Relieves pain of
minor burns

2 FL OZ (59.1 ml)

Drug Facts

Active Ingredient	Purpose
Lidocaine HCl 2%	External analgesic

Uses for the temporary relief of pain associated with minor burns

Warnings
For external use only

Avoid contact with the eyes

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- condition worsens ■ symptoms persist more than 7 days
- condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years: consult a doctor

Other Information ■ store at room temperature

Inactive Ingredients glycerin, hydroxypropylmethylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions 704.295.0299

Part#LX-BURN SPRAY



Designed in Charlotte, NC by Lightning X Products, Inc

Manufactured in China

www.GearBags.com

LIGHTNING X BURN

lidocaine spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-302
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
TEA LEAF OIL (UNII: VC855RRT77)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	2oz
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-302-01	59.1 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/08/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/08/2024	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 1/2024

Nantong Health & Beyond Hygienic Products Inc.