

OTIX EAR WAX REMOVAL DROPS- carbamide peroxide solution/ drops
Bell Pharmaceuticals, Inc.

Otix Ear wax Removal Drops

Drug Facts

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe **Children Under 12 years:** consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap in bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

- anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

1-800-328-5890

Package Labeling:

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient Carbamide peroxide 6.5% **Purpose** Earwax removal aid

Uses for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

■ When using this product avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use

Drug Facts
(continued)

- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

- anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?
1-800-328-5890

REV 3/21

Manufactured in the USA by
Bell Pharmaceuticals, Inc.
200 W. Beaver St.
Belle Plaine, MN 56011



Drops are Easy to Apply.



Compare to Debrox® active ingredient*



Ear Wax Removal Drops

SAFE & EFFECTIVE

Carbamide Peroxide 6.5%

Ear Wax Removal Aid

Gentle and Non-Irritating

0.5 FL OZ (15 mL)



*This product is not manufactured or distributed by Prestige Brands Inc. owner of the registered trademark Debrox®.



OTIX EAR WAX REMOVAL DROPS

carbamide peroxide solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15579-838
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15579-838-34	1 in 1 BOX	10/01/2021	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	10/01/2021	

Labeler - Bell Pharmaceuticals, Inc. (140653770)

Revised: 12/2023

Bell Pharmaceuticals, Inc.