

AXIM DM MAX- dextromethorphan hydrobromide, guaifenesin liquid
VIVUNT PHARMA LLC

AXIM DM MAX - Liquid

Drug Facts

<i>Active ingredients (in each 20 mL)</i>	<i>Purposes</i>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Do not exceed recommended dosage.

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years of age and older	20 mL every 4 hours
children under 12 years of age	do not use

Other information

- each 20 mL contains: **sodium 7 mg**
- store at 15-30°C (59-86°F)
- do not refrigerate

Inactive ingredients

Citric acid, FD&C Blue #1, FD&C red no. 40, flavor, glycerin, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum.

PEEL CORNER TO READ COMPLETE DRUG FACTS AND INFORMATION/ DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Distributed by:

VIVUNT PHARMA LLC

8950 SW 74th Court, Suite 1901

Miami, FL 33156-3178

Made in USA

www.vivunt.live

PRINCIPAL DISPLAY PANEL

Compare to Maximum Strength Mucinex® Fast-Max®

NDC 82706-013-01

AXIM - DM MAX

Cough Relief

Cough Suppressant

Expectorant

Maximum Strength

Non-Drowsy

Dextromethorphan HBr

Guaifenesin

6 FL OZ (177 mL)



<p>Drug Facts</p> <p>Active ingredients Purposes (in each 20 mL)</p> <p>Dextromethorphan HBr 20 mg ... Cough suppressant Guaifenesin 400 mg Expectorant</p> <p>Uses</p> <p>■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive ■ temporarily relieves: ■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ■ the intensity of coughing ■ the impulse to cough to help you get sleep/irritation.</p> <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <p>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough that occurs with too much phlegm (mucous)</p> <p>Do not exceed recommended dosage.</p> <p>Stop use and ask a doctor if</p> <p>■ Cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.</p>	<p>Drug Facts (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>■ do not take more than 6 doses in any 24 hour period ■ this adult strength product is not intended for use in children under 12 years of age ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter</p> <table border="1"><thead><tr><th>age</th><th>dose</th></tr></thead><tbody><tr><td>adults and children 12 years of age and older</td><td>20 mL every 4 hours</td></tr><tr><td>children under 12 years of age</td><td>do not use</td></tr></tbody></table> <p>Other information</p> <p>■ each (20 mL) dose contains: sodium 7 mg ■ store between 15-30°C (59-86°F) ■ do not refrigerate.</p> <p>Inactive ingredients</p> <p>Citric acid, FD&C Blue #1, FD&C Red #40, flavor, glycerin, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum.</p>	age	dose	adults and children 12 years of age and older	20 mL every 4 hours	children under 12 years of age	do not use
age	dose						
adults and children 12 years of age and older	20 mL every 4 hours						
children under 12 years of age	do not use						

PEEL CORNER TO READ COMPLETE DRUG FACTS AND INFORMATION

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

VIVUNT™ 30 YEARS

Distributed by:
VIVUNT PHARMA LLC
8950 SW 74th Court, Suite 1901
Miami, FL 33156-3178
Made in USA

www.vivunt.live

Rev.1

AXIM DM MAX

dextromethorphan hydrobromide, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-013
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	blue (Intense)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-013-01	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/05/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/05/2024	

Establishment

Name	Address	ID/FEI	Business Operations
Rnv LLC		118917568	manufacture(82706-013)

Revised: 1/2024

VIVUNT PHARMA LLC