

NITROGEN- nitrogen gas
Crumpton Welding Supply & Equipment, Inc.

Nitrogen

NITROGEN COMPRESSED LABEL

NITROGEN, COMPRESSED NF UN1066

NON-FLAMMABLE GAS 2 37049 (01/15)

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. **WARNING:** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE, IF HEATED, MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID; IF INHALED;** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL**

In case of emergency involving this material call INFOTRAC at 1-800-535-5063

CRUMPTON WELDING SUPPLY & EQUIPMENT, INC.

1602 N 34TH STREET • TAMPA, FL 33605 • 800-229-6947

CONTENTS: LTRS: ___ CU FT. ___





NITROGEN REFRIGERATED LIQUID LABEL

REFRIGERATED LIQUID

NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

Rx only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING:** CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL.**

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INUURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a backflow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

CONTENTS: _____ LTRS: ___ CU FT: ___

DO NOT REMOVE THIS PRODUCT LABEL.

In case of emergency involving this material call INFOTRAC at 1-800-535-5053

CRUMPTON WELDING SUPPLY & EQUIPMENT, INC.

1602 N 34TH STREET • TAMPA, FL 33605 • 800-229-6947

43756 (12/14)

REFRIGERATED LIQUID

**NITROGEN,
REFRIGERATED
LIQUID
NF
UN1977**



R_x only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
Do not handle until all safety precautions have been read and understood.
Use and store only outdoors or in a well-ventilated place.
Wear cold insulating gloves, face shield, and eye protection.
Use a back flow preventive device in the piping.
DO NOT change or force fit connections.
Close valve after each use and when empty.
Always keep container in upright position.
Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID - IF INHALED: Remove person to fresh air and keep comfortable

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

CONTENTS: _____

LTRS:

CU FT:

DO NOT REMOVE THIS PRODUCT LABEL.

In case of emergency involving this material call INFOTRAC at 1-800-535-5053

CRUMPTON WELDING SUPPLY & EQUIPMENT, INC.

1602 N 34TH STREET • TAMPA, FL 33605 • 800-229-6947

43756
(12/14)

NITROGEN

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:52568-006
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52568-006-01	370 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
2	NDC:52568-006-02	610 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	

3	NDC:52568-006-03	3250 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
4	NDC:52568-006-04	6500 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
5	NDC:52568-006-05	160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
6	NDC:52568-006-06	10 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	
7	NDC:52568-006-07	20 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	
8	NDC:52568-006-08	30 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	
9	NDC:52568-006-09	35 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205891	01/01/1990	

Labeler - Crumpton Welding Supply & Equipment, Inc. (067210450)

Registrant - Crumpton Welding Supply & Equipment, Inc. (067210450)

Establishment

Name	Address	ID/FEI	Business Operations
Crumpton Welding Supply & Equipment, Inc.		196210645	manufacture(52568-006)

Establishment

Name	Address	ID/FEI	Business Operations
Crumpton Welding Supply & Equipment, Inc.		067210450	manufacture(52568-006)

Revised: 2/2025

Crumpton Welding Supply & Equipment, Inc.