

KERATEX KHH- aluminium chloride, glycerin, formaldehyde, alcohol and methyl alcohol liquid

Penleigh Irving Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Penleigh Irving Ltd.

Dilton Marsh, Wiltshire, BK13 3SN, UK

+44 (0) 1373 827649 email: info@keratex.com

www.keratex.com

Keratex Hoof Hardener

For soundness and reliability

Strengthens and protects shod and unshod hooves; prevents cracks and hoof breakage so that shoes stay on tight and the horse remains sound.

Ideal for: Weak hooves. Horses that are worked barefoot. Brood mares, foals and yearlings. Soft soles prone to bruising.

Keratex Hoof Hardener strengthens the molecular structure of the hoof horn and soles by cross-linking keratin. With no surface coating residue, the foot is still able to 'breathe'. You will quickly notice an improvement in your horse's hooves.

Instructions For Use: Apply to the lower half of the hoof and sole, avoiding coronary band and frog. Use daily for one week then twice weekly for general maintenance.

Keep away from horse's eyes, nose and mouth. Not to be used on animals intended for human consumption. For external application to equine hooves only.

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Causes damage to the optic nerve by ingestion. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapors, mist spray. Wash hands, forearms thoroughly after handling. Do not eat drink, smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection. If swallowed: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If exposed or concerned: Get medical advice/attention. Store locked up. For professional use only. Keep away from children. Dispose of contents and/or container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulations.

Hoof Hardener Ingredients Statement. This product contains: Aluminium chloride hexahydrate CAS No. 7784-13-6. Glycerine (glycerol) CAS No. 56-81-5. Formaldehyde CAS No. 50-00-0. Ethyl alcohol CAS No. 64-17-5. Methyl alcohol CAS No. 67-56-1. Methyl salicylate CAS No. 119-36-8. Water.

Patent: No. 2250196

8.45 fl oz (250ml)



FOR EXTERNAL APPLICATION
TO EQUINE HOOVES ONLY



HOOF HARDENER



Danger

HOOF HARDENER INGREDIENTS STATEMENT

This product contains:
Aluminium chloride hexahydrate
CAS No 7784-13-6,
Glycerine (glycerol) CAS No 56-81-5,
Formaldehyde CAS No 50-00-0,
Ethyl alcohol CAS No 64-17-5,
Methyl alcohol CAS No 67-56-1,
Methyl salicylate CAS No 119-36-8, Water.

KERATEX HOOF HARDENER strengthens
the molecular structure of the hoof horn
and soles by cross-linking keratin.

With no surface coating residue,
the foot is still able to 'breathe.'

You will quickly notice an improvement
in your horse's hooves.

For soundness and reliability

Strengthens and protects shod
and unshod hooves; prevents cracks
and hoof breakage so that shoes stay on
tight and the horse remains sound.



Ideal for:
Weak hooves

Horses that are worked barefoot
Brood mares, foals and yearlings
Soft soles prone to bruising

Harmful if swallowed • Causes severe skin burns and eye damage • May cause an allergic skin reaction • Suspected of causing genetic defects. May cause cancer. • Causes damage to the optic nerve by ingestion. • Obtain special instructions before use. • Do not handle until all safety precautions have been read and understood. • Do not breathe vapors, mist, spray. Wash hands, forearms thoroughly after handling. Do not eat, drink or smoke when using this product. • Contaminated work clothing must not be allowed out of the workplace. • Wear protective gloves, protective clothing, eye and face protection. • If swallowed: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. • If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. • Wash contaminated clothing before reuse. • If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. • IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. • If exposed or concerned: Get medical advice/attention. • Store locked up. • For professional use only • Keep away from children • Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

Penleigh Irving Ltd, Dilton Marsh, Wiltshire,
BA13 3SN, UK
+44 (0) 1373 827649 email: info@keratex.com

**8.45 fl oz
(250ml)**

PATENT: No. 2250196

MADE IN UK
www.keratex.com

KERATEX KHH

aluminium chloride, glycerin, formaldehyde, alcohol and methyl alcohol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:27426-040
Route of Administration	Topical		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLORIDE (UNII: 3CYT62D3GA) (ALUMINUM CATION - UNII:3XHB1D032B)	ALUMINUM CHLORIDE	0.408 g in 1.675 mL
GLYCERIN (UNII: PDC6A3C0OX) (Glycerin - UNII:PDC6A3C0OX)	GLYCERIN	0.211 g in 1.675 mL
FORMALDEHYDE (UNII: 1HG84L3525) (FORMALDEHYDE - UNII:1HG84L3525)	FORMALDEHYDE	0.068 g in 1.675 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.065 g in 1.675 mL
METHYL ALCOHOL (UNII: Y4S76JW15) (METHYL ALCOHOL - UNII:Y4S76JW15)	METHYL ALCOHOL	0.003 g in 1.675 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:27426-040-25	250 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/1999	

Labeler - Penleigh Irving Ltd (505992479)

Establishment

Name	Address	ID/FEI	Business Operations
Penleigh Irving Ltd		505992479	api manufacture, manufacture