

**FEXOFENADINE HCL- fexofenadine hcl tablet**  
**Walgreens**

-----  
**NON-DROWSY**

**Allergy Relief**

**24 HOUR ALLERGY**

**FEXOFENADINE HCL TABLETS USP, 180 mg / ANTIHISTAMINE**

**Indoor/Outdoor Allergy Relief**

- **Sneezing**
- **Runny nose**
- **Itchy, watery eyes**
- **Itchy nose or throat**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ■ itchy, watery eyes ■ sneezing
- itching of the nose or throat

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years of age and over- take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours

children under 12 years of age- do not use

adults 65 years of age and older- ask a doctor

consumers with kidney disease- ask a doctor

**Other information**

- safety sealed: do not use if imprinted safety seal under cap is broken or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

**Inactive ingredients**

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, D & C Red 33, ferrousferic oxide, FD & C blue 1, FD & C yellow 6, gelatin, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, propylene glycol, shellac, titanium dioxide

**Questions or comments?**

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

**Principal display panel**



## FEXOFENADINE HCL

fexofenadine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-6231
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SHELLAC</b> (UNII: 46N107B710)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>POLYETHYLENE GLYCOL 8000</b> (UNII: Q662QK8M3B)
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)
<b>AMMONIA</b> (UNII: 5138Q19F1X)
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)
<b>HYPROMELLOSE 2910 (3 MPA.S)</b> (UNII: 0VUT3PMY82)
<b>HYDROXYPROPYL CELLULOSE (90000 WAMW)</b> (UNII: UKE75GEA7F)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)

Product Characteristics			
<b>Color</b>	gray (White band in the middle)	<b>Score</b>	no score
<b>Shape</b>	OVAL (capsule shaped tablet)	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	G18
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6231-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	07/23/2024	

**Labeler** - Walgreens (008965063)