EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet, coated Gobrands, Inc

Extra Strength

Pain Relief

Active Ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

• temporarily relieves minor aches and pains due to: • the common cold • headache • backache • minor pain of arthritis • toothache • muscular aches • premenstrual and menstrual cramps • temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

• more than 4,000 mg of acetaminophen in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults & children 12 years & over	 take 2 tablets every 6 hours while symptoms last do not take more than 6 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

• store between 20-25°C (68-77°F)

Inactive ingredients

Hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792F)

Label

NDC 82501-1575-1

good now


Compare to active ingredient in Extra Strength Tylenol®†

See new warnings

EXTRA STRENGTH Pain Relief Acetaminophen

500 mg

100 CAPLETS



This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tytero P hyprometose, magnesium stearate, microcrystaline celulose, polyethylene glycol, polyvnytgymoldone, pregettinized starch, stearicacid, talk, tranium dioxide store between 20°-25°C (68°-77°F) Questions or comments? Inactive ingredients -888-333-9792

children adults & children 12 years Other information 12 years while symptoms last
 donot take more than 6 caplets in 24 hours, unless directed by take 2 caplets every 6 hours do not use for more than 10 days unless directed by a doctor ask a doctor adoctor

 do not take more than directed (see overdose warning) Directions even if you do not notice any signs or symptoms

medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children Overdose warning: In case of overdose, get Keep out of reach of children.

If pregnant or breast-feeding, ask a health redness or swelling is present professional before use. These could be signs of a serious condition.

 new symptoms occur lever gets worse or læts more than 3 days pain gets worse or lasts more than 10 days

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop use and ask a doctor if

 if you are allergic to acetaminophen or any of the inactive Ask a doctor before use if you have iver disease drug contains acetaminophen, ask a doctoror pharmacist. ing redients in this product

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sur exhather a

Drug Facts (continued)

EXTRA STRENGTH PAIN RELIEF

acetaminophen tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82501-1575
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg	

	Inactive Ingredients	
ı	Ingredient Name	Strength

HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ 989GH94E)	
STARCH, POTATO (UNII: 81089SAH3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	white	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	S500
Contains			

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:82501- 1575-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/11/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/11/2022	

Labeler - Gobrands, Inc (057499049)

Registrant - Prodose, Inc. (119371190)

Revised: 12/2024 Gobrands, Inc