

# FUNGICURE MAXIMUM STRENGTH- undecylenic acid liquid

Kobayashi Healthcare International, Inc.

## Maximum Strength Fungicure Liquid 25%



**Stops Fungus Plus  
Related Discomforts**  
**Enraye les champignons et  
l'inconfort qui en découle**

**ANTI-FUNGAL TREATMENT / TRAITEMENT ANTIFONGIQUE**

Undecylenic Acid (25% w/v) / Acide undécylénique (25 % p/v)

Helps eliminate fungus infections which exist on skin and nails wherever accessible with the convenient FUNGICURE applicator brush.  
Contribue à éliminer les infections fongiques sur toutes les régions de la peau et des ongles accessibles avec l'applicateur pinceau de FUNGICURE.

- Crystal Clear
- Transparent
- No Medicinal Odour
- Sans odeur médicamenteuse

Highest level of Undecylenic Acid that you can buy without a doctor's prescription.  
La concentration la plus élevée d'acide undécylénique que vous pouvez acheter sans ordonnance du médecin.

CA61-15RC,  
0218

Maximum Strength  
Puissance maximale

# Fungi CURE

ANTI-FUNGAL LIQUID  
LIQUIDE ANTIFONGIQUE

TOPICAL FORMULA/FORMULE TOPIQUE

Net Contents/Contenu  
30 ml (1 oz fl. oz.)

NPN 80082565

**\*\* Contents Sealed  
Contenu scellé**

Prod. No. CA61030

(L):

EXP:



Pharm.  
Kobayashi  
International Division/Division Internationale  
Kobayashi Healthcare International, Inc.  
10000 Midway Road, Suite 200, Dallas, TX 75244, U.S.A.  
Imported/Importé par:  
M.C.P. Marketing Consumer Products  
Management, Inc.  
3000 Midway Road, Suite #204  
Burlington, Ontario, Canada L7N 3K2

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. STORE AWAY FROM EXCESSIVE HEAT AND COLD.  
MAINTENIR LE CONTENANT HERMETIQUEMENT FERMÉ LORSQU'IL N'EST PAS UTILISÉ. ENTREPOSER À L'ÉCART DE LA CHALEUR OU DU FROID EXTRÊMES.

Specialty formulated to act promptly to help eliminate fungus infections of the finger and toe areas including skin and nails where normally accessible with the convenient FUNGICURE applicator brush. Recommended use and purpose: For the cure of ringworm (tinea corporis) on skin and nails. For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions. Recommended dose Adults (18 years of age and above): Clean the affected area with soap and warm water and dry thoroughly. Apply a thin layer of Fungicure over affected area twice daily (morning and night) for the full treatment period of 4 weeks or as directed by a doctor. Medicinal ingredient: Undecylenic acid, (seed) 25% w/v. Non-medicinal ingredient: Isopropyl palmitate. Risk information: Intended for use by normally healthy adults only. Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor. Do not use on children under two years of age unless directed by a doctor. Supervise children in the use of this product. Avoid contact with the eyes, but if this happens, rinse thoroughly with water. This product is not effective on scab infections. Contents sealed: Each bottle of Fungicure and Fungicure Liquid is sealed double with a plastic around the cap. Do not use if seal is broken or missing. DO NOT USE FOR INFECTIONS OF THE SCALP. KEEP THIS AND ALL MEDICATIONS OUT OF REACH OF CHILDREN. IN CASE OF ACCIDENTAL INGESTION, CONTACT A PHYSICIAN, EMERGENCY MEDICAL CARE FACILITY OR POISON CONTROL CENTRE IMMEDIATELY FOR ADVICE.

Spécialement formulé pour agir rapidement et aider à éliminer les infections fongiques dans les régions des doigts et des ongles, y compris la peau et les ongles, habituellement accessibles avec l'applicateur pinceau pratique de FUNGICURE. Utilisation recommandée: pour le traitement des démangeaisons, des desquamation, des déchirures, de la sensation de brûlure, de la rougeur, de la douleur, de l'irritation et de l'inconfort pouvant accompagner ces affections. Dose recommandée pour les adultes (18 ans et plus): nettoyer la zone affectée à l'aide de savon et d'eau chaude, puis sécher complètement. Appliquer une mince couche de Fungicure sur la zone affectée deux fois par jour (matin et soir) pendant la période de traitement complète de quatre semaines ou selon les ordres d'un médecin. Ingrédients médicamenteux: acide undécylénique (graine), 25 % p/v. Ingrédients non médicamenteux: palmitate d'isopropyle. Informations sur les risques: pour usage externe seulement. Lire toutes les directives et mises en garde sur l'emballage avant l'utilisation. Utiliser ce produit uniquement

CP-231021  
04/2018

4

# FUNGICURE MAXIMUM STRENGTH

undecylenic acid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52389-198
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	250 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52389-198-01	1 in 1 CARTON	07/20/2015	
1	NDC:52389-198-30	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:52389-198-40	1 in 1 CARTON	06/06/2016	04/30/2022
2	NDC:52389-198-02	40 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		01/27/2005	

**Labeler** - Kobayashi Healthcare International, Inc. (156391729)

Revised: 12/2025

Kobayashi Healthcare International, Inc.