

**REGENECARE HA- lidocaine hcl gel**  
**MPM Medical LLC**

-----  
**MP00117 MPM Regenecare HA Spray 4 fl.oz.**

**Active Ingredient**

Lidocaine HCl 2%

**Purpose**

Anesthetic

**Uses**

For the temporary relief of pain and itching associated with

- minor burns
- sunburn
- minor cuts
- scrapes
- insect bites
- minor skin irritations

**Warnings**

**For external use only**

If swallowed, get medical help or contact a Poison Control Center right away

Avoid contact with the eyes

If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult with a doctor

Do not use in large quantities, particularly over raw surfaces or blistered areas

**Keep out of reach of children**

**Directions**

**Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily.

**Children under 2 years of age:** Consult a physician prior to use.

**Other information**

Store at room temperature.

Avoid freezing and excessive heat.

## Inactive ingredients

Aloe vera barbadensis leaf extract, Benzethonium chloride, Carbomer, Glycerin, Iodopropynyl butylcarbamate, Procollagen, Sodium hyaluronate, Triethanolamine, Water

## Package Label



### LIDOCAINE HCl 2%

Topical Analgesic Containing 2% Lidocaine HCl, Procollagen, Aloe Vera, and Hyaluronic Acid

### FOR THE TEMPORARY RELIEF


of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor skin irritations.

Shake Well Before Using



NET WT. 4 FL OZ (120 mL)

NDC 66977-117-04



### MANUFACTURED FOR:

MPM Medical  
Mesquite, TX 75149  
1-800-232-5512  
mpmmed.com  
R0325 | REORDER NO. MPO0117

3 66977 11704 3

### Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%	Topical Analgesic

### Uses

For the temporary relief of pain and itching associated with minor burns • sunburn • minor cuts • scrapes • insect bites • minor skin irritations

### Warnings

**For external use only • Keep out of reach of children**

• If swallowed, get medical help or contact a Poison Control Center right away  
• Avoid contact with the eyes • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor • Do not use in large quantities, particularly over raw surfaces or blistered areas

### Directions

**Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily. **Children under 2 years of age:** Consult a physician prior to use.

### Other Information

Store at room temperature • Avoid freezing and excessive heat

### Inactive Ingredients

Aloe vera barbadensis leaf extract, Benzethonium chloride, Carbomer, Glycerin, Iodopropynyl butylcarbamate, Procollagen, Sodium hyaluronate, Triethanolamine, Water

## REGENECARE HA

lidocaine hcl gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66977-117
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	20 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744)	
<b>CARBOMER 940</b> (UNII: 4Q93RCW27E)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>MARINE COLLAGEN, SOLUBLE</b> (UNII: 8JC99XGU4W)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66977-117-04	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2009	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2009	

**Labeler** - MPM Medical LLC (081241522)

Revised: 1/2026

MPM Medical LLC