


MYMEDIC ARNICA GEL- arnica montana gel
Nantong Health & Beyond Hygienic Products Inc.



MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment
 which reduces swelling & pain

Topical



3.5 g
 (.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana..... 7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries ■ overexertion ■ falls
- reduces symptoms of bruising such as:
- discoloration ■ pain ■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330 **SCAN ME**
EXP: 20250329 FOR MORE
 KNOWLEDGE,
MADE IN CHINA SKILLS, & REFILLS



DISTRIBUTED BY: SLED DISTRIBUTION
 LLC DBA MYMEDIC 120 North Redwood
 Rd. Ste. A, North Salt Lake, UT 84054

80 mm

8

64

8

6

28

6

6

28

6

8

MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g
(.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana.....7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

■ minor injuries	■ overexertion	■ falls
■ reduces symptoms of bruising such as:		
■ discoloration	■ pain	■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330
 EXP: 20250329
 MADE IN CHINA

SCAN ME
 FOR MORE
 KNOWLEDGE,
 SKILLS, & REFILLS



DISTRIBUTED BY: SLED DISTRIBUTION
 LLC DBA MYMEDIC 120 North Redwood
 Rd. Ste. A, North Salt Lake, UT 84054

80 mm

64

8

6

28

6

6

28

6



8

MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g
(.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana.....7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

■ minor injuries	■ overexertion	■ falls
■ reduces symptoms of bruising such as:		
■ discoloration	■ pain	■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330 **SCAN ME**
EXP: 20250329 FOR MORE KNOWLEDGE, SKILLS, & REFILLS

MADE IN CHINA
 DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC 120 North Redwood Rd. Ste. A, North Salt Lake, UT 84054



80 mm

8

6

28

6

6

28

6

8

MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g
(.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana.....7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries ■ overexertion ■ falls
- reduces symptoms of bruising such as:
- discoloration ■ pain ■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330 **SCAN ME**
 EXP: 20250329 FOR MORE KNOWLEDGE, SKILLS, & REFILLS

MADE IN CHINA
 DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC 120 North Redwood Rd. Ste. A, North Salt Lake, UT 84054



80 mm

8

6

28

6

6

28

6



8

MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g
(.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana.....7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

■ minor injuries	■ overexertion	■ falls
■ reduces symptoms of bruising such as:		
■ discoloration	■ pain	■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330
 EXP: 20250329
 MADE IN CHINA

SCAN ME
 FOR MORE
 KNOWLEDGE,
 SKILLS, & REFILLS



DISTRIBUTED BY: SLED DISTRIBUTION
 LLC DBA MYMEDIC 120 North Redwood
 Rd. Ste. A, North Salt Lake, UT 84054

80 mm

64

8

6

28

6

6

28

6



8

MY MEDIC™




TEAR HERE

Arnica Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g
(.125 oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Arnica montana.....7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

■ minor injuries	■ overexertion	■ falls
■ reduces symptoms of bruising such as:		
■ discoloration	■ pain	■ swelling

Warnings For external use only.
Do not use if you are allergic to Arnica montana or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients alcohol, carbomer, purified water, propylene glycol, sodium hydroxide

MFG: 20220330
 EXP: 20250329
 MADE IN CHINA

SCAN ME
 FOR MORE
 KNOWLEDGE,
 SKILLS, & REFILLS



DISTRIBUTED BY: SLED DISTRIBUTION
 LLC DBA MYMEDIC 120 North Redwood
 Rd. Ste. A, North Salt Lake, UT 84054

80 mm

8

6

28


6

6

28

6





MYMEDIC ARNICA GEL

arnica montana gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-304
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	80mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-304-01	3.5 g in 1 POUCH; Type 0: Not a Combination Product	01/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/15/2024	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-304)

Revised: 1/2024

Nantong Health & Beyond Hygienic Products Inc.