

MYMEDIC ORAL PAIN RELIEF GEL- benzocaine gel
Nantong Health & Beyond Hygienic Products Inc.

MYMEDIC™




TEAR HERE

ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL
Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with ♥ in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MY MEDIC™



TEAR HERE


ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL

Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MY MEDIC™



TEAR HERE


ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL

Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MY MEDIC™



TEAR HERE


ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL

Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MY MEDIC™



TEAR HERE


ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL

Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MYMEDIC™



TEAR HERE


ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

ORAL PAIN RELIEF GEL

Topical

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT .75 g - 1/38 oz



Drug Facts

Active Ingredients	Purpose
Benzocaine 20%.....	Oral pain reliever

Uses temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Directions adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

Warnings For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

Inactive Ingredients
Ammonium Glycyrrhizate, Flavor, Polyethylene Glycol, Sodium Saccharin, Sorbic Acid, Water

Designed with in Salt Lake City
www.mymedic.com

MADE IN CHINA

Distributed By:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MYMEDIC ORAL PAIN RELIEF GEL

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-306
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SORBIC ACID (UNII: X045WJ989B)	

Product Characteristics

Color		Score	
Shape		Size	65mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-306-01	0.75 g in 1 POUCH; Type 0: Not a Combination Product	01/16/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/16/2024	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-306)

Revised: 1/2024

Nantong Health & Beyond Hygienic Products Inc.