

**NEUTROGENA INVISIBLE DAILY DEFENSE BROAD SPECTRUM SPF 60 PLUS-  
avobenzone, homosalate, octisalate, and octocrylene lotion  
Kenvue Brands LLC**

-----  
**Neutrogena Invisible Daily Defense Lotion Broad Spectrum SPF 60 Plus**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Homosalate 13.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

## **Inactive ingredients**

water, butyloctyl salicylate, glycerin, alcohol denat., silica, dimethicone, aluminum starch octenylsuccinate, polyurethane-62, phenoxyethanol, pentylene glycol, sodium acryloyldimethyltaurate/VP crosspolymer, acrylates/dimethicone copolymer, glyceryl stearate, chlorphenesin, styrene/acrylates copolymer, fragrance, menthyl lactate, tocopheryl acetate, disodium EDTA, trideceth-6, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, sodium hydroxide, yellow 5, red 40

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **Kenvue Brands LLC** Summit, NJ 07901

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

Neutrogena<sup>®</sup>

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily

defense

lotion

sunscreen

BROAD SPECTRUM SPF 60+

60+

sun + environment

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

lacquer free area



30058067



Neutrogena Invisible Daily™ defense with Helioplex® + technology provides superior broad spectrum UVA/UVB protection. Antioxidants help fight environmental aggressors such as cold, ozone and pollution. Rubs in invisible on all skin tones.

# Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

## Invisible Daily defense

lotion

sunscreen

**BROAD SPECTRUM SPF 60+**

# 60+

sun + environment  
oxybenzone free  
water resistant (80 minutes)

3.0 FL OZ (88 mL)

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 13.5%, Octisalate 5%, Octocrylene 10%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply:  
■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age. Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ May stain some fabrics

**Inactive ingredients** water, butyloctyl salicylate, glycerin, alcohol denat., silica, dimethicone, aluminum starch octerylsuccinate, polyurethane-62, phenoxyethanol, pentylene glycol, sodium acryloyldimethyltaurate/VP crosspolymer, acrylates/dimethicone copolymer, glyceryl stearate, chlorphenesin, styrene/acrylates copolymer, fragrance, menthyl lactate, tocopheryl acetate, disodium EDTA, trideceth-6, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, sodium hydroxide, yellow 5, red 40

**Questions?** Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)



Distributed by: Kenvue Brands LLC, Summit, NJ 07901. © Kenvue Brands LLC 2024. [Patywood.com/typhoid.com](http://Patywood.com/typhoid.com)

## NEUTROGENA INVISIBLE DAILY DEFENSE BROAD SPECTRUM SPF 60 PLUS

avobenzone, homosalate, octisalate, and octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0841
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	135 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>MENTHYL LACTATE, (-)-</b> (UNII: 2BF9E65L7I)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>FEVERFEW</b> (UNII: Z64FK7P217)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POLYURETHANE-62</b> (UNII: TBK645J3J8)	
<b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0841-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	01/31/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/31/2024	

**Labeler** - Kenvue Brands LLC (118772437)

