

COPPERTONE TANNING SUNSCREEN SPF 15- avobenzone 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion
Beiersdorf Inc

Coppertone Tanning Lotion SPF 15

Drug Facts

Active ingredients

Avobenzone 2%, Homosalate 5%, Octisalate 4.5%, Octocrylene 3%

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, aluminum starch octenylsuccinate, glycerin, silica, phenoxyethanol, isododecane, polyester-27, styrene/acrylates copolymer, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, glyceryl stearate, PEG-100 stearate, beeswax, fragrance, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA

Questions?

1-866-288-3330

Coppertone Sunscreen Lotion

Tanning 15

Moisturizes Skin for a Radiant Tan

Lightweight, non-greasy

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 15

Broad Spectrum UVA/UVB Protection

Drug Facts

Active ingredients **Purpose**
 Avobenzone 2%, Homosalate 5%,
 Octisalate 4.5%, Octocrylene 3% Sunscreen

Use
 ■ helps prevent sunburn

Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ apply liberally 15 minutes before sun exposure
 ■ reapply:
 ■ after 80 minutes of swimming or sweating
 ■ immediately after towel drying
 ■ at least every 2 hours
 ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
 ■ wear long-sleeve shirts, pants, hats, and sunglasses
 ■ children under 6 months: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

Inactive ingredients water, aluminum starch octenylsuccinate, glycerin, silica, phenoxyethanol, isododecane, polyester-27, styrene/acrylates copolymer, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, glyceryl stearate, PEG-100 stearate, beeswax, fragrance, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA

Questions? 1-866-288-3330
 www.coppertone.com



Beiersdorf 48202.790.SA.98
 Made in Mexico/Distributed by:
 Beiersdorf Inc., Stamford, CT 06901
 ©reg. TM. of Beiersdorf AG,
 Germany



Coppertone
 SUNSCREEN LOTION



TANNING
15

MOISTURIZES SKIN FOR A RADIANT TAN

Lightweight, non-greasy

Free of Oxybenzone,
 Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
 Broad Spectrum SPF 15

8 FL OZ (237 mL)

COPPERTONE TANNING SUNSCREEN SPF 15

avobenzone 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-7035
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
	HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 g in 100 g
	OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
	OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
DOCOSANOL (UNII: 9G1OE216XY)
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)
GLYCERIN (UNII: PDC6A3C0OX)
POLYESTER-7 (UNII: 0841698D2F)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
ARACHIDYL GLUCOSIDE (UNII: 6JVV35J00J)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
PEG-100 STEARATE (UNII: YD01N1999R)
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
WATER (UNII: 059QF0K00R)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)
ISODODECANE (UNII: A8289P68Y2)
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-7035-8	237 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/31/2024	

Labeler - Beiersdorf Inc (001177906)