

FEXOFENADINE HYDROCHLORIDE - fexofenadine hydrochloride tablet, film coated
Healthmart

Active ingredient(in each tablet)

Fexofenadine HCl USP, 60 mg

Fexofenadine HCl USP, 180 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminium or magnesium antacids
- do not take with fruit juices (see directions)

Stop use and ask doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

Fexofenadine Hydrochloride 60 mg

- safety sealed: do not use if carton is opened or individual blister units are torn or open
- store between 20°and 25°C (68°and 77°F)
- protect from excessive moisture and light

Fexofenadine Hydrochloride 180 mg

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20°and 25°C (68°and 77°F)
- protect from excessive moisture and light

Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol 400, pregelatinized corn starch, red iron oxide, steric acid, titanium dioxide, and yellow iron oxide,

Questions or comments?

call 1-855-274-4122

Principal Display Panel

NDC 62011-0314-1

**Original Prescription Strength
Non-Drowsy**

Fexofenadine Hydrochloride Tablets USP, 60 mg/antihistamine

**Allergy
Indoor & Outdoor Allergies**

12 Hours Relief of:

**Sneezing
Runny nose
Itchy, Watery Eyes
Itchy Nose or Throat**

DO NOT USE IF FOIL SEAL IS TORN OR MISSING

12 Tablets 60 mg each

Drug Facts

Active ingredient (in each tablet)
Fexofenadine HCl USP, 60 mg.....Antihistamine

Purpose
Fexofenadine HCl USP, 60 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • runny nose • sneezing • itchy, watery eyes • itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product: • do not take more than directed • do not take at the same time as aluminum or magnesium antacids • do not use with your juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed; do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25° C (68° and 77° F)
- protect from excessive moisture and light

Drug Facts (continued)

Inactive ingredients
anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol 400, pre-gelatinized starch, red iron oxide, stearic acid, titanium dioxide, yellow iron oxide

Questions or comments? call 1-855-274-4122

NDC 62011-0314-1



*compare to 12 Hour Allegra®
Allergy active ingredient

12 hour

Fexofenadine Hydrochloride

Tablets USP, 60 mg

antihistamine

Indoor & outdoor allergies
relief of: sneezing / runny nose /
itchy, watery eyes / itchy nose or throat
original prescription strength

non-drowsy, Allergy

ACTUAL SIZE 

12 tablets, 60 mg each

DO NOT USE IF FOIL SEAL IS TORN OR MISSING

McKesson

Distributed by McKesson
One First Street, San Francisco, CA 94104
Henry Buck Guarantees
www.healthmart.com/healthmartprod

*This product is not manufactured or distributed by Chemim Inc. (a wholly-owned subsidiary of the Scott-Weinstein Group), distributor of ALLEGRA® Allergy Tablets. ALLEGRA is a registered trademark of Aventis Inc. LK-2084


0 52569 14054 3

Principal Display Panel

NDC 62011-0315-2

Original Prescription Strength
Non-Drowsy

Fexofenadine Hydrochloride Tablets USP, 180 mg/antihistamine

Allergy
Indoor & Outdoor Allergies

24 Hours Relief of:

Sneezing
Runny nose
Itchy, Watery Eyes
Itchy Nose or Throat

DO NOT USE IF FOIL SEAL IS TORN OR MISSING

30 Tablets 180 mg each

Drug Facts

Active ingredient (in each tablet)
Fexofenadine HCl USP, 180 mg

Purpose
Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
• runny nose • sneezing • itchy, watery eyes • itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
do not take more than directed
do not take at the same time as aluminum or magnesium antacids
do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years of age and over: take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age: do not use
adults 65 years of age and older: ask a doctor
consumers with kidney disease: ask a doctor

Other information
safety sealed; do not use if carton is opened or if printed foil inner seal on bottle is torn or missing

Drug Facts (continued)

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture and light

Inactive ingredients
anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol 400, pregelatinized corn starch, red iron oxide, stearic acid, titanium dioxide, and yellow iron oxide

Questions or comments?
call 1-855-274-4122

*This product is not manufactured or distributed by Chatham Inc. (wholly-owned subsidiary of the Sanofi-Aventis Group), distributor of ALLEGRA® Allergy Tablets. ALLEGRA® is a registered trademark of Aventis® II Inc.
LM-2081

HealthMart
PHARMACY

24 hour
Fexofenadine Hydrochloride
Tablets USP, 180 mg antihistamine

NDC 62011-0315-2

HealthMart
PHARMACY

*compare to 24 Hour Allegra® Allergy active ingredient


24 hour
Fexofenadine Hydrochloride
Tablets USP, 180 mg antihistamine

indoor & outdoor allergies
relief of: sneezing / runny nose / itchy, watery eyes / itchy nose or throat
original prescription strength

non-drowsy. Allergy

MCKESSON

Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
www.healthmart.com/healthmartbrand


ACTUAL SIZE

30 tablets 180 mg each

DO NOT USE IF FOIL SEAL IS TORN OR MISSING

FEXOFENADINE HYDROCHLORIDE

fexofenadine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0314
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXO FENADINE HYDRO CHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3S Y5LH9 PMK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	ORANGE (Peach)	Score	no score
--------------	----------------	--------------	----------

Shape	CAPSULE (Bevel Edge, Biconvex)		Size	12mm
Flavor			Imprint Code	E;42
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0314-1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product	10/14/2016	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA202039	10/14/2016		

FEXOFENADINE HYDROCHLORIDE

fexofenadine hydrochloride tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0315
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
FEXO FENADINE HYDRO CHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)		FEXO FENADINE HYDROCHLORIDE	180 mg
Inactive Ingredients			
Ingredient Name			Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
Product Characteristics			
Color	ORANGE (peach)	Score	no score
Shape	CAPSULE (Bevel Edge, Biconvex)	Size	17mm

Flavor		Imprint Code	E;44	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:620 11-0315-2	30 in 1 BOTTLE	10/14/20 16	
1		1 in 1 CARTON; Type 0: Not a Combination Product		
2	NDC:620 11-0315-1	15 in 1 BLISTER PACK; Type 0: Not a Combination Product	10/14/20 16	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA202039	10/14/20 16		

Labeler - Healthmart (116956644)

Registrant - Aurolife Pharma, LLC (829084461)

Establishment

Name	Address	ID/FEI	Business Operations
Aurolife Pharma, LLC		829084461	MANUFACTURE(620 11-0314, 620 11-0315)

Revised: 9/2019

Healthmart