

JUST FOR KIDS- stannous fluoride gel
3M ESPE Dental Products

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Just For Kids

Drug Facts

Active ingredient

Stannous fluoride 0.4% w/w (0.12% w/f fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental decay

Warnings

- This is a fluoride preventive treatment gel, not a toothpaste. Read directions carefully before using.
- **Keep out of reach of children.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.
- This product may produce surface staining of the teeth. Adequate toothbrushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.

Directions

- Adults and children 6 years of age and older: Use a pea-sized (.25g) dose once a day after brushing your teeth with a toothpaste. Apply the gel to your teeth and brush thoroughly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing. Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

Other information

- Do not freeze or expose to extreme heat.
- Do not use if tamper evident seal on top of box is broken or removed.

Inactive ingredients

ascorbic acid, carbomer, citric acid, flavor, glycerin, triethanolamine

Questions or comments?

call toll free M-F 9am to 5pm EST/EDT at **1-800-634-2249**

Grapey Grape

NDC 48878-4020-3

3M ESPE

Just For Kids™


0.4% Stannous Fluoride


Preventive Treatment Gel

IMPORTANT: Read directions thoroughly.

Contents:

NET WT. 4.3 oz (121.9 g)





Bubble Gum

NDC 48878-4070-3

3M ESPE

Just For Kids™


0.4% Stannous Fluoride

Preventive Treatment Gel

IMPORTANT: Read directions thoroughly.

Contents:

NET WT. 4.3 oz (121.9 g)



swallowed, get medical help or contact a Poison Control Center right away.

- This product may produce surface staining of the teeth. Adequate toothbrushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.

Directions

- Adults and children 6 years of age and older: Use a pea-sized (.25g) dose once a day after brushing your teeth with a toothpaste. Apply the gel to your teeth and brush thoroughly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing. Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

Other information

- Do not freeze or expose to extreme heat.
- Do not use if tamper evident seal on top of box is broken or removed

Inactive ingredients

ascorbic acid, carbomer, citric acid, flavor, glycerin, triethanolamine.

Questions or comments?

call toll free M-F 9am to 5pm EST/EDT at 1-800-634-2249

3M, ESPE and Just For Kids are trademarks of 3M or 3M Deutschland GmbH.
© 3M 2016. All rights reserved.

12107B

3M ESPE I.D. No.
70-2014-0076-2

Made in the U.S.A. for
3M ESPE
Dental Products
2510 Conway Avenue
St. Paul, MN 55144-1000 USA



30605861000056
12107B Just For Kids 0.4% - Bubble Gum

Just For Kids™
0.4% Stannous Fluoride

Preventive Treatment Gel

IMPORTANT: Read directions thoroughly.



Brush on therapy for cavity protection

Contents:
NET WT. 4.3oz (121.9g)

JUST FOR KIDS

stannous fluoride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48878-4020
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STANNOUS FLUORIDE (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.969 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

CARBOMER HOMO POLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE (GRAPE)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48878-4020-3	1 in 1 BOX	07/01/1997	
1		121.9 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	07/01/1997	

JUST FOR KIDS

stannous fluoride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48878-4070
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STANNOUS FLUORIDE (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.969 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CARBOMER HOMO POLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BUBBLE GUM (BUBBLE GUM)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48878-4070-3	1 in 1 BOX	07/01/1997	
1		121.9 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	07/01/1997	

Labeler - 3M ESPE Dental Products (801390852)**Establishment**

Name	Address	ID/FEI	Business Operations
Dental Technologies, Inc.		148312838	manufacture(48878-4020, 48878-4070)

Revised: 6/2019

3M ESPE Dental Products