

**CARBON DIOXIDE OXYGEN MIXTURE - carbon dioxide oxygen mixture gas**  
**Air Liquide Healthcare America Corporation**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**CARBON DIOXIDE OXYGEN MIXTURE COMPRESSED**

Enter section text here

ACTUAL SIZE

**COMPRESSED GAS,  
OXIDIZING, N.O.S.**  
UN 3156  
**MEDICAL GAS MIXTURE**

\_\_\_\_\_% Carbon Dioxide USP      \_\_\_\_\_% Oxygen USP  
Only for Oxygen content above 23.5%



**WARNING:**  
DO NOT HANDLE CYLINDER  
OR USE CONTENTS UNTIL: 1) YOU  
HAVE READ AND UNDERSTAND THE  
MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL  
1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE  
CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.



**WARNING:** HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.  
MIXTURES CONTAINING CARBON DIOXIDE CAN INCREASE RESPIRATION AND HEART RATE.  
Secure cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking  
in cylinder area. Do not use or store near heat or open flame. Use only with equipment cleaned for oxygen  
service and rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature  
should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Return  
with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet and Compressed Gas  
Association Publication P-1.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,  
give oxygen. Call a physician.

**CAUTION:** USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.  
**DO NOT REMOVE THIS PRODUCT LABEL.**

 AIR LIQUIDE HEALTHCARE AMERICA CORP.  
P.O. BOX 462223  
Houston, TX 77056

M71H-3  
C08



#08-10689 AIR LIQUIDE AMERICA L.P., M71H-3, 03-10-08

jmg

JOB # \_\_\_\_\_? FOR \_\_\_\_\_  
PROOF NO. \_\_\_\_\_? DATE SENT \_\_\_\_\_  
**READ THIS PROOF CAREFULLY**  
MARK CORRECTIONS AND ALTERATIONS CLEARLY  
 Proof OK as is     OK with corrections  
 New Proof Wanted  
Signed \_\_\_\_\_ Date \_\_\_\_\_  
**Downey Decal & Graphics, Inc.**  
3022 N. Van Buren St., Enid, OK 73701  
(580) 237-3434 • Fax (580) 237-6383  
West Coast Office: (951) 672-6192 • Fax (951) 672-6194

Enter section text here

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ

AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

**WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. MIXTURES CONTAINING CARBON DIOXIDE CAN INCREASE RESPIRATION AND HEART RATE.** Secure Cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking in cylinder area. Do not use or store near heat or open flame. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Return with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet and Compressed Gas Association Publication P-1.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**CAUTION:** USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL.

<b>CARBON DIOXIDE OXYGEN MIXTURE</b>				
carbon dioxide oxygen mixture gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:64735-060	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	<b>Oxygen</b> (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	95 L in 100 L	
	<b>Carbon Dioxide</b> (UNII: 142M471B3J) (Carbon Dioxide - UNII:142M471B3J)	Carbon Dioxide	5 L in 100 L	
<b>Packaging</b>				
#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:64735-060-04	708 L in 1 CYLINDER		
2	NDC:64735-060-21	7108 L in 1 CYLINDER		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved medical gas		01/01/1960		

**Labeler** - Air Liquide Healthcare America Corporation (087757167)

## Establishment

Name	Address	ID/FEI	Business Operations
Air Liquide Healthcare America Corporation		067631762	manufacture

Revised: 6/2010

Air Liquide Healthcare America Corporation