

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 1- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 2- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 3- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 4- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 5- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 6- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 7- BEIGE-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 OBSCURE 8- BROWN-
 octinoxate, oxybenzone, and zinc oxide suspension
 LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 OBSCURE 9- BROWN-
 octinoxate, oxybenzone, and zinc oxide suspension
 Bel Star S.A. (Colombia)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL CLARITÉ Clarifying Effect Foundation SPF 30

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
OCTINOXATE 7.50 %	Sunscreen
OXYBENZONE 2.00 %	Sunscreen
ZINC OXIDE 1.96 %	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

ISOSTEARYL NEOPENTANOATE, MICA, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, OZOKERITE, KAOLIN, COPERNICIA CERIFERA CERA (COPERNICIA CERIFERA (CARNAUBA) WAX), ZEA MAYS STARCH (ZEA MAYS (CORN) STARCH), KOJIC DIPALMITATE, DIMETHICONE, OCTYLDODECANOL, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, SILICA, BUTYROSPERMUM PARKII BUTTER (BUTYROSPERMUM PARKII (SHEA) BUTTER), CERA MICROCRISTALLINA (MICROCRYSTALLINE WAX), CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, PARFUM (FRAGRANCE), CANDELILLA CERA (EUPHORBIA CERIFERA (CANDELILLA) WAX), TRIMETHYLSILOXYSILICATE, GLYCYRRHIZA GLABRA ROOT EXTRACT (GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT), PETROLATUM, PHOSPHOLIPIDS, TRIETHOXYCAPRYLYLSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, SYNTHETIC BEESWAX, GLYCOSPHINGOLIPIDS, POLYETHYLENE.

MAY CONTAIN : CI 77891 (TITANIUM DIOXIDE), CI 77492 (IRON OXIDES), CI 77491 (IRON OXIDES), CI 77499 (IRON OXIDES).

Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - CLAIRE 1- BEIGE

L'BEL

CLARITÉ

Clarifying effect **foundation** SPF 30

Net Wt. 0.31 oz. e (9 g)

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxibenzon 7.5%, Octocrylene 2 %, Zinc Oxide 1.96 %

Purpose

Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure, ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, MPCA, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, OZOKERITE, KAOLIN, COPERNICIA CERIFERA (CARIBBEAN WAX), ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHYLSILOXYETHYL DIMETHYL METHACRYLATE, POLYGLYCERYL-3 STEARATE, ISOSTEARYL ALCOHOL, SILICA, BUTYROSPERMIUM (SEED) BUTTER, MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CARIBBEAN WAX), TRIMETHYLSILOXYETHYL KATE, GLYCERYL GLUCOSIDE, POLYGLYCERYL-3 ETHYL ACETOATE, CETEARYL GLUCOSIDE, POLYGLYCERYL-2 OLEATE, POLYGLYCERYL-3 STEARATE, BUTYL METHYL METHACRYLATE, DIMETHYL METHACRYLATE, POLYETHYLENE CITRATRIEOL, BUTYLPHENYL METHYLPROPIONATE, 3-CYCLOHEXENE CARBOXYALDEHYDE, ALPHA-ISOMETHYL IONONE, MANGANESE DIOXIDE, TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int'L Ltd. DBA 3rdcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - CLAIRE 2- BEIGE

L'BEL

CLARITÉ

Clarifying effect **foundation** SPF 30

Net Wt. 0.31 oz. e (9 g)

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxibenzon 7.5%, Octocrylene 2%, Zinc Oxide 1.98%

Purpose

Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. ■ Swallowing, get medical help or contact a Poison Control Center, right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, NIPAC, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, OZONERITE, KAOLIN, COPERNICIA CERIFERA (CARIBBEAN WAX), ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHICONE, PENTANEDIOL, DIMETHYL DIMETHYLAMONIUM METHACRYLATE, ISOSTEARYL ISOSTEARATE, ALCOHOL, SILICA, BUTYROSPERMUM SEED BUTTER, MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CANDILLA) WAX, THYMETHYLSILOXYSEDATE, GYCYPHERA GLABRA (LICORICE) ROOT EXTRACT, PENTANEDIOL, PHOSPHOLIPIDS, TRIETHOXYSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, POLYGLYCERIN-12, DIMETHYL DIMETHYLAMONIUM METHACRYLATE, DIMETHYLAMONIUM METHACRYLATE, POLYETHYLENE CITRATE, BUTYLPHENYL METHYLPROPIONYL 3-CYCLOHEXENE CARBOXYLALDEHYDE, ALPHA-ISOMETHYL IONONE, MAU CONTAIN, TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int. Ltd. DBA 3dcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - CLAIRE 3- BEIGE

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxymetazone 1.5%, Octinoxate 2%, Zinc Oxide 1.98%

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun

Purpose

Sunscreen

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. ■ Wash with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. ■ Swallow, get medical help or contact a Poison Control Center, right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, MICA, CI-2615 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, OZONERITE, KAOLIN, COPERNICIA CERIFERA (CARIBBEAN WAX), ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHYL DIMETHYLAMONIUM METHACRYLATE, DIMETHYL SILESIUM DIOSMATE, ISOSTEARYL ALCOHOL, SILICA, BUTYROSPERMIUM (SEED) BUTTER, MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CARABALAN) WAX, THYMETHYLSILOXYSEI KATE, GYCYPHERA GLABRA (LITCHI) ROOT EXTRACT, PENTYLENYL DIOSMATE, METHYL GLUCOSIDE, POLYGLYCERYL-3-ETHYLBUTYRATE, POLYGLYCERYL-3-ETHYLBUTYRATE, POLYGLYCERYL-3-ETHYLBUTYRATE, POLYETHYLENE CITRONELLAL, HEXYL CINNAMA, 6-LIMONENE, HYDROXYHEXYL-3-CYCLOHEXENE CARBOXYALDEHYDE, ALPHA-ISOMETHYL IONONE, NAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.


U.S.A.: Dist. by Ventura Int'l Ltd. DBA 3dcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - MEDIUM 5- BEIGE

**L'BEL
CLARITÉ**

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)



L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxibenzon 7.5%, Octocrylene 2%, Zinc Oxide 1.96 %

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun

Purpose

Sunscreen

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. ■ Keep out of reach of children. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. ■ Swallow, get medical help or contact a Poison Control Center, right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, NPCA, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, OZOKERITE, KAOLIN, COPERNICIA CERIFERA (CARIBBEAN WAX), ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHYL SILYL DIMETHYL METHOXYCINAMATE, DIMETHYL DIMETHOXYCINAMATE, ISOSTEARYL ALCOHOL, SILICA, BUTYROSPERMUM PANIS (SEAL BUTTER), MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-ISOSTERYL CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CANDILLA) WAX, TETRAETHYLSILOXYSEI-KATE, GLYCERYL GLABARA (LICOPISE) ROOT EXTRACT, PENTOLAUM, PHOSPHOLIPIDS, TRITHOXYPARYLYLSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, POLYGLYCERYL-2 STEARATE, DIMETHYL METHOXYCINAMATE, DIMETHYL DIMETHOXYCINAMATE, POLYETHYLENE CITRATE, BUTYLPHENYL METHYLPROPIONYL 3-CYCLOHEXENE CARBOXYALDEHYDE, ALPHA-ISOMETHYL IONONE, MAO CONTAINING TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int. Ltd. DBA 3dcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - MEDIUM 7- BEIGE

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxibenzon 7.5%, Octocrylene 2%, Zinc Oxide 1.96%

Purpose

Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. ■ Swallow, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, MICA, CI-2615 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, OZONERITE, KAOLIN, COPPER MICAC, CERESIN CARBOLINUM WAX, ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHYL DIMETHYL METHACRYLATE, BUTYLBUTYLBUTYL METHACRYLATE, ISOSTEARYL ALCOHOL, SILICA, BUTYROSEBUM PEROXIDE, BUTTER, MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CANDILLAW) WAX, THYMETHYLSILOXYSI LKATE, GLYCERYL GLABARA (LICHNICE) ROOT EXTRACT, PENTYLALAN, PHOSPHOLIPIDS, TRIETHOXYCARBYLSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, POLYGLYCERIN-12, POLYGLYCERIN-3, POLYGLYCERIN-4, POLYGLYCERIN-6, POLYGLYCERIN-12, POLYETHYLENE CITRONELLOL, BUTYLPHENYL METHYLPROPIONATE, HYDROXYCITRONELLAL, HEXYL CINNAMA, C-LIMONENE, HYDROXYHEXYL 3-CYCLOHEXENE CARBOALDEHYDE, ALPHA-ISOMETHYL IONONE, NAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int'L Ltd. DBA 3dcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 9 g Case Box - OBSCURE 8- BROWN

L'BEL
CLARITÉ
Clarifying effect foundation SPF 30
Net Wt. 0.31 oz. e (9 g)

L'BEL

CLARITÉ

Clarifying effect foundation SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts

Active Ingredients

Oxymetazoline 1.5%, Octinoxane 2%, Zinc Oxide 1.96 %

Uses: ■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging Alert: Spending time in the sun

Purpose

Sunscreen

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. ■ Swallow, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: ISOSTEARYL NEOPENTANOATE, NIPAC, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLYMETHYL METHACRYLATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, OZONERITE, KAOLIN, COPERNICIA CERIFERA (CARAIBAN WAX), ZEA MAYS (CORN) STARCH, KOJIC ACID, DIMETHYL DIMETHYL METHYL METHACRYLATE, POLYETHYLENE TEREPHTHALATE, ISOSTEARYL ESTER, ALCOHOL, SILICA, BUTYROSEBUM PABA (SHEA BUTTER), MICROCRYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE, EUPHORBIA CERIFERA (CARAIBAN WAX), THYMETHYLSILOXYSI LKATE, GLYCERYL GLABARA (LICORICE) ROOT EXTRACT, PENTYLALAN, PHOSPHOLIPIDS, TRIETHOXYSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, POLYGLYCERIN-12, POLYGLYCERIN-6, POLYGLYCERIN-3, POLYGLYCERIN-4, POLYGLYCERIN-5, POLYETHYLENE CITRATE, BUTYLPHENYL METHYLPROPIONAL, HYDROXYCITRONELLAL, HEXYL CINNAMAL, C-LIMONENE, HYDROXYISOBUTYL 3-CYCLOHEXENE CARBOXYLALDEHYDE, ALPHA-ISOMETHYL IONONE, MAU CONTAIN, TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int Ltd, DBA Bdcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - Kit Label

L'BEL

CLARITÉ

Clarifying effect **foundation** SPF 30

Net Wt. 0.31 oz. e (9 g)

Drug Facts (continued)

■ Sunscreen if swimming or sweating. Children under 6 months of age. Ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun. Apply using the sponge and cover the face evenly. Blend softly with the applicator or, if you prefer, your fingertips.

Inactive Ingredients MICA, C12-15 ALKYL BENZOATE, ETHYLHEXYL PALMITATE, POLY(METHYL METHACRYLATE; 450000 MW), KAOIL DIALUMINATE, DIMETHICONE, OCTYLDODECANOL, PHENOXETHANOL, GYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, SLS, SLSA, BUTYROPERILUM PARAFIN (SHEA) BUTTER, CERAFLUMINUM WAX, ZEIN MYRS (CORN) STARCH, KAOIL DIALUMINATE, DIMETHICONE, OCTYLDODECANOL, MCHOCROSYSTALLINE WAX, CAPRYLYL GLYCOL, BETA-SITOSTEROL, CHLORPHENESIN, FRAGRANCE EXTRACT, PETAROLIUM, (CANDILLA) WAX, TRIMETHYLSILOXYSILICATE, GLYCERYL DIALABRA (L) COCONUT ROOT EXTRACT, PETROLIUM, PHOSPHOLIPIDS, TRIETHOXYCAPRYLYLSILANE, CHOLESTEROL, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, (CANDILLA) WAX, TRIMETHYLSILOXYSILICATE, GLYCERYL DIALABRA (L) COCONUT ROOT EXTRACT, PETAROLIUM, POLYGLYCERYL-2-DIETHYLBESSEMYL GLYCOSETHYLBESSEMYL POLYETHYLENE, CITRONELLOL, BUTYLPHENYL METHYLPROPIONAL, HYDROXYCITRONELLAL, HEXYL CINNAMYL ALIMONENE, HYDROXYISOBUTYL 3-CYCLOHEXENE CARBOXYLDEHYDE, ALPHA-ISOMETHYL IONONE, **MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.**

Drug Facts

Active Ingredients
Octinoxate 7.5%, Oxybenzone 2%, Zinc Oxide 1.98%
Sunscreen

Purpose
Sunscreen

Uses
■ Helps prevent sunburn.

Warnings
■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
■ For external use only.
■ Do not use on damaged or broken skin.

Directions
■ Apply liberally and evenly 15 minutes before sun exposure, reapply at least every 2 hours. Use a water resistant sunscreen.
■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

L'BEL
CLARITÉ
 Clarifying effect foundation SPF 30
 Net Wt. 0.31 oz. e (9 g)

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 1-BEIGE
 octinoxate, oxybenzone, and zinc oxide suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-943
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0 Y) (Oxybenzone - UNII:95OOS7VE0 Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156 Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	

CERESIN (UNII: Q1LS2UJO3A)
KAOLIN (UNII: 24H4NWX5CO)
CARNAUBA WAX (UNII: R12CBM0EIZ)
STARCH, CORN (UNII: O8232NY3SJ)
KOJIC DIPALMITATE (UNII: 13N249RWTM)
DIMETHICONE (UNII: 92RU3N3Y1O)
OCTYLDODECANOL (UNII: 461N1O614Y)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SHEA BUTTER (UNII: K49155WL9Y)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CHLORPHENESIN (UNII: I670DAL4SZ)
CANDELILLA WAX (UNII: WL0328HX19)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
CHOLESTEROL (UNII: 97C5T2UQ7J)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-943-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-943-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 2-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-944
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJ03A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-944-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-944-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 3-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-945
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	

MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CHLORPHENESIN (UNII: I670DAL4SZ)
CANDELILLA WAX (UNII: WL0328HX19)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHOLESTEROL (UNII: 97C5T2UQ7J)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-945-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-945-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 CLAIRE 4-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-946
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-946-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-946-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 5-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-947
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	

POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-947-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-947-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 6-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-948
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	

KOJIC DIPALMITATE (UNII: 13N249RWTM)
DIMETHICONE (UNII: 92RU3N3Y1O)
OCTYLDODECANOL (UNII: 461N1O614Y)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SHEA BUTTER (UNII: K49155WL9Y)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CHLORPHENESIN (UNII: I670DAL4SZ)
CANDELILLA WAX (UNII: WL0328HX19)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHOLESTEROL (UNII: 97C5T2UQ7J)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-948-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-948-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 MEDIUM 7-BEIGE

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-949
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:14141-949-02	1 in 1 BOX	06/06/2016
1	NDC:14141-949-01	9 g in 1 CASE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 OBSCURE 8-BROWN

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-950
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CERESIN (UNII: Q1LS2UJO3A)	
KAOLIN (UNII: 24H4NWX5CO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
KOJIC DIPALMITATE (UNII: 13N249RWTM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	

CHLORPHENESIN (UNII: I670DAL4SZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-950-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-950-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

LBEL CLARITE CLARIFYING EFFECT FOUNDATION SPF 30 OBSCURE 9-BROWN

octinoxate, oxybenzone, and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-951
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.02 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0196 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	

MICA (UNII: V8A1AW0880)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
CERESIN (UNII: Q1LS2UJO3A)
KAOLIN (UNII: 24H4NWX5CO)
CARNAUBA WAX (UNII: R12CBM0EIZ)
STARCH, CORN (UNII: O8232NY3SJ)
KOJIC DIPALMITATE (UNII: 13N249RWTM)
DIMETHICONE (UNII: 92RU3N3Y1O)
OCTYLDODECANOL (UNII: 461N1O614Y)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SHEA BUTTER (UNII: K49155WL9Y)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CHLORPHENESIN (UNII: I670DAL4SZ)
CANDELILLA WAX (UNII: WL0328HX19)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CHOLESTEROL (UNII: 97C5T2UQ7J)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-951-02	1 in 1 BOX	06/06/2016	
1	NDC:14141-951-01	9 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/06/2016	

Labeler - Bel Star S.A. (Colombia) (880160197)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	manufacture(14141-943, 14141-944, 14141-945, 14141-946, 14141-947, 14141-948, 14141-949, 14141-950, 14141-951)

Revised: 12/2019

Bel Star S.A. (Colombia)