

**IOPE UV DEFENSE SUN PROTECTOR- homosalate, octocrylene, octisalate, avobenzone cream**  
**AMOREPACIFIC CORPORATION**

-----  
**IOPE UV DEFENSE SUN PROTECTOR**

***Drug Facts***

***Active ingredients***

Avobenzone 2.5%

Homosalate 9%

Octisalate 4.5%

Octocrylene 9%

***Purpose***

Sunscreen

***Uses***

Helps prevent sunburn.

If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Apply liberally 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

### ***Other information***

Protect the product in this container from excessive heat and direct sun.

Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

### ***Inactive ingredients***

WATER, BUTYLENE GLYCOL, GLYCERIN, BUTYLOCTYL SALICYLATE, CETEARYL ALCOHOL, PHENYL TRIMETHICONE, CAPRYLYL METHICONE, POTASSIUM CETYL PHOSPHATE, CETEARYL GLUCOSIDE, 1,2-HEXANEDIOL, SODIUM POLYACRYLOYLDIMETHYL TAURATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, FRAGRANCE / PARFUM, TOCOPHEROL, GLYCERYL CAPRYLATE, DISODIUM EDTA, ETHYLHEXYLGLYCERIN, LIMONENE, SORBITAN ISOSTEARATE, LINALOOL, GLUCOSE, CITRONELLOL, HEXYL CINNAMAL, FERULIC ACID

### ***Questions?***

support@us.amorepacific.com

### **IOPE UV Defense Sun Protector Sunscreen**

IOPE


UV DEFENSE

SUN PROTECTOR

SUNSCREEN

BROAD SPECTRUM SPF45

50 mL / 1.69 fl. oz.



Please read the instructions before use

UV DEFENSE SUN PROTECTOR

SUNCARE

IOPE

UV DEFENSE  
SUN PROTECTOR

SUNSCREEN  
BROAD SPECTRUM SPF45

50 mL / 1.69 fl. oz.

CHANGE YOUR  
SKIN FUTURE  
피부의 미래를 바꾸다

**Drug Facts**

Active ingredients	Purpose
Avobenzone 2.5%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 8%	Sunscreen

**Uses**

-Helps prevent sunburn. -if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

-Apply liberally 15 minutes before sun exposure. -Children under 6 months of age: Ask a doctor. -Re-apply at least every 2 hours. -Use a water-resistant sunscreen if swimming or sweating. -Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses.

**Other information**

-Protect the product in this container from excessive heat and direct sun. -Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

**Inactive ingredients**

WATER/AQUATEAU, BUTYLENE GLYCOL, GLYCERIN, BUTYL OCTYL SALICYLATE, CETEARYL ALCOHOL, PHENYL TRIMETHICONE, CAPRYLYL METHICONE, POTASSIUM CETYL PHOSPHATE, CETEARYL GLUCOSIDE, 1,2-HEXANEDIOL, SODIUM POLYACRYLATE, DIMETHYL TAURATE, HYDROXYETHYL ACRYLATE/ SODIUM ACRYLATE, DIMETHYL TAURATE COPOLYMER, FRAGRANCE / PARFUM, TOCOPHEROL, GLYCERYL CAPRYLATE, DISODIUM EDTA, ETHYLHEXYL GLYCERIN, LIMONENE, SORBITAN SEOSTEARATE, UNDECYL GLUCOSIDE, CITRONELLOL, HEXYL CINNAMAL, FERULIC ACID

**Questions?**

support@us.amorepacific.com

IOPE  
UV DEFENSE  
SUN PROTECTOR  
SUNSCREEN  
BROAD SPECTRUM  
SPF45

DERMATOLOGIST TESTED  
AMOREPACIFIC US INC.  
DIST NEW YORK, NY 10018  
MADE IN KOREA (0330)

제조인쇄  
25 x 12 mm



9E5D7L

**IOPE UV DEFENSE SUN PROTECTOR**

homosalate, octocrylene, octisalate, avobenzone cream

**Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:43419-420

Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4.5 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.5 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>SODIUM POLYACRYLOYLDIMETHYL TAURATE</b> (UNII: NG5NG5733T)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SLOG7R0OK)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>FERULIC ACID</b> (UNII: AVM951ZWST)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-420-08	1 in 1 BOX	03/01/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2024	

**Labeler** - AMOREPACIFIC CORPORATION (631035289)

Revised: 1/2024

AMOREPACIFIC CORPORATION