MEDI-QUIK FIRST AID ANTISEPTIC- benzalkonium chloride, lidocaine hydrochloride spray, metered

Quantum Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Purpose

Benzalkonium chloride 0.13% w/w......First aid antiseptic
Lidocaine hydrochloride 2.5% w/w......External anesthetic

Purpose

Uses: first aid to help protect against skin infection *temporarily relieves pain and itching in: *minor cuts *scrapes *burns

Warnings

FOR EXTERNAL USE ONLY

Stop use and ask a doctor if

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days

Indications and Usage

Uses first aid to help protect against skin infection *temporarily relieves pain and itching in: *minor cuts *scrapes *burns

Keep out of reach of children

Keep out of reach of children. In case of accidential ingestion, seek professional assistance or contact a Poison Control Center immediately


Dosage and Administration

*For adults and children 2 years and older *Clean the affected area. Apply a small amount of product on area 1 to 3 times daily. let air dry. May be covered with a sterile bandage. *children under 2 years of age, consult a doctor

Inactive Ingredients

water, propylene glycol, octoxynol-9, fragrance, edetate disodium

Image of label





NB: This is a positional proof only and does not represent actual print color

Do Not Use

Do not use *in the eyes or apply over large areas of the body * longer than 1 week unless directed by a doctor * in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days

Directions

*For adults and children 2 years and older *clean the affected area. Apply a small amount of product on area 1 to 3 times daily. Let air dry. May be covered with a sterile bandage. *children under 2 years of age, consult a doctor

MEDI-QUIK FIRST AID ANTISEPTIC benzalkonium chloride, lidocaine hydrochloride spray, metered Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:69633-111

Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.0013 g in 1 g	
LIDO CAINE HYDRO CHLO RIDE ANHYDRO US (UNII: EC2CNF7XFP) (LIDO CAINE - UNII:98 PI20 0 9 8 7)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.025 g in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
octoxynol-9 (UNII: 7JPC6 Y25QS)			
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69633-111-01	88 g in 1 BOTTLE, SPRAY		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	09/30/2014		

Labeler - Quantum Pharmaceuticals Inc. (079208386)

Revised: 3/2015 Quantum Pharmaceuticals Inc.