

VIADERMA CARE FIRST AID ANTIBIOTIC- bacitracin zinc solution
VIADERMA DISTRIBUTION INC

Viaderma Care First Aid Antibiotic

Drug Facts

Active ingredient (in each gram)

Bacitracin Zinc 500 units

Purpose

First aid antibiotic

Uses

- First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store between 68-77°F (20-25°C)
- may stain cloth

Inactive ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.

Package Labeling:

 <p>PANTONE® 6169 C</p>																																													
<p>TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck</p> <table border="1"><tr><th colspan="2">Drug Facts</th></tr><tr><td>Active ingredients (in each gram)</td><td>Purposes</td></tr><tr><td>Bacitracin Zinc 500 units.....</td><td>First aid antibiotic</td></tr><tr><td colspan="2">Uses</td></tr><tr><td colspan="2">■ First aid to help prevent skin infection in minor cuts, scrapes, and burns</td></tr><tr><td colspan="2">Warnings</td></tr><tr><td colspan="2">For external use only.</td></tr><tr><td colspan="2">Do not use</td></tr><tr><td colspan="2">■ Longer than 1 week unless directed by a doctor</td></tr><tr><td colspan="2">■ In the eyes</td></tr><tr><td colspan="2">■ Over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.</td></tr><tr><td colspan="2">Stop use and ask a doctor if condition persists or gets worse.</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions</td></tr><tr><td colspan="2">■ Clean the affected area</td></tr><tr><td colspan="2">■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</td></tr><tr><td colspan="2">■ May be covered with a sterile bandage</td></tr></table>	Drug Facts		Active ingredients (in each gram)	Purposes	Bacitracin Zinc 500 units.....	First aid antibiotic	Uses		■ First aid to help prevent skin infection in minor cuts, scrapes, and burns		Warnings		For external use only.		Do not use		■ Longer than 1 week unless directed by a doctor		■ In the eyes		■ Over large areas of the body		Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.		Stop use and ask a doctor if condition persists or gets worse.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions		■ Clean the affected area		■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily		■ May be covered with a sterile bandage		<table border="1"><tr><th>Drug Facts (Cont)</th></tr><tr><th>Other information</th></tr><tr><td>■ Store between 68-77°F (20-25°C)</td></tr><tr><td>■ May stain cloth</td></tr><tr><th>Inactive ingredients</th></tr><tr><td>Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.</td></tr></table> <p>ViaDerma®</p> <p>Licensed to: Viaderma Distribution Inc. by: Viaderma, Inc. Distributed by: Viaderma Distribution Inc. 1050 E. Flamingo Road, Suite 107 Las Vegas, NV 89119 Report any serious adverse events to: Viaderma Distribution Inc. Tel: 1-800-585-8685 www.viaderma.com</p> 	Drug Facts (Cont)	Other information	■ Store between 68-77°F (20-25°C)	■ May stain cloth	Inactive ingredients	Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.	 <p>ViaDerma Care™</p> <p>Bacitracin Zinc (500 units in 1 g)</p> <p>First Aid Antibiotic</p> <p>Fast-Acting & Trusted Infection Protection</p> <p>Essential first aid care at home or on-the-go!</p> <p>Net Wt. 0.5 oz (15 mL)</p> <p>NDC 000000000000000</p>	<p>ViaDerma Care™ First Aid Antibiotic</p> <p>Formulated with Bacitracin Zinc (500 units in 1g)</p> <p>The infection-fighting power of our formula helps protect: Minor cuts, scrapes, and burns from harmful bacteria.</p>  <p>Powered by SKINPASS™ Patented Fast Absorption Technology</p> <p>Scan to learn more.</p> 
Drug Facts																																													
Active ingredients (in each gram)	Purposes																																												
Bacitracin Zinc 500 units.....	First aid antibiotic																																												
Uses																																													
■ First aid to help prevent skin infection in minor cuts, scrapes, and burns																																													
Warnings																																													
For external use only.																																													
Do not use																																													
■ Longer than 1 week unless directed by a doctor																																													
■ In the eyes																																													
■ Over large areas of the body																																													
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.																																													
Stop use and ask a doctor if condition persists or gets worse.																																													
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																													
Directions																																													
■ Clean the affected area																																													
■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily																																													
■ May be covered with a sterile bandage																																													
Drug Facts (Cont)																																													
Other information																																													
■ Store between 68-77°F (20-25°C)																																													
■ May stain cloth																																													
Inactive ingredients																																													
Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.																																													
		<p>Patented Technology U.S. Pat. No. 12,465,567</p>  <p>x XXXXX XXXXX x</p> <p>LOT#</p> <p>EXP:</p>																																											

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. IN THE EYES. OVER LARGE AREAS OF THE BODY. ASK A DOCTOR BEFORE USE IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS BURNS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.



ViaDerma
Care™

First Aid Antibiotic

Bacitracin Zinc (500 units)

Net Wt. 0.5 oz (15 mL)

DIRECTIONS: CLEAN THE AFFECTED AREA. APPLY A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT EQUAL TO THE SURFACE AREA OF THE TIP OF A FINGER) ON THE AREA 1 TO 3 TIMES DAILY. MAY BE COVERED WITH A STERILE BANDAGE DISTRIBUTED BY: VIADERMA DISTRIBUTION INC. REPORT ANY SERIOUS ADVERSE EVENTS TO: VIADERMA DISTRIBUTION INC. TEL: 1-800-585-8685 WWW.VIADERMA.COM MADE IN THE USA

VIADERMA CARE FIRST AID ANTIBIOTIC

bacitracin zinc solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045VWJ989B)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-018-15	1 in 1 CARTON	12/05/2025	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/05/2025	

Labeler - VIADERMA DISTRIBUTION INC (081113521)

Registrant - VIADERMA DISTRIBUTION INC (081113521)

Revised: 12/2025

VIADERMA DISTRIBUTION INC