ALLERGY RELIEF-D - cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release
CHAIN DRUG CONSORTIUM,LLC

Allergy & Congestion Relief

Drug Facts

Active ingredients (in each extended-release tablet)	***Purpose***
Cetirizine HCl, USP 5 mg	Antihistamine
Pseudoephedrine HCl, USP 120 mg	Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of nose or throat
  - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (cer tain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks af ter stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding
- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
at **1-800-222-1222**.

Directions
- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Inactive ingredients

hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

Questions?

Call toll free **1-800-818-4555** weekdays

Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087

PRINCIPAL DISPLAY PANEL - 24 Tablet Blister Pack Carton

*COMPARE TO THE

ACTIVE INGREDIENTS
IN ZYRTEC-D 12 HOUR®

Original Prescription Strength

Premier
Value®

Allergy & Congestion Relief

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended-release Tablets, USP

5 mg/120 mg

Antihistamine/Nasal Decongestant
Indoor & Outdoor Allergies

12 Hour Relief of:
 Runny Nose Itchy Throat or Nose
 Sneezing Sinus Pressure
 Itchy, Watery Eyes Nasal Congestion

24 TABLETS
(4 blister cards of 6 tablets each)

INDEPENDENTLY TESTED
PV
SATISFACTION GUARANTEED


PGS808454
5 mg / 120 mg
Extended-release Tablets, USP
Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Allergy & Congestion Relief
Premier Value
Drug Facts (continued)
Directions
• do not break or chew tablet; swallow tablet whole
adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over | ask a doctor
children under 12 years of age | ask a doctor
consumers with liver or kidney disease | ask a doctor
Other information
• store between 20° to 25°C (68° to 77°F)
• do not use if carton is opened or if the blister unit is broken
• see side panel for batch number and expiration date
Inactive ingredients
hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide
Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze
Questions?
Call toll free 1-800-818-4555 weekdays
8 40986 03095 6
If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.
Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087
www.amersongroup.com
MADE IN INDIA
Premier Value
*COMPARE TO THE ACTIVE INGREDIENTS IN ZYRTEC-D 12 HOUR®
Original Prescription Strength
Allergy & Congestion Relief
Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended-release Tablets, USP
5 mg / 120 mg
Antihistamine/Nasal Decongestant
Indoor & Outdoor Allergies
12 Hour Relief of:
✓ Runny Nose
✓ Sneezing
✓ Itchy, Watery Eyes
✓ Itchy Throat or Nose
✓ Sinus Pressure
✓ Nasal Congestion
24 TABLETS
(4 blister cards of 6 tablets each)
Premier Value
Allergy & Congestion Relief
Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended-release Tablets, USP
5 mg / 120 mg


DNHDRUGS138 PGS808454 ISS. 03/2018
. It contains important
e this panel for expiration date.
ot manufactured or
cNeil-PPC, Inc., distributor
HOUR®. ZYRTEC-D 12 HOUR®
rademark of McNeil-PPC, Inc.
Drug Facts
Active ingredients (in each extended-release tablet) | Purpose
Cetirizine HCl, USP 5 mg ..... Antihistamine
Pseudoephedrine HCl, USP 120 mg ..... Nasal Decongestant
Uses
• temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
• runny nose • sneezing • itchy, watery eyes
• itching of nose or throat • nasal congestion
• reduces swelling of nasal passages
• temporarily relieves sinus congestion and pressure
• temporarily restores freer breathing through the nose
Warnings
Do not use
• if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping
Drug Facts (continued)
Ask a doctor before use if you have
• heart disease • thyroid disease • diabetes
• glaucoma • high blood pressure
• trouble urinating due to an enlarged prostate gland
• liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
• do not use more than directed
• drowsiness may occur • avoid alcoholic drinks
• alcohol, sedatives, and tranquilizers may increase drowsiness
• be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if
• an allergic reaction to this product occurs. Seek medical help right away.
• you get nervous, dizzy, or sleepless
• symptoms do not improve within 7 days or are accompanied by fever
If pregnant or breast-feeding:
• if breast-feeding: not recommended
• if pregnant: ask a health professional before use.



ALLERGY RELIEF-D

cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:68016-531
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients	
Ingredient Name	**Strength**
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
AMMONIA (UNII: 5138Q19F1X)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45)	

Product Characteristics			
Color	WHITE	**Score**	no score
Shape	ROUND (circular)	**Size**	9mm
Flavor		**Imprint Code**	915
Contains			

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**

1	NDC:68016-531-24	24 in 1 CARTON; Type 0: Not a Combination Product	08/17/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090922	08/17/2016	

Labeler - CHAIN DRUG CONSORTIUM,LLC (101668460)

Registrant - Sun Pharmaceutical Industries Limited (650172430)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650445203	ANALYSIS(68016-531) , MANUFACTURE(68016-531)

Revised: 11/2018 CHAIN DRUG CONSORTIUM,LLC