

**AFRIN ORIGINAL PUMP MIST- oxymetazoline hydrochloride spray, metered
Bayer HealthCare LLC.**

Afrin®

Original Pump Mist

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- shrinks swollen nasal membranes so you can breathe more freely
- temporarily relieves sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor.

Shake well before use. Before using the first time, remove the protective cap from the tip and prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments?

Questions or comments? 1-800-317-2165 (Mon – Fri 9AM – 5PM EST)

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin®

Pump Mist

Original

PUMP MIST

Fast, Powerful

Congestion

Relief

Colds • Allergies

up to

12

Hour

Relief

Maximum
Strength

#1 Doctor & Pharmacist
Recommended Nasal Spray Brand

BAYER

1/2 FL OZ (15 mL)

69148

NO VARNISH



Child Resistant Cap
(see side panel)

Afrin[®]
Original
NASAL PUMP MIST

SAFETY SEALED: Do not use if seal imprinted
"Afrin[®] Security Seal" is broken or missing.

Drug Facts

Active Ingredient **Purpose**
Oxymetazoline hydrochloride 0.05% Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- shrinks swollen nasal membranes so you can breathe more freely
- temporarily relieves sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Shake well before use. Hold white tabs, press grooved area of cap firmly and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Afrin[®] Original Nasal Pump Mist is an easy action pump, that delivers a fine mist in a measured dose.

*It unblocks your nose in seconds, providing 12 hours of nasal congestion relief without drowsiness, so you can breathe more freely all day or all night.



No.1 DOCTOR AND PHARMACIST[†] RECOMMENDED NASAL SPRAY BRAND

Bayer, the Bayer Cross, Afrin, and the Afrin Clock and Grid Design are registered trademarks of Bayer.
© 2020 Bayer
Dist. by: Bayer HealthCare LLC
Whispery, NJ 07981
Product of Germany
www.getentils.livewell.bayer.com

Bayer [†]Pharmacy Times survey



1/2 FL OZ (15 mL)

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin[®]

Original
NASAL PUMP MIST

• Relieves Nasal Congestion &
Sinus Congestion/Pressure

UNBLOCKS IN SECONDS*
LASTS 12 HRS



Drug Facts (continued)


Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients
benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments?
1-800-317-2165

How to use:
Hold white tabs, press grooved area of cap firmly and turn counter clockwise. Secure cap after use.





0 41100 81121 9

81462

**LOT/EXP AREA
NO VARNISH
NO INK**

NO VARNISH



Glue Area

AFRIN ORIGINAL PUMP MIST

oxymetazoline hydrochloride spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-1159
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-1159-1	1 in 1 CARTON	07/14/1975	
1		15 mL in 1 BOTTLE, PUMP; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/14/1975	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.