

TRIFLORA- urtica doicia, rhus toxicodendron, ledum palustre gel
Schwabe North America, Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Triflora

Active Ingredients

Contains 5% Ledum palustre 2X

Contains 12.5% Urtica dioica 1X

Contains 2.5% Rhus tox 4X

Inactive Ingredient

Carbomer

Ethyl Alcohol

Pine Needle Oil

Purified Water

Sodium Hydroxide

Witch Hazel Distillate

Dosage and Administration

Directions

Adults and children 6 years of age and older: apply to affected area up to 4 times daily; rub in gently.

Patch test recommended on sensitive skin.

Indications & Usage

Temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, rheumatism, simple backache, and tendinitis.

Purpose

Temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, rheumatism, simple backache, and tendinitis.

Warnings

For external use only.

Avoid contact with eyes and broken skin.

Do Not Use

Do not use if hypersensitive to Poison Ivy (Rhus tox) or any other ingredient in this product.

Breast-feeding women should not apply to breast area.

Stop Use

Stop use and ask a doctor if skin irritation, rash, or other allergic reaction develops, condition worsens or does not improve within 7 days, symptoms clear up and occur again within a few days.

These could be signs of a serious condition.

Pregnancy or Breast feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children

Keep out of reach of children.

Overdose

If swallowed, seek medical help or contact a Poison Control Center right away.

TOPICAL GEL FOR TEMPORARY PENETRATING PAIN RELIEF**

Ages 6+

Non-greasy

TEMPORARY RELIEF FOR ARTHRITIS & JOINT PAIN**

Triflora® Arthritis Gel**

PLEASANT TO USE
CLEAN | NON-GREASY

HOMEOPATHIC - NDC 53499-7290-8

Nature's
way!



Triflora® Arthritis Gel**

TEMPORARILY RELIEVES
ARTHRITIS* | TENDINITIS* | ACHEs & PAINs* | STIFFNESS*



NET WT 2.75 OZ (77 g) Topical Gel

Triflora®
Arthritis Gel**



621250063-10



Triflora® Arthritis Gel**

- Best for arthritis, rheumatism, tendinitis, and backache**
- Temporarily relieves aches, pains, and stiffness in joints, tendons, and muscles**

Explore more products at NATURESWAY.COM

©2024 Distributed by Boericke & Tafel®, a division of Nature's Way Brands, LLC, Green Bay, WI 54311 USA • Product of Mexico
TAMPER EVIDENT: Safety sealed with inner seal. Do not use if inner seal is broken or missing.

<p>Drug Facts</p> <p>Active ingredients Contains 5% <i>Lactum pastore</i> 2X Contains 12.5% <i>Urtica dioica</i> 1X Contains 2.5% <i>Rhus tox</i> 4Xinflammation*</p> <p>Purposejoint/tendon pain**</p> <p>Directionsadults & children 6 years of age and older: apply to affected area up to 4 times daily, rub in gently.patch best recommended on sensitive skin</p> <p>Other informationWhen finished, store at room temperature 20-25°C (68-77°F) in a dry place out of direct sunlight.to open: unscrew cap, puncture tube seal with top of cap; close tightly.water, sodium hydroxide, which may irritate skin.</p> <p>WarningsDo not use if hypersensitive to Poison Ivy (<i>Rhus toxic</i>) or any other ingredient in this product. Breast-feeding women should not apply to breast area.For external use only. Avoid contact with eyes and broken skin.associated with arthritis, rheumatism, neuritis, and joint/muscle stiffness.temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, neuritis, and joint/muscle stiffness.</p> <p>Usestemporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, neuritis, and joint/muscle stiffness.</p> <p>WarningsDo not use if hypersensitive to Poison Ivy (<i>Rhus toxic</i>) or any other ingredient in this product. Breast-feeding women should not apply to breast area.For external use only. Avoid contact with eyes and broken skin.associated with arthritis, rheumatism, neuritis, and joint/muscle stiffness.temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, neuritis, and joint/muscle stiffness.</p> <p>WarningsDo not use if hypersensitive to Poison Ivy (<i>Rhus toxic</i>) or any other ingredient in this product. Breast-feeding women should not apply to breast area.For external use only. Avoid contact with eyes and broken skin.associated with arthritis, rheumatism, neuritis, and joint/muscle stiffness.temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, neuritis, and joint/muscle stiffness.</p> <p>WarningsDo not use if hypersensitive to Poison Ivy (<i>Rhus toxic</i>) or any other ingredient in this product. Breast-feeding women should not apply to breast area.For external use only. Avoid contact with eyes and broken skin.associated with arthritis, rheumatism, neuritis, and joint/muscle stiffness.temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, neuritis, and joint/muscle stiffness.</p>	<p>Questions? 1-800-962-9873 / natureway.com</p> <p>.....There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.</p>
--	--

Lot/best by
area

Carton
Measurements: 16.033 X 4.45 X 4.126 cm KB

CYAN	MAGENTA	YELLOW	BLACK	Grass 1/4 Varnish
------	---------	--------	-------	----------------------

New Design
Proof: PDF & MJ Hard copy proof for color matching.
Utilize Pantone Bridge book for color matching.

Schwabe MK

Triflora®
Arthritis Gel**



621250230-02

Drug Facts		Drug Facts (continued)	
Active ingredients Contains 5% <i>Ledum palustre</i> 2X, Joint/Tendon Pain** Contains 12.5% <i>Urtica dioica</i> 1X Contains 2.5% <i>Rhus tox</i> 4X, Inflammation**	Purpose	If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center right away.	
Uses ■ temporarily relieves minor aches, pains, and joint/muscle stiffness associated with arthritis, rheumatism, simple backache, and tendinitis**		Directions ■ adults & children 6 years of age and older: apply to affected area up to 4 times daily; rub in gently ■ patch test recommended on sensitive skin	
Warnings For external use only: Avoid contact with eyes and broken skin. Do not use if hypersensitive to Poison Ivy (<i>Rhus tox</i>) or any other ingredient in this product. ■ breast-feeding women should not apply to breast area		Other information ■ to open: unscrew cap, puncture tube seal with top of cap; close tightly when finished ■ store at room temperature 20-25°C (68-77°F) in a dry place out of direct sunlight	
Stop use and ask a doctor if ■ skin irritation, rash, or other allergic reaction develops ■ condition worsens or does not improve within 7 days ■ symptoms clear up and occur again within a few days. These could be signs of a serious condition.		Inactive ingredients carbomer, ethyl alcohol, pine needle oil, purified water, sodium hydroxide, witch hazel distillate	
		Questions? 1-800-962-8873 / naturesway.com	
		**There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.	

TAMPER EVIDENT. Safety sealed with inner seal. Do not use if tube seal is broken or missing.
©2024 Distributed by Boericke & Tafel®, a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA • Product of Mexico

LHT21825297.B01 BLK7582B

HOMEOPATHIC - NDC 53499-7290-8



Triflora®

Arthritis Gel**

TEMPORARILY RELIEVES
ARTHRITIS** | TENDINITIS** | ACHES & PAINS** | STIFFNESS**

NET WT 2.75 OZ (77 g) Topical Gel



TUBE **KB**

CYAN	MAGENTA	YELLOW	BLACK	Gloss UV Varnish
------	---------	--------	-------	------------------

New Design Proof: PDF
Utilize Pantone Bridge book for color matching.

Schwabe MX

TRIFLORA			
urtica dioica, rhus toxicodendron, ledum palustre gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-7290
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	URTICA DIOICA (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA	1 [hp_X] in 77 g
	TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	4 [hp_X] in 77 g
	LEDUM PALUSTRE twig (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE twig	2 [hp_X] in 77 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
ALCOHOL (UNII: 3K9958V90M)	
PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y)	
WATER (UNII: 059QF0K00R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WITCH HAZEL (UNII: 101I4J0U34)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-7290-8	1 in 1 CARTON	10/01/2021	
1		77 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:53499-7290-4	1 in 1 CARTON	10/01/2021	09/30/2025
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/01/2021	

Labeler - Schwabe North America, Inc (831153908)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe Mexico SA DE CV		812805901	manufacture(53499-7290)

Revised: 11/2025

Schwabe North America, Inc