

BURN EASE 3.5G- burn ease 3.5g gel
Front Line Safety

FL-3883

Active Ingredient

Lidocaine Hydrochloride 2%

Purpose

Analgesic

Use(s)

- For the temporary relief of pain associated with • Minor burns • Sunburn

Warnings

For External Use Only

Do not use

- On wounds or damaged skin
- In large quantities, particularly over raw surfaces or blistered areas

When using this product

- Avoid contact with the eyes
- Do not bandage tightly

Stop use and ask a doctor if

- Condition worsens
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily

- **Children under 2 years of age:** Consult a doctor

Other information

- Store at room temperature

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Glycerin, Imidazolidinyl Urea, Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tea Tree Leaf Oil, Triethanolamine

Questions?

1-888-900-2920 8AM-4PM PST

Label

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td style="width: 30%;">Active Ingredient</td> <td>Purpose</td> </tr> <tr> <td colspan="2">Lidocaine Hydrochloride 2% Analgesic</td> </tr> <tr> <td colspan="2">Use(s)</td> </tr> <tr> <td colspan="2">■ For the temporary relief of pain associated with ■ Minor burns ■ Sunburn</td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For External Use Only.</td> </tr> <tr> <td colspan="2">Do not use</td> </tr> <tr> <td colspan="2">■ On wounds or damaged skin</td> </tr> <tr> <td colspan="2">■ In large quantities, particularly over raw surfaces or blistered areas</td> </tr> <tr> <td colspan="2">When using this product</td> </tr> <tr> <td colspan="2">■ Avoid contact with the eyes ■ Do not bandage tightly</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if</td> </tr> <tr> <td colspan="2">■ Condition worsens</td> </tr> <tr> <td colspan="2">■ Symptoms persist for more than 7 days</td> </tr> <tr> <td colspan="2">■ Symptoms clear up and occur again within a few days</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2">■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily</td> </tr> <tr> <td colspan="2">■ Children under 2 years of age: Consult a doctor</td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2">■ Store at room temperature</td> </tr> <tr> <td colspan="2">Inactive Ingredients</td> </tr> <tr> <td colspan="2">Acrylates/C10-30 alkyl acrylate crosspolymer, Carbomer, Glycerin, Imidazolidinyl urea, Methylparaben, Propylene glycol, Propylparaben, Purified water, Tea tree leaf oil, Triethanolamine</td> </tr> <tr> <td colspan="2">Questions? 1-888-900-2920 8AM-4PM PST</td> </tr> </table>	Drug Facts		Active Ingredient	Purpose	Lidocaine Hydrochloride 2% Analgesic		Use(s)		■ For the temporary relief of pain associated with ■ Minor burns ■ Sunburn		Warnings		For External Use Only.		Do not use		■ On wounds or damaged skin		■ In large quantities, particularly over raw surfaces or blistered areas		When using this product		■ Avoid contact with the eyes ■ Do not bandage tightly		Stop use and ask a doctor if		■ Condition worsens		■ Symptoms persist for more than 7 days		■ Symptoms clear up and occur again within a few days		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Directions		■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily		■ Children under 2 years of age: Consult a doctor		Other information		■ Store at room temperature		Inactive Ingredients		Acrylates/C10-30 alkyl acrylate crosspolymer, Carbomer, Glycerin, Imidazolidinyl urea, Methylparaben, Propylene glycol, Propylparaben, Purified water, Tea tree leaf oil, Triethanolamine		Questions? 1-888-900-2920 8AM-4PM PST		<div style="text-align: right; font-weight: bold; font-size: 1.2em;">FRONT LINE</div> <p style="font-size: 1.2em; margin-top: 20px;">CODE: 8279</p> <p style="font-size: 1.2em; margin-top: 10px;">ITEM: BURN EASE, 3.5GM</p> <p style="font-size: 1.2em; margin-top: 10px;">QTY: 2,000/CASE</p> <p style="font-size: 1.2em; margin-top: 10px;">LOT #:</p> <p style="font-size: 1.2em; margin-top: 10px;">EXP. DATE:</p> <p style="font-size: 1.2em; margin-top: 10px;">NET WT:</p> <p style="font-size: 1.2em; margin-top: 10px;">GROSS WT:</p> <p style="font-size: 1.2em; margin-top: 10px;">MADE IN INDIA</p> <p style="font-size: 0.8em; margin-top: 20px;">Keep box for complete <i>Drug Facts</i>.</p>
Drug Facts																																																			
Active Ingredient	Purpose																																																		
Lidocaine Hydrochloride 2% Analgesic																																																			
Use(s)																																																			
■ For the temporary relief of pain associated with ■ Minor burns ■ Sunburn																																																			
Warnings																																																			
For External Use Only.																																																			
Do not use																																																			
■ On wounds or damaged skin																																																			
■ In large quantities, particularly over raw surfaces or blistered areas																																																			
When using this product																																																			
■ Avoid contact with the eyes ■ Do not bandage tightly																																																			
Stop use and ask a doctor if																																																			
■ Condition worsens																																																			
■ Symptoms persist for more than 7 days																																																			
■ Symptoms clear up and occur again within a few days																																																			
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.																																																			
Directions																																																			
■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily																																																			
■ Children under 2 years of age: Consult a doctor																																																			
Other information																																																			
■ Store at room temperature																																																			
Inactive Ingredients																																																			
Acrylates/C10-30 alkyl acrylate crosspolymer, Carbomer, Glycerin, Imidazolidinyl urea, Methylparaben, Propylene glycol, Propylparaben, Purified water, Tea tree leaf oil, Triethanolamine																																																			
Questions? 1-888-900-2920 8AM-4PM PST																																																			

FL-3883

BURN EASE 3.5G			
burn ease 3.5g gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-6283
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C00X)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
TEA TREE OIL (UNII: VIF565UC2G)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
IMIDUREA (UNII: M629807ATL)	

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-6283-1	2000 in 1 CASE	01/26/2024	
1		3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/26/2024	

Labeler - Front Line Safety (061263699)