

LAGOM CF CUSHION 30- titanium dioxide, octinoxate, octisalate cream
SKINMED International Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

70738-005_V3

Titanium Dioxide 14.627%

Octinoxate 6.700%

Octisalate 4.000%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, Diphenylsiloxy Phenyl Trimethicone, Cyclohexasiloxane, Diisostearyl Malate, Butylene Glycol, Glycerin, Butylene Glycol Dicaprylate/Dicaprate, C12-15 Alkyl Benzoate, Niacinamide, PEG-10 Dimethicone, Pentylene Glycol, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Phenyl Trimethicone, Polypropylsilsesquioxane, Iron Oxides (CI 77492), Distearidimonium Hectorite, Magnesium Sulfate, Phenoxyethanol, Synthetic Fluorphlogopite, Sorbitan Isostearate, Stearic Acid, Alumina, Aluminum Hydroxide, Triethoxycaprylylsilane, Iron Oxides (CI 77491), Dimethicone/Vinyl Dimethicone, Crosspolymer, Urea, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Ethylhexylglycerin, Iron Oxides (CI 77499), Adenosine, Citrus Limon (Lemon) Peel Oil, Disodium EDTA, Citrus Nobilis (Mandarin Orange) Peel Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Biosaccharide Gum-4, Phytosphingosine, Sapphire Powder, Cymbopogon Schoenanthus Oil, Hydrolyzed Vegetable Protein, Maltodextrin



LAGOM
NOT TOO LITTLE, NOT TOO MUCH

CF CUSHION REFILL
SUN SCREEN SPF50+ PA+++

30



14g-0.49fl.oz.

Drug Facts	
Active Ingredients	Purposes
Titanium Dioxide 14.627%	Sunscreen
Octinoxate 6.700%	Sunscreen
Octisalate 4.000%	Sunscreen
Uses	
■ Helps prevent sunburn	
Directions	
■ Apply liberally 15 minutes before sun exposure. Reapply at least every two hours	
■ Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses.	
■ Ask a doctor to use for children under 6 months	
Warnings	
■ For external use only	
■ Do not use on damaged or broken skin	
■ Stop using and ask a doctor if rash occurs	
■ When using this product, keep out of eyes. Rinse with water to remove	
■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away	
Inactive Ingredients	
Water, Cyclopentasiloxane, Diphenylsiloxyl Phenyl Trimethicone, Cyclohexasiloxane, Diisostearyl Malate, Butylene Glycol, Glycerin, Butylene Glycol Dicaprylate/Dicaprate, C12-15 Alkyl Benzoate, Niacinamide, PEG-10 Dimethicone, Phenylene Glycol, Lauryl PEG-10 Tris(trimethylsilyloxy)allyl ether Dimethicone, Phenyl Trimethicone, Polypropylaltesouioxane, Iron Oxides (CI 77492), Distardimcoolum Hactorite, Magnesium Sulfate, Phenoxyethanol, Synthetic Fluorphlogopite, Sorbitan isostearate, Stearic Acid, Alumina, Aluminum Hydroxide, Triethoxycaprylylsilane, Iron Oxides (CI 77491), Dimethicone/Vinyl Dimethicone, Crosspolymer, Urea, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Ethylhexylglycerin, Iron Oxides (CI 77499), Adenosine, Citrus Limon (Lemon) Peel Oil, Disodium EDTA, Citrus Nobilis (Mandarin Orange) Peel Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Bisaccharide Gum-4, Phytosphingosine, Sapphire Powder, Cymbopogon Schoenanthus Oil, Hydrolyzed Vegetable Protein, Maltodextrin	
Other Information	
■ Protect the product in this container from excessive heat and direct sun	
Manufactured by Cosmax Inc. 27, Jeyalgongdan 10-gil, 46, Jeyalgongdan 2-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Korea 18622	
Manufactured for SKINMED INTERNATIONAL Co., Ltd. 4 th Floor, Chungmu-ro 2ga, 9-1, Myeongdong 8ga-gil, Jung-gu, Seoul Korea 04536	
shop@lagomkorea.com www.lagom.kr Instagram / Facebook @lagomkorea	
Made In Korea	





LAGOM
NOT TOO LITTLE, NOT TOO MUCH

CF CUSHION REFILL SET

SUN SCREEN SPF50+ PA+++
(CUSHION + CUSHION REFILL)

30



14g-0.49fl.oz.

Drug Facts	
Active Ingredients	Purposes
Titanium Dioxide 14.627%	Sunscreen
Octinoxate 6.700%	Sunscreen
Octisalate 4.000%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn 	
Directions	
<ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure. Reapply at least every two hours Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses. Ask a doctor to use for children under 6 months. 	
Warnings	
<ul style="list-style-type: none"> For external use only Do not use on damaged or broken skin Stop using and ask a doctor if rash occurs When using this product, keep out of eyes. Rinse with water to remove Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away 	
Inactive Ingredients	
Water, Cyclopentasiloxane, Diphenylsiloxy Phenyl Trimethicone, Cyclohexasiloxane, Diisostearyl Malate, Butylene Glycol, Glycerin, Butylene Glycol Dicaprylate/Dicaprate, C12-15 Alkyl Benzoate, Niacinamide, PEG-10 Dimethicone, Pentaerythritol, Lauryl PEG-10 Triis(trimethylsilyloxy)ethyl Dimethicone, Phenyl Trimethicone, Polypropylsiloxane, Iron Oxides (CI 77492), Deaerdimonium Hectorite, Magnesium Sulfate, Phenoxethanol, Synthetic Fluorphlogopite, Sorbitan Isostearate, Stearic Acid, Alumina, Aluminum Hydroxide, Triethoxycaprylylsilane, Iron Oxides (CI 77491), Dimethicone/Vinyl Dimethicone Crosspolymer, Urea, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Ethylhexylglycerin, Iron Oxides (CI 77499), Adenosine, Citrus Limon (Lemon) Peel Oil, Disodium EDTA, Citrus Nobilis (Mandarin Orange) Peel Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Biosaccharide Gum-4, Phytosphingosine, Sapphire Powder, Cymbopogon Schoenanthus Oil, Hydrolyzed Vegetable Protein, Maltodextrin	
Other Information	
<ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun 	
Manufactured by Cosmax Inc. 27, Jeyalgongdan 10-gil, 46, Jeyalgongdan 2-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Korea 18622 Manufactured for SKINMED INTERNATIONAL Co., Ltd. 4 th Floor, Chungmu-ro 2ga, 9-1, Myeongdong 8ga-gil, Jung-gu, Seoul Korea 04536 shop@lagomkorea.com www.lagom.kr instagram / facebook @lagomkorea	
Made in Korea	



LAGOM CF CUSHION 30

titanium dioxide, octinoxate, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70738-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	0.1462 g in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.067 g in 1 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
NIACINAMIDE (UNII: 25X51I8RD4)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LM26O6933)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
UREA (UNII: 8W8T17847W)
BERGAMOT OIL (UNII: 39W1PKE3JI)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ADENOSINE (UNII: K72T3FS567)
LEMON OIL (UNII: I9GRO824LL)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
MANDARIN OIL (UNII: NJO720F72R)
ORANGE OIL (UNII: AKN3KSD11B)
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)
CYMBOPOGON SCHOENANTHUS OIL (UNII: XE7K568ILO)
MALTO DEXTRIN (UNII: 7CVR7L4A2D)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70738-005-02	1 in 1 CARTON	11/30/2017	
1	NDC:70738-005-01	14 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:70738-005-04	1 in 1 CARTON	11/30/2017	
2	NDC:70738-005-03	14 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/30/2017	

Registrant - SKINMED International Co., Ltd. (689846920)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmax, Inc.		689049693	manufacture(70738-005)

Revised: 10/2019

SKINMED International Co., Ltd.