

ALLERGY RELIEF- diphenhydramine hcl tablet
P & L Development, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each tablet)

Diphenhydramine HCL 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks

- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 25 mg
- store between 20-25°C (68-77°F)
- protect from light and moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 Aluminum Lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday- Friday 9AM- 5PM EST

Principal Display Panel

Compare to the active ingredient in Benadryl® Allergy Ultratab® Tablets†

allergy relief

diphenhydramine HCL 25 mg

antihistamine

for allergy relief:

- runny nose
- sneezing
- itchy, watery eyes
- itchy nose or throat

tablets

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy Ultratab® Tablets.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: **PL Developments**

200 Hicks Street, Westbury, NY 11590

Product Label

Drug Facts Diphenhydramine HCl 25 mg.....Antihistamine Purpose		Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies ■ itchy, watery eyes ■ sneezing ■ runny nose ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing	
Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children		Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions adults and children 12 years and over take 1 to 2 tablets children 6 to under 12 years take 1 tablet children under 6 years do not use ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 doses in 24 hours		Other Information ■ each tablet contains: calcium 25 mg ■ store between 20-25°C (68-77°F) ■ protect from light and moisture	
Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide		Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	
This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy Ultratab® Tablets.			



allergy relief

diphenhydramine HCl 25 mg



Compare to the active ingredient in
Benadryl® Allergy Ultratab® Tablets†

NDC 59726-866-12

allergy relief

diphenhydramine HCl 25 mg

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

antihistamine
for allergy relief:

- runny nose
- itchy, watery eyes
- sneezing
- itchy nose or throat

12 tablets

actual size



Lot No.:
Exp. Date:



Distributed by:
PL Developments
200 Hicks Street
Westbury, NY 11590

PLD-F587B FC006157



READYinCASE Allergy Relief

ALLERGY RELIEF

diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59726-866
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	T;061
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-866-40	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/31/2019	12/31/2024
2	NDC:59726-866-12	12 in 1 CARTON	07/31/2019	12/31/2024
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	07/31/2019	12/31/2024

Labeler - P & L Development, LLC (800014821)

Revised: 3/2023

P & L Development, LLC