

BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion
Baxter Laboratories Pty. Ltd.

Bondi Sands Fragrance Free SPF 50 Sunscreen Lotion

Active Ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protections measures (see Directions), decreases the risk of cancer and early skin aging caused by the sun.
- Retains SPF after 80 minutes of activity in the water.

Warnings

For external use only

Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

When using this product

keep out of eyes. Rinse with water to remove.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.- 2 p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Cetareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.

Questions?

888-266-0772 or visit bondisands.com

Product Packaging

bondi sands Australia

BROAD SPECTRUM SPF 50

WATER RESISTANT 80 MINUTES

SUNSCREEN LOTION

Australian Made

5.07 FL. OZ. (150mL)

Un-lacquered
1 ± 1mm


13.5 ± 1mm

24 ± 1mm

Open End



SUITABLE FOR SENSITIVE SKIN



INVISIBLE & LIGHTWEIGHT



NO ADDED FRAGRANCE

DRUG FACTS

Active Ingredients

Avobzone 3%, Homosalate 10%,
Octisalate 5%, Octocrylene 8%

Purpose
Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. • Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well before use.
- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-339-7642; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Ceteareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Citrate, Citric Acid.

Questions?

888-339-7642 or visit bondisands.com

BONDI SANDS is a trademark of Kao Corp.
Distributed by: Kao USA Inc.
Cincinnati, OH 45214.
Made in Australia
BS528-0-401



4.5 ± 1mm

6.5 ± 1mm

160 ± 1mm

Shoulder
Cap End

**bondi
sands**
AUSTRALIA



SPF **50**

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50



WATER RESISTANT (80 MINUTES)

5.07 fl. oz. (150 mL)



BROAD SPECTRUM
SPF 50
 VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN LOTION

REEF FRIENDLY
 72HR HYDRATION
 SUITABLE FOR SENSITIVE SKIN

Australian Made 
 5.07 FL. OZ (150mL)

Non-greasy. Fast absorbing. Invisible finish.
 Sulfate & Paraben free. Contains Vitamin E.
 Dermatologically tested.



DRUG FACTS	
Active Ingredients Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%	Purpose Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. Retains SPF after 80 minutes of activity in the water. 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
When using this product keep out of eyes. Rinse with water to remove	
Stop use and ask a doctor if rash occurs.	
Directions	
<ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure. Reapply: <ul style="list-style-type: none"> after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m.-2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor. 	
Other information	
<ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun. You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm. 	
Inactive Ingredients	
Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadosensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Ceteareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.	
Questions?	
888-266-0772 or visit bondisands.com	

Made in Australia.
 Distributed by Bondi Sands USA®
 Wilmington, 19808, DE.
 bondisands.com



BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70157-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TROLAMINE (UNII: 9O3K93S3TK)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70157-013-01	150 mL in 1 TUBE; Type 0: Not a Combination Product	01/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

Labeler - Baxter Laboratories Pty. Ltd. (740537709)