

DEXTROMETHORPHAN POLISTIREX - dextromethorphan polistirex suspension, extended release
Aurohealth LLC

Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide USP

Purpose

Cough suppressant

Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- chronic cough that lasts such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **shake bottle well before use**
- measure only with dosing cup provided

- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24 hours
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: **sodium 5 mg**
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

Inactive ingredients

citric acid anhydrous, edetate disodium, ethylcellulose, FD & C Yellow no. 6, high fructose corn syrup, masker citrus flavour, methylparaben, polyethylene glycol, polysorbate 80, propylene glycol, purified water, sucrose, tragacanth, xanthan gum

Questions or comments?

call **1-855-274-4122** (Monday – Friday 8:30 AM to 5:00 PM EST)

Distributed by:
AUROHEALTH LLC
 279 Princeton-Hightstown Road
 East Windsor, NJ 08520

Made in India

Code: AP/DRUGS/04/2016

PRINCIPAL DISPLAY PANEL - 89 mL (3 fl oz) Bottle Label

AUROHEALTH

NDC 58602-617-05

**Dextromethorphan Polistirex
Extended-Release Oral Suspension
30 mg/5 mL
[Cough Suppressant]**

COUGH

**12 HOUR
RELIEF**

**Contains
no Fever Reducer
or Pain Reliever**

**orange
Flavored Liquid**

**DAY or NIGHT
ALCOHOL FREE**

89 mL (3 fl oz)

Top Layer Printing side

AUROHEALTH NDC 58602-617-05

**Dextromethorphan Polistirex
Extended-Release Oral Suspension
30 mg/5 mL
[Cough Suppressant]**

COUGH

12 HOUR RELIEF

Contains no Fever Reducer or Pain Reliever

orange Flavored Liquid

DAY or NIGHT ALCOHOL FREE

89 mL (3 fl oz)

TAMPER EVIDENT: Do not use if bottle induction seal is broken or missing.

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide USP.....	Cough suppressant

Uses: temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the impulse to cough to help you get to sleep.

Warnings:
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

PEEL OPEN HERE TO READ COMPLETE WARNINGS AND INFORMATION

Lift Here

Distributed by:
AUROHEALTH LLC
279 Princeton-Hightstown Road
East Windsor, NJ 08520

Made in India

Code: AP/DRUGS/04/2016

P1438452

Position for Vendor logo

* Lot: XXXXXXXXX
EXP: YYYY-
Prefix & Variables of Lot, EXP shall be printed online during packing.

Top Layer Adhesive side

... or emotional
...), or for 2
...rug. If you do
...ig contains an
...it before taking
...e use if you
...ich as occurs
.../sema;
...hlegm (mucus).
...igh lasts more
...urs with fever,
...se could be
...sk a health
...it of reach of
...et medical help
...ier

...easure only
...it use dosing
...s follows or as

...ery 12 hours,
...eed 20 mL in

...ity 12 hours,
...eed 10 mL in

...ery 12 hours,
...eed 5 mL in

...e

...L contains:
...C (68° to 77°F).

a

Gluing Area

Drug Facts (continued)

Inactive ingredients

citric acid anhydrous, edetate disodium, ethylcellulose, FD & C Yellow no. 6, high fructose corn syrup, masker citrus flavour, methylparaben, polyethylene glycol, polysorbate 80, propylene glycol, purified water, sucrose, tragacanth, xanthan gum

Questions or comments? call 1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST). You may also report side effects to this phone number.

Keep carton for full information.

P1438452

P1438452

Drug Facts (continued)

drugs for depression, psychiatric conditions, or Parkinson's disease: weeks after stopping the MAOI do not know if your prescription drug MAOI, ask a doctor or pharmacist this product. **Ask a doctor before** have chronic cough that lasts su with smoking, asthma, or emphy cough that occurs with too much pl **Stop use and ask a doctor if col** than 7 days, comes back, or occi rash, or headache that lasts. The signs of a serious condition.

if pregnant or breast-feeding, a professional before use. **Keep o children.** In case of overdose, gr or contact a Poison Control Cent (1-800-222-1222) right away.

Directions:

Shake bottle well before use. M with dosing cup provided. Do no cup with other products. Dose as directed by a doctor.

adults and children 12 years of age and over	10 mL evi not to exc 24 hours
children 6 to under 12 years of age	5 mL eve not to exc 24 hours
children 4 to under 6 years of age	2.5 mL ev not to exc 24 hours
children under 4 years of age	do not use

Other information: Each 5 mL sodium 5 mg. Store at 20° to 25° F. Dosing cup provided.

Gluing Area

Base Layer

PRINCIPAL DISPLAY PANEL - 89 mL (3 fl oz) Bottle Carton Label

AUROHEALTH

NDC 58602-617-05

Compare to Delsym®
active ingredient*

**Dextromethorphan
Polistirex Extended-
Release Oral Suspension
30 mg/5 mL
[Cough Suppressant]**

COUGH

**12 HOUR
RELIEF**

**orange
Flavored Liquid**

**DAY or NIGHT
ALCOHOL FREE**

89 mL (3 fl oz)



DEXTROMETHORPHAN POLISTIREX

dextromethorphan polistirex suspension, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58602-617
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN (UNII: 7355X3ROTS) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
POLISTIREX (UNII: 5H9W9GTW27)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLCELLULOSE AQUEOUS DISPERSION TYPE B (UNII: HZJ2V81RYU)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	
TRAGACANTH (UNII: 2944357O2O)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	ORANGE	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602-617-05	1 in 1 CARTON	04/17/2026	
1		89 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
2	NDC:58602-617-06	1 in 1 CARTON	04/17/2026	
2		148 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA218417	04/17/2026	

Labeler - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650918514	ANALYSIS(58602-617) , MANUFACTURE(58602-617)

Revised: 4/2026

Aurohealth LLC