

RITE-AID GLYCERIN LAXATIVE- glycerin suppository suppository
RITE AID CORPORATION

Rite-Aid® Glycerin Suppositories

Active Ingredient

Active Ingredient (in each suppository)	Purpose
Glycerin, USP 2 grams	Laxative

Uses

Uses- relieves occasional constipation (irregularity)

- generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

Ask a doctor before use if you have

- stomach pain - nausea - vomiting - noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over
 rectum and retain for 15 minutes; it need not melt to

Insert 1 suppository well into the
 produce laxative action. Do not exceed

1 suppository daily or as directed by a doctor

children 2 to under 6 years
 children under 2 years

use Child Suppositories
 ask a doctor

Other information

- keep tightly closed - avoid excessive heat

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Rite-Aid® Glycerin Suppositories | 50 Count in a Jar

The image shows the front and back of a jar of Rite-Aid Glycerin Suppositories. The front of the jar is green and white, featuring the text: "Compare to the active ingredient in Fleet® Glycerin Suppositories*", "LAXATIVE GLYCERIN SUPPOSITORIES", "GLYCERIN 2g", "often works in minutes for gentle, effective relief of constipation", and "50 ADULT SIZE SUPPOSITORIES". The back of the jar contains the following information:

Drug Facts	
Active Ingredient (in each suppository) Glycerin, USP 2 grams	Purpose Laxative
Use • relieves occasional constipation (irregularity) • generally produces bowel movement in ¼ to 1 hour	
Warnings For rectal use only Do not use laxative products for longer than 1 week unless directed by a doctor. Ask a doctor before use if you have • abdominal pain • nausea • vomiting • noticed a sudden change in bowel habits that lasts over 2 weeks When using this product you may have rectal discomfort or a burning sensation Stop use and ask a doctor if • you have rectal bleeding • you fail to have a bowel movement after use of a laxative These could be signs of a serious condition.	
Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
adults and children 6 years and over	1 suppository per day or as directed by a doctor
children 2 to under 6 years	use Child Suppositories
children under 2 years	ask a doctor
• Insert 1 suppository well up into the rectum and retain for 15 minutes • It need not melt to produce laxative action	
Other Information • keep tightly closed • avoid excessive heat	
Inactive Ingredients purified water, sodium hydroxide, stearic acid	
Questions or Comments? Call 1-800-748-3243 Monday-Friday 9:00AM - 5:00PM EST	

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®.

DISTRIBUTED BY:
 RITE AID
 30 HUNTER LANE,
 CAMP HILL, PA 17011
 www.riteaid.com

SATISFACTION GUARANTEE
 If you're not satisfied, we'll happily refund your money.

0 11822 42019 8

Rite-Aid® Glycerin Suppositories | 100 Count in a Jar

Compare to the active ingredient in Fleet® Glycerin Suppositories*

LAXATIVE GLYCERIN SUPPOSITORIES

GLYCERIN 2g

often works in minutes for gentle, effective relief of constipation not made with natural rubber latex

100 ADULT SIZE SUPPOSITORIES

Drug Facts		Drug Facts (continued)	
Active ingredient (in each suppository) Glycerin, USP 2 grams	Purpose Laxative	Directions	
Uses • relieves occasional constipation (irregularity) • generally produces bowel movement in ¼ to 1 hour		adults and children 6 years and over	1 suppository per day or as directed by a doctor
Warnings For rectal use only Do not use laxative products for longer than 1 week unless directed by a doctor Ask a doctor before use if you have • abdominal pain • nausea • vomiting • noticed a sudden change in bowel habits that lasts over 2 weeks When using this product you may have rectal discomfort or a burning sensation Stop use and ask a doctor if • you have rectal bleeding • you fail to have a bowel movement after use of a laxative These could be signs of a serious condition. If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		children 2 to under 6 years	use Rite Aid® Infants & Children suppositories
		children under 2 years	ask a doctor
		<ul style="list-style-type: none"> • insert 1 suppository well up into the rectum and retain for 15 minutes • it need not melt to produce laxative action 	
		Other information • keep tightly closed • avoid excessive heat	
		Inactive ingredients purified water, sodium hydroxide, stearic acid	
		Questions or Comments? Call 1-800-748-3243 Monday-Friday 9:00AM - 5:00PM EST	
		*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®.	

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011 www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

0 11822 42018 1

RITE-AID GLYCERIN LAXATIVE

glycerin suppository suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9100
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white (CLEAR)	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9100-5	50 in 1 JAR; Type 0: Not a Combination Product	01/01/2024	
2	NDC:11822-9100-0	100 in 1 JAR; Type 0: Not a Combination Product	01/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/01/2012	

Labeler - RITE AID CORPORATION (014578892)

Registrant - Unipack LLC (116015769)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(11822-9100)

Revised: 1/2026

RITE AID CORPORATION