

BLOOMEFFECTS TULIP DEW- zinc oxide lotion
Bloomeffects

Bloomeffects Tulip Dew

Bloomeffects Tulip Dew

Directions

■ Apply liberally 15 minutes before sun exposure ■ REAPPLY: after 40 minutes of swimming ■ immediately after towel drying ▼

Drug Facts (continued)

- at least every 2 hours
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
 - limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.
- Shake well

Inactive Ingredients: Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Jojoba Esters, Tridecyl Salicylate, Propanediol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Niacinamide, Methylpropanediol, Silica, Nylon-12, Coco-Caprylate, Tulipa Gesneriana/Kaurmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa Bran Extract, Tocopherol, Lentinus Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Elatus Fruit Extract, Pleiogynium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Polyglyceryl-2 Dipolyhydroxystearate, Caprylyl Glycol, Methylheptyl Isostearate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentylene Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Alcohol, Hamamelis Virginiana Water, Citric Acid, CI 77499, CI 77492, CI 77491.

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Bloomeffects Tulip Dew

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%	Sunscreen

Bloomeffects Tulip Dew

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Bloomeffects Tulip Dew

<i>Drug Facts</i>	
<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%	Sunscreen

Bloomeffects Tulip Dew

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Bloomeffects Tulip Dew

FACE THE DAY WITH OUR 100% MINERAL SPF SERUM WITH MULTIVITAMINS FOR EFFECTIVE DAILY DEFENSE AGAINST THE SUN & ENVIRONMENTAL AGGRESSORS. SKIN IS LEFT PROTECTED & HYDRATED WITH A UNIVERSALLY GORGEOUS GLOW.

Rich in antioxidants, natural moisturizing factors and amino acids for soft, smooth and glowing hydrated skin.

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses
 ■ Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use & ask a doctor if skin rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure ■ REAPPLY after 40 minutes of swimming ■ immediately after towel drying

Drug Facts (continued)

- Reapply every 2 hours
- Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, routinely use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor
- Shake well

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water (Aqua), C12-15 Alkyl Benzoate, Caprylo/Capric Triglyceride, Jojoba Esters, Tridecyl Salicylate, Propanediol, Polyglyceryl-4 Diacrylate/Polyhydroxystearate/Sebacate, Niacinamide, Methylpropanediol, Silica, Nylon-12, Coco-Caprylate, Tulipa Gesneriata/Kaemmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Amlanin, Onyza Saliva Bran Extract, Tocopherol, Lentinus Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Elatus Fruit Extract, Plogynium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leucocostoc Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Polyglyceryl-3 Dipolyhydroxystearate, Caprylyl Glycol, Methylhexylacetate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentylene Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Alcohol, Hamamelis Virginiana Water, Citric Acid, CI 77489, CI 77482, CI 77491.

BLOOMEFFECTS TULIP DEW

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82548-2193
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
JOJOBA OIL (UNII: 724GKU717M)	
ORYZA SATIVA WHOLE (UNII: 84IVV0906Z)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
NYLON-12 (UNII: 446U8J075B)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYLHEPTYL ISOSTEARATE (UNII: 981F40Q9FF)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ALLANTOIN (UNII: 344S277G0Z)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ROSMARINUS OFFICINALIS FLOWER (UNII: NR1A27F29O)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PROPANEDIOL (UNII: 5965N8W85T)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
PODOCARPUS ELATUS FRUIT (UNII: R4N1M6CZCY)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-2193-4	1 in 1 CARTON	01/25/2024	
1	NDC:82548-2193-3	55 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/25/2024	

Labeler - Bloomeffects (096991853)

Revised: 10/2025

Bloomeffects