MEIJER CHILDRENS 24 HOUR ALLERGY- loratadine solution Meijer Distribution Inc

meijerтм

Children's 24 Hour Allergy

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup

adults and	2 teaspoonfuls (tsp) daily; do not
children 6 years	take more than 2 teaspoonfuls
and over	(tsp) in 24 hours
children 2 to	1 teaspoonful (tsp) daily; do not
under 6 years of	take more than 1 teaspoonful (tsp)
age	in 24 hours
children under 2	ask a doctor
years of age	ask a doctor
consumers with	

Other information

- safety sealed: do not use if imprinted safety seal is torn or missing
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions?

Call 1-866-923-4914

DIST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER AVE NW GRAND RAPIDS, MI 49544

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 41250-999-08

Compare to
Children's
CLARITIN®
active ingredient*

meijerтм

2 Years and Older

Children's 24 Hour Allergy

Loratadine Oral Solution $5\ mg/5\ mL$

Antihistamine

Indoor & Outdoor Allergies

non-drowsy[†]

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dye Free Sugar Free Grape Flavor

children's

Dosage Cup Enclosed

4 FL OZ (120 mL)

[†]When taken as directed. See Drug Facts Panel.



24 Ho Aller

Loratadine Oral Solution 5 mg/5 mL Antihistamine

NDC 41250-999-08

meijer

Compare to Children's **CLARITIN®**

active ingredient*

2 Years and Older

Children's **24Ho** Aller

Loratadine Oral Solution $5 \, \text{mg/} 5 \, \text{mL}$ **Antihistamine**

meller

Child ren's **CLARITIN®**

active ingredient'

2 Years and Older

Children's **24 H**o Aller

Loratadine Oral Solution 5 mg/5 mL **Antihistamine**

Indoor & Outdoor Allergies

non-drowsy† 24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dye Free **Sugar Free** Grape Flavor






Indoor & Outdoor Allergies

non-drowsyt 24 Hour Relief of: . Sneezing

- - Runny Nose
 Itchy, Watery Eyes
 Itchy Throat or Nose
- Alcohol Free
- * This product is not manufactured or distributed by MSD Consumer Care Inc., a subsidiary of Merck & Co., Inc.

Sugar Free Grape Flavor

DIST. BY MEIJER DISTRIBUTION, INC.



4 FL 0Z (120 mL)

Enclosed

2929 WALKER AVE NW GRAND RAPIDS, MI 49544 www.meijer.com

Made in Canada † When taken as directed.

Enclosed

When taken as directed. See Drug Facts Panel,

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT



T181C



NO VARNISH ON THIS FLAP

NDC 41250-999-08



Compare to Children's CLARITIN®

active ingredient*

2 Years and Older

Children's 24 Ho Allerg

Loratadine Oral Solution 5 mg/5 mL Antihistamine

Indoor & Outdoor Allergies

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient

(in each 5 mL teaspoonful)

Purpose

Loratadine 5 mg......Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- · itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kichey disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)



Directions use only with enclosed dosing cup adults and children 2 teaspoonfuls (tsp) daily; do not take 6 years and over more than 2 teaspoonfuls (tsp) in 24 hours children 2 to under 1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 6 years of age 24 hours children under ask a doctor 2 years of age consumers with liver ask a doctor or kidney disease

Other information • safety sealed: do not use if imprinted safety seal is torn or missing

store between 20° and 25°C (68° and 77°F)

Inactive ingredients glycerin, grape flavor, maltitoli solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions? Call 1-866-923-4914

NO VARNISH ON THIS FLAP PPK-7091-1 0813-1 M159

MEIJER CHILDRENS 24 HOUR ALLERGY

loratadine solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-999

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
ı	Laratadina (UNII: 7A IO3BO7ON) (Laratadina - UNII: 7A IO3BO7ON)	Loratadino	5 mg in 5 mI

Inactive Ingredients Ingredient Name Strength glycerin (UNII: PDC6A3C0OX) sorbitol (UNII: 506T60A25R) phosphoric acid (UNII: E4GA8884NN)

polyethylene glycols (UNII: 3WJQ0SDW1A)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium metabisulfite (UNII: 4VON5FNS3C)	
sodium phosphate, monobasic, dihydrate (UNII: 5QWK665956)	

Product Characteristics		
Color	YELLOW (colorless to slightly yellow)	Score
Shape		Size
Flavor	GRAPE (sugar free)	Imprint Code
Contains		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-999-08	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	02/27/2010	

Labeler - Meijer Distribution Inc (006959555)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41250-999)	

Revised: 3/2014 Meijer Distribution Inc