

**ARTHRITIS PAIN RELIEF- acetaminophen tablet, extended release  
KROGER COMPANY**

-----  
**Kroger Acetaminophen Extended Release Tablets USP, 650 mg (Arthritis Pain)**

***Drug Facts***

***Active ingredient (in each caplet)***

Acetaminophen 650 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves minor aches and pains due to:

- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache

temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**Do not take more than directed.**

See overdose warning

---

adults	<ul style="list-style-type: none"><li>• take 2 caplets every 8 hours with water</li><li>• swallow whole; do not crush, chew, split, or dissolve</li><li>• do not take more than 6 caplets in 24 hours</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>• ask a doctor</li></ul>

---

**Other information**

- store between 20-25°C (68-77°F)
- The FDA approved dissolution methods differ from USP

**Inactive ingredients** carnauba wax, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

**Questions or comments?** Call **1-800-632-6900**



NDC 41226-699-42

# Arthritis Pain Relief Acetaminophen Extended-Release

Tablets USP, 650 mg

LASTS UP TO 8 HOURS • FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

TO OPEN:  
PUSH DOWN,  
TURN CAP

**PAIN RELIEVER/  
FEVER REDUCER**

**24 CAPLETS\***

\*CAPSULE-SHAPED BI-LAYER TABLETS

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**RETAIN CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION**

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF  
THE IMPRINTED FOIL SEAL OVER THE MOUTH OF  
THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

### Drug Facts

**Active ingredient (in each caplet) Purpose**  
Acetaminophen 650 mg... Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to: minor pain of arthritis, muscular aches, backache, premenstrual and menstrual cramps, the common cold, headache, toothache  
■ temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product\*

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

### Directions

**Do not take more than directed.**

See overdose warning

adults: ■ take 2 caplets every 8 hours with water

■ swallow whole; do not crush, chew, split, or dissolve

■ do not take more than 6 caplets in 24 hours

■ do not use for more than 10 days unless directed by a doctor

under 18 years of age: ■ ask a doctor

### Other information

■ store between 20-25°C (68-77°F)

■ The FDA approved dissolution methods differ from USP

### Questions or comments?

Call 1-800-632-6900

Contains No Aspirin

PRODUCT DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

MADE IN INDIA. Quality Guaranteed Kroger.com/guarantee 800-632-6900

689R 0525

LOT:

EXP.:

**Varnish Omit Area**

Varnish Omit Area

NDC 41226-699-42

COMPARE TO THE ACTIVE INGREDIENT  
IN TYLENOL® FOR ARTHRITIS PAIN\*

TO OPEN:  
PUSH DOWN, TURN CAP

DO NOT USE WITH OTHER  
MEDICINES CONTAINING  
ACETAMINOPHEN

# Arthritis Pain Relief Acetaminophen Extended-Release

Tablets USP, 650 mg

LASTS UP TO 8 HOURS • FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

ACTUAL SIZE

**24 CAPLETS\***

\*CAPSULE-SHAPED BI-LAYER TABLETS

**PAIN RELIEVER/  
FEVER REDUCER**

**RETAIN CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION**

### Drug Facts

**Active ingredient (in each caplet) Purpose**  
Acetaminophen 650 mg..... Pain reliever/  
fever reducer

### Uses

■ temporarily relieves minor aches and pains due to:  
■ minor pain of arthritis  
■ muscular aches ■ backache  
■ premenstrual and menstrual cramps  
■ the common cold ■ headache ■ toothache  
■ temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 6 caplets in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash

### Drug Facts (continued)

If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

### Ask a doctor before use if you have liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

### Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ new symptoms occur  
■ redness or swelling is present  
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Drug Facts (continued)

**Directions** Do not take more than directed. See overdose warning

adults

■ take 2 caplets every 8 hours with water  
■ swallow whole; do not crush, chew, split, or dissolve  
■ do not take more than 6 caplets in 24 hours  
■ do not use for more than 10 days unless directed by a doctor

under 18 years of age

■ ask a doctor

### Other information

■ store between 20-25°C (68-77°F)  
■ The FDA approved dissolution methods differ from USP

**Inactive ingredients** carnauba wax, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

### Questions or comments?

Call 1-800-632-6900

Contains No Aspirin



LOT:  
EXP.:

Varnish Omit

Varnish Omit Area

Varnish Omit Area

TYLENOL® is a registered trademark of Kenvue Inc.  
PRODUCT DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202  
OUR PHARMACIST RECOMMENDED  
Kroger.com/guarantee  
800-632-6900  
For More Product Information, Scan UPC  
Using Your Kroger App or Call 800-632-6900  
689R 0525



NDC 41226-699-01

## Arthritis Pain Relief

### Acetaminophen Extended-Release

Tablets USP, 650 mg

LASTS UP TO 8 HOURS  
FOR THE TEMPORARY RELIEF OF  
MINOR ARTHRITIS PAIN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

PAIN RELIEVER/FEVER REDUCER

100 CAPLETS\*
\*CAPSULE-SHAPED BI-LAYER TABLETS

**RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each caplet)**  
Acetaminophen 650 mg ..... Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis ■ muscular aches ■ backache
  - premenstrual and menstrual cramps ■ the common cold
  - headache ■ toothache
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.**

**Directions** Do not take more than directed. See overdose warning.

adults: ■ take 2 caplets every 8 hours with water ■ swallow whole, do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor under 18 years of age adults: ask a doctor

**Questions or comments?** Call 1-800-632-6900

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202  
MADE IN INDIA  
YOUR PHARMACIST RECOMMENDED

6999 0324  
LOT:     EXP:

Varnish Omit Area

## ARTHRITIS PAIN RELIEF

acetaminophen tablet, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41226-699
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6130)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
TRIACETIN (UNII: XHX3C3X673)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE K30 (UNII: U725QWY32X)	

### Product Characteristics

<b>Color</b>	white (White to off white)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Capsule-Shaped Tablet)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	71

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-699-01	1 in 1 CARTON	04/15/2024	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41226-699-42	1 in 1 CARTON	06/05/2025	
2		24 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41226-699-26	225 in 1 BOTTLE; Type 0: Not a Combination Product	06/05/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA215486	04/15/2024	

**Labeler** - KROGER COMPANY (006999528)**Registrant** - TIME CAP LABORATORIES, INC. (037052099)**Establishment**

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(41226-699)

Revised: 5/2025

KROGER COMPANY