

**CHILDRENS PAIN AND FEVER DYE FREE- acetaminophen suspension  
KROGER COMPANY**

-----  
**Kroger Acetaminophen 160 mg Liquid Suspension - Children's Cherry Flavor  
Dye Free**

***Drug Facts***

***Active ingredient (in each 5 mL)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses*** temporarily:

reduces fever

relieves minor aches and pains due to:

- the common cold
- flu
- headache
- sore throat
- toothache

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin**

**When using this product, do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:**In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

**Do not take more than directed.**

See overdose warning

- **this product does not contain directions or complete warnings for adult use.**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lbs)	Age (yr)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

\*or as directed by a doctor

**Attention:**use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

### ***Other information***



- **each 5 mL contains:**sodium 2 mg
- store between 20-25° (68-77°F)

### ***Inactive ingredients***

anhydrous citric acid, flavor, glycerin, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylparaben, purified water, sodium benzoate, sorbitol solution, sucralose, sucrose, xanthan gum

**Questions or comments? Call 1-800-632-6900**

NDC 41226-779-05


**CHILDREN'S**  
**Pain & Fever**  
ACETAMINOPHEN 160 mg PER 5 mL

**AGES 2-11 YEARS**

**PAIN RELIEVER / FEVER REDUCER**  
**ORAL SUSPENSION**  
ASPIRIN FREE  
ALCOHOL FREE  
IBUPROFEN FREE

**4 FL OZ (118 mL)**

**DYE-FREE**  
**CHERRY FLAVOR**



**TAMPER EVIDENT: DO NOT USE IF SHRINKBAND SEAL AROUND THE BOTTLE NECK IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each 5 mL)**  
Acetaminophen 160 mg.....Pain reliever/fever reducer


**Uses** temporarily:  
 ■ relieves minor aches and pains due to:  
 ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes ■ more than 5 doses in 24 hours, which is the maximum daily amount. ■ With other drugs containing acetaminophen  
**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.  
**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription).  
 ■ if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
**Ask a doctor before use if your child has** liver disease  
**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin  
**When using this product, do not exceed recommended dose (see overdose warning)**  
**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present  
 ■ These could be signs of a serious condition.  
**Keep out of reach of children.**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**Directions** Do not take more than directed. See overdose warning  
**This product does not contain directions or complete warnings for adult use. ■ Shake well before using. ■ mL = milliliter. ■** Find right dose on chart below. If possible, use weight to dose; otherwise use age. ■ remove the child protective cap and squeeze your child's dose into the dosing cup ■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times daily ■ 24 hr

**Drug Facts (continued under label)**

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202**  
**MADE IN INDIA**  
**For More Product Information, Scan UPC Using Your Kroger App or Call 800-632-6900.**  
**YOUR PHARMACIST RECOMMENDED**

LOT: \_\_\_\_\_ EXP: \_\_\_\_\_

**PEEL HERE** 

Varnish Omit Area

**Drug Facts (continued)**

Weight (lbs)	Age (yr)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

\*or as directed by a doctor  
 Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.


**Other ingredients** ■ each 5 mL contains: sodium 2 mg ■ store between 20-25°C (68-77°F); hydroxyethyl cellulose and carboxymethylcellulose sodium, propylparaben, purified water, sodium benzoate, sorbitol solution, sucralose, sucrose, xanthan gum

**Questions or comments?** Call 1-800-632-6900


**IMPORTANT:** Please see dosing chart or ask a doctor for your child's correct dose. **DOSSAGE CUP PROVIDED**

**DIRECTIONS:**


**STEP 1:** Shake well before using



**STEP 2:** Remove child protective cap



**STEP 3:** Squeeze your child's dose into the dosing cup



**Adhesive Area**



## CHILDRENS PAIN AND FEVER DYE FREE

acetaminophen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41226-779
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-779-05	1 in 1 CARTON	04/17/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/17/2024	

**Labeler** - KROGER COMPANY (006999528)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(41226-779)

Revised: 4/2024

KROGER COMPANY