

**LIVE TINTED HUEGUARD SKIN TINT- zinc oxide lotion**  
**Live Tinted**

-----

**Live Tinted Huegaurd Skin Tint**

**Live Tinted Hueguard Skin Tint**

**Directions**

- Apply liberally 15 minutes before sun exposure.

- Reapply at least every 2 hours.

- Use a water-resistant sunscreen if swimming or sweating.

- Children under 6 months of age: Ask a doctor.

**• Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses ▶

#### **Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Inactive Ingredients**

ALLANTOIN, ALUMINUM HYDROXIDE, ASCORBYL PALMITATE, BISABOLOL, BUDDLEJA DAVIDII CALLUS EXTRACT, BUTYLOCTYL SALICYLATE, C12-15 ALKYL BENZOATE, C13-15 ALKANE, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL GLYCOL, CITRIC ACID, COCO-CAPRYLATE, CROCUS SATIVUS FLOWER EXTRACT, DISTEARDIMONIUM HECTORITE, GLYCERIN, HIPPOPHAE RHAMNOIDES (SEABUCKTHORN) SEED OIL, HYDROGENATED LECITHIN, HYDROLYZED SODIUM HYALURONATE, IRON OXIDES, ISOAMYL LAURATE, LECITHIN, METHYLPROPANEDIOL, PHENYLPROPANOL, PHYSALIS PUBESCENS FRUIT JUICE, POLYGLYCERYL-3 POLYRICINOLEATE, POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDR OXYSTEARATE/SEBACATE, PYRUS MALUS (APPLE) FRUIT EXTRACT, SILICA, SILICA Silylate, SODIUM CHLORIDE, SODIUM HYALURONATE, TITANIUM DIOXIDE (CI 77891), TOCOPHEROL, WATER/AQUA, WITHANIA SOMNIFERA ROOT EXTRACT, XANTHAN GUM

# Live Tinted Hueguard Skin Tint

## Drug Facts

Active Ingredient	Purpose
Zinc Oxide 9.5%.....	Sunscreen

# Live Tinted Hueguard Skin Tint

## **Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

# Live Tinted Hueguard Skin Tint

<b>Drug Facts</b>	
<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 9.5%.....	Sunscreen

# Live Tinted Hueguard Skin Tint

## **Warnings**

- For external use only
  - Do not use on damaged or broken skin
  - When using this product keep out of eyes. Rinse with water to remove
  - Stop use and ask a doctor if skin rash occurs
  - Keep out of reach of children.
- If product is swallowed, get medical help or contact a Poison Control Center right away.



# Live Tinted Hueguard Skin Tint

**\*\* Designated space for label to fold over here.**

### Drug Facts

**Active Ingredient Purpose**  
Zinc Oxide 8.5% Sunscreen

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer, early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit your time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

### Drug Facts

(continued)

#### Other Information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

ALLANTOIN, ALUMINUM HYDROXIDE, ASCORBYL PALMITATE, BISABOLOL, BUDDLEJA DAVIDI CALLUS EXTRACT, BUTYLOCTYL SALICYLATE, C12-15 ALKYL BENZOATE, C13-15 ALKANE, CAPRYLIC/CAPRIC TRIGLYCERIDE, CARRIYLYL GLYCOL, CITRIC ACID, COCO-CAPRYLATE, CROCCUS SATIVUS FLOWER EXTRACT, DISTEARDIMONIUM HECTOATE, GLYCERIN, HIPPOPHAE RHAMNOIDES (SEABUCKTHORN) SEED OIL, HYDROGENATED LECITHIN, HYDROLYZED SODIUM HYALURONATE, IRON OXIDES, ISOAMYL LAURATE, LECITHIN, METHYLPROPANEDIOL, PHENYLPROPANOL, PHYSALIS PUBESCENS FRUIT JUICE, POLYGLYCERYL-3 POLYRIGOLATE, POLYGLYCERYL-4 DISOSTEARATE/POLYHYDR. OXYSTEARATE/SEBACATE, PYRUS MALUS (APPLE) FRUIT EXTRACT, SILICA, SILICA SILYLATE, SODIUM CHLORIDE, SODIUM HYALURONATE, TITANIUM DIOXIDE (CI 77891), TOCOPHEROL, WATER/ACQUA, WITHANIA SOMNIFERA ROOT EXTRACT, XANTHAN GUM

# LIVE TINTED HUEGUARD SKIN TINT

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82153-192
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>.ALPHA.-BISABOLOL, (+)-</b> (UNII: 105S6I733Z)	
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ISOAMYL LAURATE</b> (UNII: M1SLX00M3M)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>HIPPOPHAE RHAMNOIDES SEED OIL</b> (UNII: T53SBG6741)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PHYSALIS PUBESCENS FRUIT JUICE</b> (UNII: GM2TDN9DZ1)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82153-192-02	1 in 1 CARTON	11/28/2023	
1	NDC:82153-192-01	40 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/28/2023	

**Labeler** - Live Tinted (118213769)

**Registrant** - Nanophase Technologies Corporation (623502044)

## Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		050383046	api manufacture(82153-192)

## Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	pack(82153-192) , manufacture(82153-192)

## Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		623502044	api manufacture(82153-192) , manufacture(82153-192)

Revised: 1/2024

Live Tinted