

GNP ISOPROPYL RUBBING ALCOHOL 70 PERCENT- isopropyl alcohol liquid
Amerisource Bergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GNP Isopropyl Rubbing Alcohol 70 Percent USP

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% by volume

Purpose

First aid antiseptic

Use

First aid to help prevent the risk of infection in.

- minor cuts
- scrapes
- burns

Warnings

For external use only.

- Flammable, keep away from spark, heat and flame.

Ask a doctor before use for

- deep wounds
- animal bites
- serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

- clean the affected area.
- apply a small amount of this product on the affected area 1 to 3 times daily.
- may be covered with sterile bandage.
- if bandaged, let it dry first.

Other Information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol.
- will produce serious gastric disturbances if taken internally.

Inactive Ingredient

purified water

Principal Display Panel

NDC 46122-330-43

ISOPROPYL

RUBBING

ALCOHOL 70%

USP

First Aid Antiseptic

16 fl oz (1 pt) 473 mL

| | | |
|--|---|---|
| Drug Facts Active ingredient Isopropyl alcohol 70% by volume.....First aid antiseptic Purpose First aid antiseptic |  GOOD NEIGHBOR PHARMACY NDC 46122-330-43 <i>*Safety Sealed</i> | *Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring. |
| Indications First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns | | |
| Warnings <i>For external use only</i> ■ Flammable , keep away from spark, heat and flame Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. | ISOPROPYL RUBBING ALCOHOL 70% USP First Aid Antiseptic First aid, helps prevent the risk of infection in minor cuts, scrapes, and burns • Use for massage, rubbing and sponge bath | (Drug Facts continued) Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally Inactive ingredient ■ purified water |
| Directions ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first <i>Continued ►</i> | | |

GNP ISOPROPYL RUBBING ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:46122-330 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 700 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|-----------------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:46122-330-43 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2016 | |
| 2 | NDC:46122-330-45 | 946 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2016 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph not final | part333A | 01/01/2016 | |

Labeler - Amerisource Bergen (007914906)**Registrant** - Humco Holding Group, Inc. (825672884)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|---------------------------|----------------|---------------|---|
| Humco Holding Group, Inc. | | 825672884 | manufacture(46122-330) , analysis(46122-330) , pack(46122-330) , label(46122-330) |

Revised: 11/2017

Amerisource Bergen