

**GUAIFENESIN STRAWBERRY-BANANA FLAVOR- guaifenesin liquid**  
**Innovida Pharmaceutique Corporation**

-----

**Active Ingredient**

Guaifenesin, USP 100 mg (in each 5ml tsp)

**Purpose**

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus) unless directed by a doctor.

**Stop use and ask a doctor if** ■ cough persists for more than a week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult a doctor. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- Do not take more than 6 doses in any 24 hours period

age	dose
Adults and Children 12 years of age and over:	Take 2-4 teaspoonful (5mL) every 4 hours
Children under 12 years of age:	Consult a physician

**Other Information**



- store at room temperature ■ 15°-30°C (59°-86°F)
- **TAMPER-EVIDENT:** Do not use if seal under cap is torn, broken or missing.

**Inactive Ingredients**

Citric acid, FD&C yellow #5, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.

**Questions or Comments? 1-888-462-4166**

## Product label

<p><b>Drug Facts</b></p> <p><b>Active Ingredient (in each 5 mL tsp)</b>      <b>Purpose</b> Guaifenesin USP 100 mg.....Expectorant</p> <p><b>Uses</b> ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive</p> <p><b>Warnings</b> Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus) unless directed by a doctor.</p> <p><b>Stop use and ask a doctor if</b> ■ cough persists for more than a week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult a doctor. A persistent cough may be a sign of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use. <b>Keep out of the reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	<p>NDC: 71800-059-19</p> <p><b>INNVIDA</b> PHARMACEUTIQUE CORPORATION</p> <p><b>Guaifenesin</b> EXPECTORANT FORMULA Sugar Free, Alcohol Free</p> <p><b>CONGESTION &amp; MUCUS RELIEF</b></p>  <p><b>STRAWBERRY-BANANA FLAVOR</b></p> <p><b>4.02 fl oz (119 mL)</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b> Do not take more than 6 doses in any 24 hours period</p> <table border="1"> <tr> <td>Adults and Children 12 years of age and over:</td> <td>Take 2-4 teaspoonful (5mL) every 4 hours</td> </tr> <tr> <td>Children under 12 years of age:</td> <td>Consult a physician</td> </tr> </table> <p><b>Other Information</b> ■ store at room temperature    ■ 15°-30°C (59°-86°F) ■ <b>TAMPER-EVIDENT:</b> Do not use if seal under cap is torn, broken or missing.</p> <p><b>Inactive Ingredients</b> Citric acid, FD&amp;C yellow #5, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.</p> <p><b>Questions or Comments? 1-888-462-4166</b></p> <p>Mfd. for: Innovida Pharmaceutical Corporation, Phoenix AZ 85040 Tel: 888-462-4166</p>  <p>Lot: Exp.:</p>	Adults and Children 12 years of age and over:	Take 2-4 teaspoonful (5mL) every 4 hours	Children under 12 years of age:	Consult a physician
Adults and Children 12 years of age and over:	Take 2-4 teaspoonful (5mL) every 4 hours					
Children under 12 years of age:	Consult a physician					

## GUAIFENESIN STRAWBERRY-BANANA FLAVOR

guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71800-059
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	

METHYLPARABEN (UNII: A2I8C7HI9T)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
STRAWBERRY (UNII: 4J2TY8Y81V)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71800-059-19	119 mL in 1 TUBE; Type 0: Not a Combination Product	06/16/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	06/16/2025	

**Labeler** - Innovida Pharmaceutique Corporation (080892908)

Revised: 6/2025

Innovida Pharmaceutique Corporation